

Thomas D Warkentin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8645349/publications.pdf>

Version: 2024-02-01

234
papers

7,985
citations

38660

50
h-index

69108

77
g-index

239
all docs

239
docs citations

239
times ranked

5202
citing authors

#	ARTICLE	IF	CITATIONS
1	Benefits of a plant-based diet and considerations for the athlete. <i>European Journal of Applied Physiology</i> , 2022, 122, 1163-1178.	1.2	22
2	Genotypic variability in root length in pea (<i>Pisum sativum</i> L.) and lentil (<i>Lens culinaris</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 Journal</i> , 2022, 5, .	1.0	3
3	Leaf Pigments, Surface Wax and Spectral Vegetation Indices for Heat Stress Resistance in Pea. <i>Agronomy</i> , 2022, 12, 739.	1.3	2
4	Optimizing Seeding Ratio for Semi-Leafless and Leafed Pea Mixture with Precise UAV Quantification of Crop Lodging. <i>Agronomy</i> , 2022, 12, 1532.	1.3	1
5	Functionality and starch digestibility of wrinkled and round pea flours of two different particle sizes. <i>Food Chemistry</i> , 2021, 336, 127711.	4.2	40
6	Essential Oil Profile Diversity in Cardamom Accessions From Southern India. <i>Frontiers in Sustainable Food Systems</i> , 2021, 5, .	1.8	21
7	Potential Application of Genomic Technologies in Breeding for Fungal and Oomycete Disease Resistance in Pea. <i>Agronomy</i> , 2021, 11, 1260.	1.3	10
8	Phytochemistry and therapeutic potential of black pepper [<i>Piper nigrum</i> (L.)] essential oil and piperine: a review. <i>Clinical Phytoscience</i> , 2021, 7, .	0.8	44
9	Agronomic Performance in Low Phytic Acid Field Peas. <i>Plants</i> , 2021, 10, 1589.	1.6	3
10	Effect of Genotype, Year, and Location on the Proximate Composition and <i>In Vitro</i> Protein Quality of Select Pea Cultivars. <i>ACS Food Science & Technology</i> , 2021, 1, 1670-1676.	1.3	3
11	Tissue specific changes in elements and organic compounds of alfalfa (<i>Medicago sativa</i> L.) cultivars differing in salt tolerance under salt stress. <i>Journal of Plant Physiology</i> , 2021, 264, 153485.	1.6	11
12	Validated B vitamin quantification from lentils by selected reaction monitoring mass spectrometry. <i>Food Chemistry</i> , 2021, 359, 129810.	4.2	6
13	Identification of heat responsive genes in pea stipules and anthers through transcriptional profiling. <i>PLoS ONE</i> , 2021, 16, e0251167.	1.1	4
14	Genome-Wide Association Mapping for Heat and Drought Adaptive Traits in Pea. <i>Genes</i> , 2021, 12, 1897.	1.0	11
15	Profiling bioactive flavonoids and carotenoids in select south Indian spices and nuts. <i>Natural Product Research</i> , 2020, 34, 1306-1310.	1.0	27
16	Botany, traditional uses, phytochemistry and biological activities of cardamom [<i>Elettaria cardamomum</i> (L.) Maton] – A critical review. <i>Journal of Ethnopharmacology</i> , 2020, 246, 112244.	2.0	109
17	High throughput nutritional profiling of pea seeds using Fourier transform mid-infrared spectroscopy. <i>Food Chemistry</i> , 2020, 309, 125585.	4.2	17
18	Impact of heat stress on pod-based yield components in field pea (<i>Pisum sativum</i> L.). <i>Journal of Agronomy and Crop Science</i> , 2020, 206, 76-89.	1.7	28

#	ARTICLE	IF	CITATIONS
19	Folate profile diversity and associated SNPs using genome wide association study in pea. <i>Euphytica</i> , 2020, 216, 1.	0.6	16
20	Shortening the generation cycle in faba bean (<i>Vicia faba</i>) by application of cytokinin and cold stress to assist speed breeding. <i>Plant Breeding</i> , 2020, 139, 1181-1189.	1.0	20
21	Low Phytate Peas (<i>Pisum sativum</i> L.) Improve Iron Status, Gut Microbiome, and Brush Border Membrane Functionality In Vivo (<i>Gallus gallus</i>). <i>Nutrients</i> , 2020, 12, 2563.	1.7	24
22	Genomics-Integrated Breeding for Carotenoids and Foliates in Staple Cereal Grains to Reduce Malnutrition. <i>Frontiers in Genetics</i> , 2020, 11, 414.	1.1	29
23	Genome-Wide Association Mapping for Heat Stress Responsive Traits in Field Pea. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2043.	1.8	47
24	Genome-wide association study to identify single nucleotide polymorphisms associated with Fe, Zn, and Se concentration in field pea. <i>Crop Science</i> , 2020, 60, 2070-2084.	0.8	15
25	Biofortification of Pulse Crops: Status and Future Perspectives. <i>Plants</i> , 2020, 9, 73.	1.6	121
26	Effect of stage of maturity at harvest for forage pea (<i>Pisum sativum</i> L.) on eating behavior, ruminal fermentation, and digestibility when fed as hay to yearling beef heifers. <i>Translational Animal Science</i> , 2020, 4, 149-158.	0.4	2
27	Stress equation for a cantilever beam: a model of lodging resistance in field pea. <i>International Agrophysics</i> , 2020, 34, 213-222.	0.7	6
28	Pea pollen viability and seed set response at high night temperatures. <i>Canadian Journal of Plant Science</i> , 2020, 100, 332-335.	0.3	1
29	Pollen, ovules, and pollination in pea: Success, failure, and resilience in heat. <i>Plant, Cell and Environment</i> , 2019, 42, 354-372.	2.8	54
30	Canopy architecture and leaf type as traits of heat resistance in pea. <i>Field Crops Research</i> , 2019, 241, 107561.	2.3	25
31	A reference genome for pea provides insight into legume genome evolution. <i>Nature Genetics</i> , 2019, 51, 1411-1422.	9.4	363
32	Evaluation of X-ray Fluorescence Spectroscopy as a Tool for Nutrient Analysis of Pea Seeds. <i>Crop Science</i> , 2019, 59, 2689-2700.	0.8	12
33	Polyphenolic Profile of Seed Components of White and Purple Flower Pea Lines. <i>Crop Science</i> , 2019, 59, 2711-2719.	0.8	14
34	Validation of SNP markers associated with ascochyta blight resistance in pea. <i>Canadian Journal of Plant Science</i> , 2019, 99, 243-249.	0.3	10
35	Improved folate monoglutamate extraction and application to folate quantification from wild lentil seeds by ultra-performance liquid chromatography-selective reaction monitoring mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1121, 39-47.	1.2	18
36	Linkage map development by GBS, SSR, and SRAP techniques and yield-related QTLs in pea. <i>Molecular Breeding</i> , 2019, 39, 1.	1.0	15

#	ARTICLE	IF	CITATIONS
37	Development of a Sequence-Based Reference Physical Map of Pea (<i>Pisum sativum</i> L.). <i>Frontiers in Plant Science</i> , 2019, 10, 323.	1.7	13
38	Nutrient content and viscosity of Saskatchewan-grown pulses in relation to their cooking quality. <i>Canadian Journal of Plant Science</i> , 2019, 99, 67-77.	0.3	18
39	Mapping Quantitative Trait Loci for Carotenoid Concentration in Three F ₂ Populations of Chickpea. <i>Plant Genome</i> , 2019, 12, 1-12.	1.6	13
40	Genome-Wide Association Mapping for Agronomic and Seed Quality Traits of Field Pea (<i>Pisum sativum</i>) Tj ETQq0 0,0rgBT /Overlock 10	1.7	83
41	Genotypic and heat stress effects on leaf cuticles of field pea using ATR-FTIR spectroscopy. <i>Planta</i> , 2019, 249, 601-613.	1.6	22
42	Folate stability and method optimization for folate extraction from seeds of pulse crops using LC-SRM MS. <i>Journal of Food Composition and Analysis</i> , 2018, 71, 44-55.	1.9	23
43	Construction of high-density linkage maps for mapping quantitative trait loci for multiple traits in field pea (<i>Pisum sativum</i> L.). <i>BMC Plant Biology</i> , 2018, 18, 172.	1.6	59
44	Evaluation of Simple and Inexpensive High-Throughput Methods for Phytic Acid Determination. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2017, 94, 353-362.	0.8	9
45	Physicochemical and Functional Properties of Protein Isolates Obtained from Several Pea Cultivars. <i>Cereal Chemistry</i> , 2017, 94, 89-97.	1.1	57
46	Structure, Physicochemical Properties, and In Vitro Starch Digestibility of Yellow Pea Flour Modified with Different Organic Acids. <i>Cereal Chemistry</i> , 2017, 94, 142-150.	1.1	5
47	Yield and uptake of nitrogen and phosphorus in soybean, pea, and lentil, and effects on soil nutrient supply and crop yield in the succeeding year in Saskatchewan, Canada. <i>Canadian Journal of Plant Science</i> , 2017, , .	0.3	3
48	Impact of molecular structure on the physicochemical properties of starches isolated from different field pea (<i>Pisum sativum</i> L.) cultivars grown in Saskatchewan, Canada. <i>Food Chemistry</i> , 2017, 221, 1514-1521.	4.2	27
49	CDC Canary yellow field pea. <i>Canadian Journal of Plant Science</i> , 2017, , .	0.3	0
50	CDC Spruce green field pea. <i>Canadian Journal of Plant Science</i> , 2017, , .	0.3	0
51	Symbiosis of selected <i>Rhizobium leguminosarum</i> bv. <i>viciae</i> strains with diverse pea genotypes: effects on biological nitrogen fixation. <i>Canadian Journal of Microbiology</i> , 2017, 63, 909-919.	0.8	9
52	Iron Bioavailability in Field Pea Seeds: Correlations with Iron, Phytate, and Carotenoids. <i>Crop Science</i> , 2017, 57, 891-902.	0.8	19
53	CHEMOTYPING USING SYNCHROTRON MID-INFRARED AND X-RAY SPECTROSCOPY TO IMPROVE AGRICULTURAL PRODUCTION. <i>Canadian Journal of Plant Science</i> , 2017, , .	0.3	3
54	Population structure and association mapping of traits related to reproductive development in field pea. <i>Euphytica</i> , 2017, 213, 1.	0.6	12

#	ARTICLE	IF	CITATIONS
55	Pea Phenology: Crop Potential in a Warming Environment. <i>Crop Science</i> , 2017, 57, 1540-1551.	0.8	32
56	Fine Mapping of QTLs for Ascochyta Blight Resistance in Pea Using Heterogeneous Inbred Families. <i>Frontiers in Plant Science</i> , 2017, 8, 765.	1.7	35
57	CDC Athabasca yellow field pea. <i>Canadian Journal of Plant Science</i> , 2017, , .	0.3	0
58	Determination of Photoperiod-Sensitive Phase in Chickpea (<i>Cicer arietinum</i> L.). <i>Frontiers in Plant Science</i> , 2016, 7, 478.	1.7	19
59	Identification of QTLs Associated with Improved Resistance to Ascochyta Blight in an Interspecific Pea Recombinant Inbred Line Population. <i>Crop Science</i> , 2016, 56, 2926-2939.	0.8	29
60	A simple and efficient method of in vivo rapid generation technology in pea (<i>Pisum sativum</i> L.). <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2016, 52, 530-536.	0.9	41
61	Low red: Far-red light ratio causes faster in vitro flowering in lentil. <i>Canadian Journal of Plant Science</i> , 2016, 96, 908-918.	0.3	23
62	From Mendel's discovery on pea to today's plant genetics and breeding. <i>Theoretical and Applied Genetics</i> , 2016, 129, 2267-2280.	1.8	26
63	QTL mapping of early flowering and resistance to ascochyta blight in chickpea. <i>Genome</i> , 2016, 59, 413-425.	0.9	41
64	Effect of Temperature and Photoperiod on Time to Flowering in Chickpea. <i>Crop Science</i> , 2016, 56, 200-208.	0.8	12
65	Flowering response of diverse chickpea (<i>Cicer arietinum</i> L.) accessions to photoperiod. <i>Genetic Resources and Crop Evolution</i> , 2016, 63, 1161-1172.	0.8	3
66	Development of two major resources for pea genomics: the GenoPea 13.2K SNP Array and a high-density, high-resolution consensus genetic map. <i>Plant Journal</i> , 2015, 84, 1257-1273.	2.8	121
67	Accumulation of Phosphorus-Containing Compounds in Developing Seeds of Low-Phytate Pea (<i>Pisum</i>) Tj ETQq1 1 0.784314 $\mu\text{gBT} / \text{Ov}$ 1.6 22		
68	Genomic Tools in Pea Breeding Programs: Status and Perspectives. <i>Frontiers in Plant Science</i> , 2015, 6, 1037.	1.7	74
69	Mapping Seed Phytic Acid Concentration and Iron Bioavailability in a Pea Recombinant Inbred Line Population. <i>Crop Science</i> , 2015, 55, 828-836.	0.8	23
70	Iron Bioavailability in Low Phytate Pea. <i>Crop Science</i> , 2015, 55, 320-330.	0.8	21
71	Functional properties of protein isolates from different pea cultivars. <i>Food Science and Biotechnology</i> , 2015, 24, 827-833.	1.2	70
72	Functional attributes of pea protein isolates prepared using different extraction methods and cultivars. <i>Food Research International</i> , 2015, 76, 31-38.	2.9	332

#	ARTICLE	IF	CITATIONS
73	SNP variation within genes associated with amylose, total starch and crude protein concentration in field pea. <i>Euphytica</i> , 2015, 206, 459-471.	0.6	24
74	Genetic diversity of nutritionally important carotenoids in 94 pea and 121 chickpea accessions. <i>Journal of Food Composition and Analysis</i> , 2015, 43, 49-60.	1.9	45
75	Population structure and marker-trait association studies of iron, zinc and selenium concentrations in seed of field pea (<i>Pisum sativum</i> L.). <i>Molecular Breeding</i> , 2015, 35, 1.	1.0	68
76	Genetic diversity of folate profiles in seeds of common bean, lentil, chickpea and pea. <i>Journal of Food Composition and Analysis</i> , 2015, 42, 134-140.	1.9	77
77	Molecular basis of processing-induced changes in protein structure in relation to intestinal digestion in yellow and green type pea (<i>Pisum sativum</i> L.): A molecular spectroscopic analysis. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 151, 980-988.	2.0	24
78	Effect of heat and precipitation on pea yield and reproductive performance in the field. <i>Canadian Journal of Plant Science</i> , 2015, 95, 629-639.	0.3	59
79	Pea. <i>Handbook of Plant Breeding</i> , 2015, , 37-83.	0.1	25
80	Breeding Annual Grain Legumes for Sustainable Agriculture: New Methods to Approach Complex Traits and Target New Cultivar Ideotypes. <i>Critical Reviews in Plant Sciences</i> , 2015, 34, 381-411.	2.7	140
81	Plant growth regulators improve in vitro flowering and rapid generation advancement in lentil and faba bean. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2015, 51, 71-79.	0.9	60
82	Allele diversity analysis to identify SNPs associated with ascochyta blight resistance in pea. <i>Euphytica</i> , 2015, 202, 189-197.	0.6	24
83	Effect of Cultivar and Environment on Carotenoid Profile of Pea and Chickpea. <i>Crop Science</i> , 2014, 54, 2225-2235.	0.8	23
84	Gene-based SNP discovery and genetic mapping in pea. <i>Theoretical and Applied Genetics</i> , 2014, 127, 2225-2241.	1.8	74
85	Aroma and flavour properties of Saskatchewan grown field peas (<i>Pisum sativum</i> L.). <i>Canadian Journal of Plant Science</i> , 2014, 94, 1419-1426.	0.3	32
86	Genetic diversity and association mapping of iron and zinc concentrations in chickpea (<i>Cicer</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2	0.9	111
87	Genome wide SNP identification in chickpea for use in development of a high density genetic map and improvement of chickpea reference genome assembly. <i>BMC Genomics</i> , 2014, 15, 708.	1.2	98
88	Physicochemical properties of starches from various pea and lentil varieties, and characteristics of their noodles prepared by high temperature extrusion. <i>Food Research International</i> , 2014, 55, 119-127.	2.9	68
89	Mineral Micronutrient Content of Cultivars of Field Pea, Chickpea, Common Bean, and Lentil Grown in Saskatchewan, Canada. <i>Crop Science</i> , 2014, 54, 1698-1708.	0.8	117
90	CDC Raezer green field pea. <i>Canadian Journal of Plant Science</i> , 2014, 94, 1535-1537.	0.3	4

#	ARTICLE	IF	CITATIONS
91	CDC Limerick green field pea. Canadian Journal of Plant Science, 2014, 94, 1547-1549.	0.3	7
92	CDC Amarillo yellow field pea. Canadian Journal of Plant Science, 2014, 94, 1539-1541.	0.3	10
93	CDC Greenwater green field pea. Canadian Journal of Plant Science, 2014, 94, 1551-1553.	0.3	0
94	CDC Saffron yellow field pea. Canadian Journal of Plant Science, 2014, 94, 1543-1545.	0.3	1
95	Genotypic abundance of carotenoids and polyphenolics in the hull of field pea (<i>Pisum sativum</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 26	1.7	23
96	Fast track genetic improvement of ascochyta blight resistance and double podding in chickpea by marker-assisted backcrossing. Theoretical and Applied Genetics, 2013, 126, 1639-1647.	1.8	36
97	Gene expression profiles of seed coats and biochemical properties of seed coats and cotyledons of two field pea (<i>Pisum sativum</i>) cultivars contrasting in green cotyledon bleaching resistance. Euphytica, 2013, 193, 49-65.	0.6	6
98	Characterization of 169 diverse pea germplasm accessions for agronomic performance, <i>Mycosphaerella</i> blight resistance and nutritional profile. Genetic Resources and Crop Evolution, 2013, 60, 747-761.	0.8	30
99	<i>Didymella pinodes</i> and its management in field pea: Challenges and opportunities. Field Crops Research, 2013, 148, 61-77.	2.3	51
100	Nutritional evaluation of low-phytate peas (<i>Pisum sativum</i> L.) for young broiler chicks. Archives of Animal Nutrition, 2013, 67, 1-14.	0.9	8
101	Macro-relationships between regional-scale field pea (<i>Pisum sativum</i>) selenium chemistry and environmental factors in western Canada. Canadian Journal of Plant Science, 2013, 93, 1059-1071.	0.3	5
102	Assessment of tolerance for reducing yield losses in field pea caused by <i>Aphanomyces</i> root rot. Canadian Journal of Plant Science, 2013, 93, 473-482.	0.3	23
103	Changes in Inositol Phosphates in Low Phytic Acid Field Pea (&t;Pisum) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 26 Journal of Plant Sciences, 2013, 04, 251-256.	0.3	5
104	Identification of <i>Mycosphaerella</i> Blight Resistance in Wild <i>Pisum</i> Species for Use in Pea Breeding. Crop Science, 2012, 52, 2462-2468.	0.8	23
105	Study of Pea Accessions for Development of an Oilseed Pea. Energies, 2012, 5, 3788-3802.	1.6	11
106	Development and Characterization of Low-Phytate Pea. Crop Science, 2012, 52, 74-78.	0.8	62
107	Inheritance of the Low-Phytate Trait in Pea. Crop Science, 2012, 52, 1171-1175.	0.8	9
108	Grafting pea, faba bean, and lentil to improve pulse crop breeding. Canadian Journal of Plant Science, 2012, 92, 31-38.	0.3	3

#	ARTICLE	IF	CITATIONS
109	CDC Tetris green field pea. Canadian Journal of Plant Science, 2012, 92, 217-219.	0.3	0
110	CDC Pluto small green field pea. Canadian Journal of Plant Science, 2012, 92, 215-216.	0.3	2
111	CDC Horizon forage pea. Canadian Journal of Plant Science, 2012, 92, 207-209.	0.3	2
112	CDC Treasure yellow field pea. Canadian Journal of Plant Science, 2012, 92, 211-213.	0.3	1
113	Effect of genotype and environment on the concentrations of starch and protein in, and the physicochemical properties of starch from, field pea and fababean. Journal of the Science of Food and Agriculture, 2012, 92, 141-150.	1.7	61
114	Adaptation of grain legumes to climate change: a review. Agronomy for Sustainable Development, 2012, 32, 31-44.	2.2	145
115	Genetic control and identification of QTLs associated with visual quality traits of field pea (<i>Pisum</i>) Tj ETQq1 1 0.784314 rgBT /Overlo 0,9 23	0.9	23
116	Mapping QTL Associated with Traits Affecting Grain Yield in Chickpea (<i>Cicer arietinum</i> L.) under Terminal Drought Stress. Crop Science, 2011, 51, 450-463.	0.8	84
117	Variation in Field Pea (<i>Pisum sativum</i>) Cultivars for Basal Branching and Weed Competition. Weed Science, 2011, 59, 218-223.	0.8	30
118	Yields in mixtures of resistant and susceptible field pea cultivars infested with powdery mildew “defining thresholds for a possible strategy for preserving resistance. Canadian Journal of Plant Science, 2011, 91, 873-880.	0.3	2
119	CDC Hornet yellow field pea. Canadian Journal of Plant Science, 2011, 91, 947-949.	0.3	0
120	CDC Orion kabuli chickpea. Canadian Journal of Plant Science, 2011, 91, 355-356.	0.3	7
121	Changes in volatile flavour compounds in field pea cultivars as affected by storage conditions. International Journal of Food Science and Technology, 2011, 46, 2408-2419.	1.3	50
122	Volatile flavour profile changes in selected field pea cultivars as affected by crop year and processing. Food Chemistry, 2011, 124, 326-335.	4.2	79
123	Genetic background and agronomic value of leaf types in pea (<i>Pisum sativum</i>). Ratarstvo I Povrtarstvo, 2011, 48, 275-284.	0.6	26
124	Shading, Defoliation and Light Enrichment Effects on Chickpea in Northern Latitudes. Journal of Agronomy and Crop Science, 2010, 196, 220-230.	1.7	11
125	Basal branching in field pea cultivars and yield-density relationships. Canadian Journal of Plant Science, 2010, 90, 679-690.	0.3	21
126	Sources of resistance to ascochyta blight in wild species of lentil (<i>Lens culinaris</i> Medik.). Genetic Resources and Crop Evolution, 2010, 57, 1053-1063.	0.8	53

#	ARTICLE	IF	CITATIONS
145	CDC Corinne desi chickpea. Canadian Journal of Plant Science, 2009, 89, 515-516.	0.3	5
146	CDC Tucker and CDC Leroy forage pea cultivars. Canadian Journal of Plant Science, 2009, 89, 661-663.	0.3	8
147	In vitro starch digestibility, expected glycemic index, and thermal and pasting properties of flours from pea, lentil and chickpea cultivars. Food Chemistry, 2008, 111, 316-321.	4.2	169
148	Composition, Molecular Structure, Properties, and In Vitro Digestibility of Starches from Newly Released Canadian Pulse Cultivars. Cereal Chemistry, 2008, 85, 471-479.	1.1	124
149	Construction of an Intraspecific Linkage Map and QTL Analysis for Earliness and Plant Height in Lentil. Crop Science, 2008, 48, 2254-2264.	0.8	74
150	CDC Prosper field pea. Canadian Journal of Plant Science, 2008, 88, 1097-1098.	0.3	0
151	Light interception and radiation use efficiency of fern- and unifoliolate-leaf chickpea cultivars. Canadian Journal of Plant Science, 2008, 88, 1025-1034.	0.3	8
152	CDC Patrick field pea. Canadian Journal of Plant Science, 2008, 88, 1095-1096.	0.3	0
153	CDC Meadow field pea. Canadian Journal of Plant Science, 2007, 87, 909-910.	0.3	20
154	CDC Centennial field pea. Canadian Journal of Plant Science, 2007, 87, 907-908.	0.3	5
155	Impact of cultivar, row spacing and seeding rate on ascochyta blight severity and yield of chickpea. Canadian Journal of Plant Science, 2007, 87, 395-403.	0.3	14
156	Short internode, double podding and early flowering effects on maturity and other agronomic characters in chickpea. Field Crops Research, 2007, 102, 43-50.	2.3	28
157	Genetic mapping of ascochyta blight resistance in chickpea (<i>Cicer arietinum</i> L.) using a simple sequence repeat linkage map. Genome, 2007, 50, 26-34.	0.9	89
158	New Ring Pack for Heavy Duty Diesel Engines. , 2007, , .		4
159	Genetic relationships among Chickpea (<i>Cicer arietinum</i> L.) genotypes based on the SSRs at the quantitative trait Loci for resistance to Ascochyta Blight. European Journal of Plant Pathology, 2007, 119, 39-51.	0.8	9
160	Selection for Lodging Resistance in Early Generations of Field Pea by Molecular Markers. Crop Science, 2006, 46, 321-329.	0.8	24
161	Biomass and yield performance of kabuli chickpea cultivars with the fern or unifoliolate leaf trait in the Northern Great Plains. Canadian Journal of Plant Science, 2006, 86, 1089-1097.	0.3	8
162	Reward field pea. Canadian Journal of Plant Science, 2006, 86, 1165-1166.	0.3	5

#	ARTICLE	IF	CITATIONS
163	Canstar field pea. Canadian Journal of Plant Science, 2006, 86, 751-752.	0.3	4
164	Prediction of crude protein content in field peas using near infrared reflectance spectroscopy. Canadian Journal of Plant Science, 2006, 86, 157-159.	0.3	25
165	CDC Sage field pea. Canadian Journal of Plant Science, 2006, 86, 161-162.	0.3	10
166	Assessment of yield loss caused by mycosphaerella blight in field pea crops in western Canada. Journal of Plant Diseases and Protection, 2006, 113, 267-274.	1.6	5
167	CDC Redberry lentil. Canadian Journal of Plant Science, 2006, 86, 497-498.	0.3	36
168	Screening techniques and sources of resistance to rusts and mildews in grain legumes. Euphytica, 2006, 147, 255-272.	0.6	90
169	Heritability and predicted gain from selection in components of crop duration in divergent chickpea cross populations. Euphytica, 2006, 152, 1-8.	0.6	13
170	Sources of Resistance to Anthracnose (<i>Colletotrichum truncatum</i>) in Wild Lens Species. Genetic Resources and Crop Evolution, 2006, 53, 111-119.	0.8	69
171	Inheritance of Time to Flowering in Chickpea in a Short-Season Temperate Environment. Journal of Heredity, 2006, 97, 55-61.	1.0	58
172	A quantitative-trait locus for resistance to ascochyta blight [<i>Ascochyta lentis</i>] maps close to a gene for resistance to anthracnose [<i>Colletotrichum truncatum</i>] in lentil. Canadian Journal of Plant Pathology, 2006, 28, 588-595.	0.8	37
173	Agassiz field pea. Canadian Journal of Plant Science, 2006, 86, 1167-1169.	0.3	6
174	Thunderbird field pea. Canadian Journal of Plant Science, 2006, 86, 1171-1173.	0.3	1
175	CDC Plato lentil. Canadian Journal of Plant Science, 2005, 85, 161-162.	0.3	4
176	CDC Bronco field pea. Canadian Journal of Plant Science, 2005, 85, 649-650.	0.3	18
177	CDC Sedley lentil. Canadian Journal of Plant Science, 2005, 85, 163-164.	0.3	1
178	CDC ChiChi kabuli chickpea. Canadian Journal of Plant Science, 2005, 85, 907-908.	0.3	0
179	CDC LeMay lentil. Canadian Journal of Plant Science, 2005, 85, 159-160.	0.3	0
180	CDC Frontier kabuli chickpea. Canadian Journal of Plant Science, 2005, 85, 909-910.	0.3	38

#	ARTICLE	IF	CITATIONS
181	CDC Cabri desi chickpea. Canadian Journal of Plant Science, 2005, 85, 905-906.	0.3	2
182	On improving crossing success in chickpea. Plant Breeding, 2005, 124, 608-609.	1.0	5
183	Ascochyta blight of chickpea: infection and host resistance mechanisms. Canadian Journal of Plant Pathology, 2005, 27, 499-509.	0.8	41
184	The relationships among lodging, stem anatomy, degree of lignification, and resistance to mycosphaerella blight in field pea (<i>Pisum sativum</i>). Canadian Journal of Botany, 2005, 83, 954-967.	1.2	41
185	Identification of quantitative trait loci for grain yield, seed protein concentration and maturity in field pea (<i>Pisum sativum</i> L.). Euphytica, 2004, 136, 297-306.	0.6	70
186	CDC Golden field pea. Canadian Journal of Plant Science, 2004, 84, 237-238.	0.3	30
187	CDC Desiray desi chickpea. Canadian Journal of Plant Science, 2004, 84, 795-796.	0.3	0
188	Evaluation of components of resistance to powdery mildew in field pea. Canadian Journal of Plant Science, 2004, 84, 1183-1187.	0.3	0
189	Using molecular markers to pyramid genes for resistance to ascochyta blight and anthracnose in lentil (<i>Lens culinaris</i> Medik.). Euphytica, 2003, 134, 223-230.	0.6	61
190	Genetics of resistance to anthracnose and identification of AFLP and RAPD markers linked to the resistance gene in PI 320937 germplasm of lentil (<i>Lens culinaris</i> Medikus). Theoretical and Applied Genetics, 2003, 106, 428-434.	1.8	71
191	Quantitative trait loci for lodging resistance, plant height and partial resistance to mycosphaerella blight in field pea (<i>Pisum sativum</i> L.). Theoretical and Applied Genetics, 2003, 107, 1482-1491.	1.8	136
192	Morphological plasticity of chickpea in a semiarid environment. Crop Science, 2003, 43, 426.	0.8	15
193	CDC Nika desi chickpea. Canadian Journal of Plant Science, 2003, 83, 799-800.	0.3	2
194	CDC Anna desi chickpea. Canadian Journal of Plant Science, 2003, 83, 797-798.	0.3	11
195	Response of field pea cultivars to chlorothalonil in the control of mycosphaerella blight. Canadian Journal of Plant Science, 2003, 83, 313-318.	0.3	8
196	Reactions of field pea varieties to three isolates of <i>Uromyces fabae</i> . Canadian Journal of Plant Science, 2002, 82, 253-255.	0.3	15
197	CDC Montero field pea. Canadian Journal of Plant Science, 2002, 82, 121-122.	0.3	1
198	CDC Minuet field pea. Canadian Journal of Plant Science, 2002, 82, 113-115.	0.3	2

#	ARTICLE	IF	CITATIONS
199	DS Dominator field pea. Canadian Journal of Plant Science, 2002, 82, 753-754.	0.3	0
200	DS Admiral field pea. Canadian Journal of Plant Science, 2002, 82, 751-752.	0.3	4
201	Pea Starch: Composition, Structure and Properties – A Review. Starch/Staerke, 2002, 54, 217-234.	1.1	321
202	Title is missing!. Euphytica, 2002, 127, 317-325.	0.6	94
203	DS Stalwarth field pea. Canadian Journal of Plant Science, 2001, 81, 281-282.	0.3	3
204	AC Advantage field pea. Canadian Journal of Plant Science, 2001, 81, 469-470.	0.3	0
205	Partial resistance to <i>Mycosphaerella pinodes</i> in field pea. Canadian Journal of Plant Science, 2001, 81, 535-540.	0.3	53
206	AC Melfort field pea. Canadian Journal of Plant Science, 2000, 80, 117-119.	0.3	2
207	Effect of mancozeb on the control of mycosphaerella blight of field pea. Canadian Journal of Plant Science, 2000, 80, 403-406.	0.3	22
208	bushy, a dominant pea mutant characterised by short, thin stems, tiny leaves and a major reduction in apical dominance. Physiologia Plantarum, 1999, 107, 346-352.	2.6	14
209	Studies on winter survival strategies of <i>Erysiphe pisi</i> in Manitoba. Canadian Journal of Plant Pathology, 1999, 21, 159-164.	0.8	6
210	Title is missing!. Euphytica, 1998, 101, 97-102.	0.6	69
211	Trypsin Inhibitor Activity in Field Pea (<i>Pisum sativum</i> L.) and Grass Pea (<i>Lathyrus sativus</i> L.). Journal of Agricultural and Food Chemistry, 1998, 46, 2620-2623.	2.4	23
212	Pathogenic variation of western Canadian isolates of <i>Mycosphaerella pinodes</i> on selected <i>Pisum</i> genotypes. Canadian Journal of Plant Pathology, 1998, 20, 189-193.	0.8	31
213	Inheritance of powdery mildew resistance in pea. Canadian Journal of Plant Science, 1997, 77, 307-310.	0.3	87
214	Proximate and mineral composition of field peas. Canadian Journal of Plant Science, 1997, 77, 101-103.	0.3	6
215	Effects of timings of inoculation with <i>Mycosphaerella pinodes</i> on yield and seed infection of field pea. Canadian Journal of Plant Science, 1997, 77, 685-689.	0.3	62
216	Pathogenic variation in <i>Erysiphe pisi</i> , the causal organism of powdery mildew of pea. Canadian Journal of Plant Pathology, 1997, 19, 267-271.	0.8	34

#	ARTICLE	IF	CITATIONS
217	Fungicidal control of powdery mildew in field pea. Canadian Journal of Plant Science, 1996, 76, 933-935.	0.3	57
218	Indicators for desiccation timing in field pea. Canadian Journal of Plant Science, 1996, 76, 325-327.	0.3	0
219	Protein quality of peas as influenced by location, nitrogen application and seed inoculation. Plant Foods for Human Nutrition, 1996, 49, 93-105.	1.4	13
220	Genotypic variability in seedborne infection of field pea by <i>Mycosphaerella pinodes</i> and its relation to foliar disease severity. Canadian Journal of Plant Pathology, 1996, 18, 370-374.	0.8	61
221	Fungicidal control of ascochyta blight of field pea. Canadian Journal of Plant Science, 1996, 76, 67-71.	0.3	36
222	Effectiveness of a detached leaf assay for determination of the reaction of pea plants to powdery mildew. Canadian Journal of Plant Pathology, 1995, 17, 87-89.	0.8	27
223	Transgene copy number can be positively or negatively associated with transgene expression. Plant Molecular Biology, 1993, 21, 17-26.	2.0	371
224	Effect of promoter-leader sequences on transient reporter gene expression in particle bombarded pea (<i>Pisum sativum</i> L.) tissues. Plant Science, 1992, 87, 171-177.	1.7	25
225	Agrobacterium tumefaciens-mediated beta-glucuronidase (GUS) gene expression in lentil (<i>Lens</i>) Tj ETQq1 1 0.784314 rgBT / Overlock 10	2.8	30
226	Crown gall transformation of lentil (<i>Lens culinaris</i> Medik.) with virulent strains of <i>Agrobacterium tumefaciens</i> . Plant Cell Reports, 1991, 10, 489-93.	2.8	28
227	Diclofop-methyl tolerance in cultivated oats (<i>Avena sativa</i> L.). Weed Research, 1988, 28, 27-35.	0.8	8
228	High Temperature Effects on in vitro Pollen Germination and Seed Set in Field Pea. Canadian Journal of Plant Science, 0, , .	0.3	7
229	Evaluation of growth and nitrogen fixation of pea nodulation mutants in western Canada. Canadian Journal of Plant Science, 0, , .	0.3	5
230	CDC Spectrum yellow field pea. Canadian Journal of Plant Science, 0, , .	0.3	1
231	CDC Inca yellow field pea. Canadian Journal of Plant Science, 0, , .	0.3	3
232	CDC Forest green field pea. Canadian Journal of Plant Science, 0, , .	0.3	0
233	CDC Tollefson yellow field pea. Canadian Journal of Plant Science, 0, , .	0.3	0
234	CDC Lewochko yellow field pea. Canadian Journal of Plant Science, 0, , .	0.3	1