

Grethe Andersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/864621/publications.pdf>

Version: 2024-02-01

128
papers

8,784
citations

76196

40
h-index

43802

91
g-index

135
all docs

135
docs citations

135
times ranked

8584
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Trends in the incidence and mortality of intracerebral hemorrhage, and the associated risk factors, in Denmark from 2004 to 2017. <i>European Journal of Neurology</i> , 2022, 29, 168-177. | 1.7 | 4 |
| 2 | The impact of a Danish stroke campaign: A cross-sectional study. <i>Acta Neurologica Scandinavica</i> , 2022, 145, 102-110. | 1.0 | 3 |
| 3 | Atrial fibrillation after closure of patent foramen ovale in the <scp>REDUCE</scp> clinical study. <i>Catheterization and Cardiovascular Interventions</i> , 2022, 99, 1551-1557. | 0.7 | 11 |
| 4 | The Prehospital Stroke Score and telephone conference: A prospective validation. <i>Acta Neurologica Scandinavica</i> , 2022, 145, 541-550. | 1.0 | 7 |
| 5 | Use of reperfusion therapy and time delay in patients with ischaemic stroke by immigration status: A register-based cohort study in Denmark. <i>European Journal of Neurology</i> , 2022, 29, 1952-1962. | 1.7 | 6 |
| 6 | COVID-19 did not result in increased hospitalization for stroke and transient ischemic attack: A nationwide study. <i>European Journal of Neurology</i> , 2022, 29, 2269-2274. | 1.7 | 5 |
| 7 | Can Helicopters Solve the Transport Dilemma for Patients With Symptoms of Large-Vessel Occlusion Stroke in Intermediate Density Areas? A Simulation Model Based on Real Life Data. <i>Frontiers in Neurology</i> , 2022, 13, 861259. | 1.1 | 2 |
| 8 | Socioeconomic Inequalities in Reperfusion Therapy for Acute Ischemic Stroke. <i>Stroke</i> , 2022, 53, 2307-2316. | 1.0 | 6 |
| 9 | Immigration status and utilization of secondary preventive treatment after ischemic stroke. <i>European Stroke Journal</i> , 2022, 7, 402-412. | 2.7 | 1 |
| 10 | Specialized Outpatient Clinic vs Stroke Unit for TIA and Minor Stroke. <i>Neurology</i> , 2021, 96, . | 1.5 | 12 |
| 11 | Pharmacological management of post-stroke depression: an update of the evidence and clinical guidance. <i>Expert Opinion on Pharmacotherapy</i> , 2021, 22, 1157-1166. | 0.9 | 17 |
| 12 | Five-Year Outcomes of PFO Closure or Antiplatelet Therapy for Cryptogenic Stroke. <i>New England Journal of Medicine</i> , 2021, 384, 970-971. | 13.9 | 25 |
| 13 | Machine Learning-Based Prediction of Brain Tissue Infarction in Patients With Acute Ischemic Stroke Treated With Theophylline as an Add-On to Thrombolytic Therapy: A Randomized Clinical Trial Subgroup Analysis. <i>Frontiers in Neurology</i> , 2021, 12, 613029. | 1.1 | 5 |
| 14 | Help-seeking behaviour and subsequent patient and system delays in stroke. <i>Acta Neurologica Scandinavica</i> , 2021, 144, 524-534. | 1.0 | 7 |
| 15 | Perfusion Changes in Acute Stroke Treated with Theophylline as an Add-on to Thrombolysis. <i>Clinical Neuroradiology</i> , 2021, , 1. | 1.0 | 0 |
| 16 | Patent Foramen Ovale Closure Decreases the Incidence but Not the Size of New Brain Infarction on Magnetic Resonance Imaging: An Analysis of the REDUCE Trial. <i>Stroke</i> , 2021, 52, 3419-3426. | 1.0 | 1 |
| 17 | Safety considerations for prescribing SSRI antidepressants to patients at increased cardiovascular risk. <i>Expert Opinion on Drug Safety</i> , 2021, , 1-9. | 1.0 | 1 |
| 18 | Response by Mainz et al to Letter Regarding Article, "Disentangling Sex Differences in Use of Reperfusion Therapy in Patients With Acute Ischemic Stroke". <i>Stroke</i> , 2021, 52, e25. | 1.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Incidence of stroke, transient ischaemic attack and determinants of poststroke mortality among immigrants in Denmark, 2004-2018: a population-based cohort study. <i>BMJ Open</i> , 2021, 11, e049347. | 0.8 | 4 |
| 20 | Conditioning medicine for ischemic and hemorrhagic stroke. <i>Conditioning Medicine</i> , 2021, 4, 124-129. | 1.3 | 0 |
| 21 | TRIAGE-STROKE: Treatment strategy In Acute large vessel occlusion: Prioritize IV or endovascular treatment- A randomized trial. <i>International Journal of Stroke</i> , 2020, 15, 103-108. | 2.9 | 16 |
| 22 | Predictors for wellbeing and characteristics of mental health after stroke. <i>Journal of Affective Disorders</i> , 2020, 264, 358-364. | 2.0 | 12 |
| 23 | Experiences and needs of patients on the endovascular therapy pathway after acute ischaemic stroke: Being helpless and next to yourself. <i>Nursing Open</i> , 2020, 7, 299-306. | 1.1 | 1 |
| 24 | A multicentre, randomised, sham-controlled trial on REmote iSchemic conditioning In patients with acute STroke (RESIST) - Rationale and study design. <i>European Stroke Journal</i> , 2020, 5, 94-101. | 2.7 | 26 |
| 25 | Understanding the seriousness of a stroke is essential for appropriate help-seeking and early arrival at a stroke centre: A cross-sectional study of stroke patients and their bystanders. <i>European Stroke Journal</i> , 2020, 5, 351-361. | 2.7 | 22 |
| 26 | Comparison of Antiplatelet Therapies for Prevention of Patent Foramen Ovale-Associated Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104632. | 0.7 | 1 |
| 27 | <p>&Determinants of Health Status After Stroke: A Cohort Study with Repeated Measurements&. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1269-1279. | 1.5 | 3 |
| 28 | Disentangling Sex Differences in Use of Reperfusion Therapy in Patients With Acute Ischemic Stroke. <i>Stroke</i> , 2020, 51, 2332-2338. | 1.0 | 35 |
| 29 | Prestroke Physical Activity and Poststroke Cognitive Performance. <i>Cerebrovascular Diseases</i> , 2020, 49, 632-638. | 0.8 | 16 |
| 30 | Theophylline as an Add-On to Thrombolytic Therapy in Acute Ischemic Stroke. <i>Stroke</i> , 2020, 51, 1983-1990. | 1.0 | 7 |
| 31 | Closing the Age Gap in Acute Ischemic Stroke Treatment. <i>Stroke</i> , 2020, 51, 2279-2280. | 1.0 | 1 |
| 32 | Consensus statements and recommendations from the ESO-Karolinska Stroke Update Conference, Stockholm 11-13 November 2018. <i>European Stroke Journal</i> , 2019, 4, 307-317. | 2.7 | 116 |
| 33 | An injectable implant to stimulate the sphenopalatine ganglion for treatment of acute ischaemic stroke up to 24 h from onset (ImpACT-24B): an international, randomised, double-blind, sham-controlled, pivotal trial. <i>Lancet</i> , The, 2019, 394, 219-229. | 6.3 | 41 |
| 34 | Serotonergic Regulation and Cognition after Stroke: The Role of Antidepressant Treatment and Genetic Variation. <i>Cerebrovascular Diseases</i> , 2019, 47, 72-79. | 0.8 | 12 |
| 35 | Acute endovascular reperfusion treatment in patients with ischaemic stroke and large-vessel occlusion (Denmark 2011-2017). <i>European Journal of Neurology</i> , 2019, 26, 1044-1050. | 1.7 | 6 |
| 36 | Antiplatelet effects of citalopram in patients with ischaemic stroke: A randomized, placebo-controlled, double-blind study. <i>Scientific Reports</i> , 2019, 9, 20048. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Endovascular therapy after acute ischaemic stroke – Experiences and needs of relatives. <i>Journal of Clinical Nursing</i> , 2019, 28, 792-800. | 1.4 | 2 |
| 38 | Prescription and predictors of post-stroke antidepressant treatment: A population-based study. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 235-244. | 1.0 | 14 |
| 39 | The Serotonin Transporter Gene Polymorphisms and Risk of Ischemic Stroke. <i>Cerebrovascular Diseases</i> , 2018, 45, 187-192. | 0.8 | 12 |
| 40 | Effect of General Anesthesia and Conscious Sedation During Endovascular Therapy on Infarct Growth and Clinical Outcomes in Acute Ischemic Stroke. <i>JAMA Neurology</i> , 2018, 75, 470. | 4.5 | 306 |
| 41 | Effect of general anaesthesia on functional outcome in patients with anterior circulation ischaemic stroke having endovascular thrombectomy versus standard care: a meta-analysis of individual patient data. <i>Lancet Neurology</i> , The, 2018, 17, 47-53. | 4.9 | 205 |
| 42 | Transit time homogenization in ischemic stroke – A novel biomarker of penumbral microvascular failure?. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 2006-2020. | 2.4 | 29 |
| 43 | Characterization of Recurrent Strokes With and Without Patent Foramen Ovale Closure. <i>Journal of the American College of Cardiology</i> , 2018, 72, 2542-2544. | 1.2 | 1 |
| 44 | Neuroregeneration and Vascular Protection by Citalopram in Acute Ischemic Stroke (TALOS). <i>Stroke</i> , 2018, 49, 2568-2576. | 1.0 | 50 |
| 45 | Potential Role of Selective Serotonin Reuptake Inhibitors in Improving Functional Outcome after Stroke. <i>CNS Drugs</i> , 2018, 32, 895-903. | 2.7 | 5 |
| 46 | MRI-Guided Thrombolysis for Stroke with Unknown Time of Onset. <i>New England Journal of Medicine</i> , 2018, 379, 611-622. | 13.9 | 912 |
| 47 | Magnetic Resonance Imaging Selection for Endovascular Stroke Therapy. <i>Stroke</i> , 2018, 49, 1402-1406. | 1.0 | 21 |
| 48 | Low Morbidity after Extracranial-Intracranial Bypass Operation. The Danish Extracranial-Intracranial Bypass Study: A Nationwide Survey. <i>Cerebrovascular Diseases</i> , 2018, 45, 252-257. | 0.8 | 11 |
| 49 | Effects of centralizing acute stroke services. <i>Neurology</i> , 2018, 91, e236-e248. | 1.5 | 17 |
| 50 | Lifestyle Factors and Early Clinical Outcome in Patients With Acute Stroke. <i>Stroke</i> , 2017, 48, 611-617. | 1.0 | 12 |
| 51 | Patent Foramen Ovale Closure or Antiplatelet Therapy for Cryptogenic Stroke. <i>New England Journal of Medicine</i> , 2017, 377, 1033-1042. | 13.9 | 841 |
| 52 | High Prestroke Physical Activity Is Associated with Reduced Infarct Growth in Acute Ischemic Stroke Patients Treated with Intravenous tPA and Randomized to Remote Ischemic Preconditioning. <i>Cerebrovascular Diseases</i> , 2017, 44, 88-95. | 0.8 | 16 |
| 53 | Predictors of Infarct Growth in Patients with Large Vessel Occlusion Treated with Endovascular Therapy. <i>Frontiers in Neurology</i> , 2017, 8, 574. | 1.1 | 17 |
| 54 | Transcatheter left atrial appendage occlusion in patients with atrial fibrillation and a high bleeding risk using aspirin alone for post-implant antithrombotic therapy. <i>EuroIntervention</i> , 2017, 12, 2075-2082. | 1.4 | 81 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Self-rated health and return to work after first-time stroke. <i>Journal of Rehabilitation Medicine</i> , 2016, 48, 339-345. | 0.8 | 33 |
| 56 | Theophylline as an add-on to thrombolytic therapy in acute ischaemic stroke (TEA-Stroke): A randomized, double-blinded, placebo-controlled, two-centre phase II study. <i>European Stroke Journal</i> , 2016, 1, 248-254. | 2.7 | 4 |
| 57 | Determinants of Self-Rated Health Three Months after Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 1027-1034. | 0.7 | 12 |
| 58 | Early neurological deterioration after thrombolysis: Clinical and imaging predictors. <i>International Journal of Stroke</i> , 2016, 11, 776-782. | 2.9 | 71 |
| 59 | Response by Hastrup et al to Letter Regarding Article, "Prehospital Acute Stroke Severity Scale to Predict Large Artery Occlusion: Design and Comparison With Other Scales" <i>Stroke</i> , 2016, 47, e243. | 1.0 | 0 |
| 60 | Response by Hastrup and Andersen to Letter Regarding Article, "Prehospital Acute Stroke Severity Scale to Predict Large Artery Occlusion: Design and Comparison With Other Scales" <i>Stroke</i> , 2016, 47, e232. | 1.0 | 0 |
| 61 | Anesthetic strategy during endovascular therapy: General anesthesia or conscious sedation? (GOLIATH) <i>Tj ETQq1 1 0.784314 rgBT /Ove</i> <i>International Journal of Stroke</i> , 2016, 11, 1045-1052. | 2.9 | 48 |
| 62 | Letter by Hastrup et al Regarding Article, "Clinical Scales Do Not Reliably Identify Acute Ischemic Stroke Patients With Large-Artery Occlusion" <i>Stroke</i> , 2016, 47, e229. | 1.0 | 1 |
| 63 | Prehospital Acute Stroke Severity Scale to Predict Large Artery Occlusion. <i>Stroke</i> , 2016, 47, 1772-1776. | 1.0 | 167 |
| 64 | Thrombolysis in acute ischemic stroke is associated with lower long-term hospital bed day use: A nationwide propensity score-matched follow-up study. <i>International Journal of Stroke</i> , 2016, 11, 910-916. | 2.9 | 4 |
| 65 | Bypassing primary stroke centre reduces delay and improves outcomes for patients with large vessel occlusion. <i>European Stroke Journal</i> , 2016, 1, 85-92. | 2.7 | 63 |
| 66 | TALOS: A Multicenter, Randomized, Double-Blind, Placebo-Controlled Trial to Test the Effects of Citalopram in Patients with Acute Stroke. <i>International Journal of Stroke</i> , 2015, 10, 985-987. | 2.9 | 34 |
| 67 | Safety of selective serotonin reuptake inhibitor treatment in recovering stroke patients. <i>Expert Opinion on Drug Safety</i> , 2015, 14, 911-919. | 1.0 | 25 |
| 68 | Early Antidepressant Treatment and All-Cause 30-Day Mortality in Patients with Ischemic Stroke. <i>Cerebrovascular Diseases</i> , 2015, 40, 81-90. | 0.8 | 22 |
| 69 | Remote ischaemic conditioning—a new paradigm of self-protection in the brain. <i>Nature Reviews Neurology</i> , 2015, 11, 698-710. | 4.9 | 169 |
| 70 | Sensitivity of Diffusion- and Perfusion-Weighted Imaging for Diagnosing Acute Ischemic Stroke Is 97.5%. <i>Stroke</i> , 2015, 46, 98-101. | 1.0 | 97 |
| 71 | Post-Stroke Mortality, Stroke Severity, and Preadmission Antipsychotic Medicine Use " A Population-Based Cohort Study. <i>PLoS ONE</i> , 2014, 9, e84103. | 1.1 | 11 |
| 72 | Letter by Simonsen et al Regarding Article, "Balloon Guide Catheter Improves Revascularization and Clinical Outcomes With the Solitaire Device: Analysis of the North American Solitaire Acute Stroke Registry" <i>Stroke</i> , 2014, 45, e85. | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | MRI before Intraarterial Therapy in Ischemic Stroke: Feasibility, Impact, and Safety. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 1076-1081. | 2.4 | 12 |
| 74 | Acute Ischemic Stroke and Long-Term Outcome After Thrombolysis. <i>Stroke</i> , 2014, 45, 3070-3072. | 1.0 | 49 |
| 75 | Off-Hours Admission and Acute Stroke Care Quality. <i>Stroke</i> , 2014, 45, 3663-3669. | 1.0 | 18 |
| 76 | Remote Ischemic Perconditioning as an Adjunct Therapy to Thrombolysis in Patients With Acute Ischemic Stroke. <i>Stroke</i> , 2014, 45, 159-167. | 1.0 | 242 |
| 77 | Impact of Prestroke Selective Serotonin Reuptake Inhibitor Treatment on Stroke Severity and Mortality. <i>Stroke</i> , 2014, 45, 2121-2123. | 1.0 | 36 |
| 78 | Preadmission oral anticoagulant therapy and clinical outcome in patients hospitalised with acute stroke and atrial fibrillation. <i>Danish Medical Journal</i> , 2014, 61, A4904. | 0.5 | 8 |
| 79 | Selection of patients for intra-arterial therapy. <i>Lancet Neurology</i> , The, 2013, 12, 225. | 4.9 | 2 |
| 80 | Post Stroke Use of Selective Serotonin Reuptake Inhibitors and Clinical Outcome Among Patients With Ischemic Stroke. <i>Stroke</i> , 2013, 44, 420-426. | 1.0 | 64 |
| 81 | Percutaneous Closure of Patent Foramen Ovale in Cryptogenic Embolism. <i>New England Journal of Medicine</i> , 2013, 368, 1083-1091. | 13.9 | 781 |
| 82 | Transient Ischemic Attack and Minor Stroke Are the Most Common Manifestations of Acute Cerebrovascular Disease: A Prospective, Population-Based Study â€” The Aarhus TIA Study. <i>Neuroepidemiology</i> , 2013, 40, 50-55. | 1.1 | 50 |
| 83 | Reducing Delay of Carotid Endarterectomy in Acute Ischemic Stroke Patients. <i>Stroke</i> , 2013, 44, 686-690. | 1.0 | 24 |
| 84 | Importance of Cerebral Artery Recanalization in Patients With Stroke With and Without Neurological Improvement After Intravenous Thrombolysis. <i>Stroke</i> , 2013, 44, 2513-2518. | 1.0 | 44 |
| 85 | The Role of the Cerebral Capillaries in Acute Ischemic Stroke: The Extended Penumbra Model. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 635-648. | 2.4 | 115 |
| 86 | Pseudobulbar Affect â€” A Disabling but Under-recognised Consequence of Neurological Disease and Brain Injury. <i>European Neurological Review</i> , 2013, 8, 74. | 0.5 | 9 |
| 87 | Use of Secondary Medical Prophylaxis and Clinical Outcome Among Patients With Ischemic Stroke. <i>Stroke</i> , 2012, 43, 802-807. | 1.0 | 13 |
| 88 | Intra- and extracranial stenoses in TIA â€” Findings from the Aarhus TIA-study: A prospective population-based study. <i>Perspectives in Medicine</i> , 2012, 1, 207-210. | 0.4 | 2 |
| 89 | Is urgent treatment by specialized teams the way forward in treating transient ischemic attack?. <i>Expert Review of Neurotherapeutics</i> , 2012, 12, 109-110. | 1.4 | 1 |
| 90 | Fatigue after stroke: manifestations and strategies. <i>Disability and Rehabilitation</i> , 2012, 34, 665-670. | 0.9 | 52 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Pain Following Stroke: A Population-Based Follow-Up Study. <i>PLoS ONE</i> , 2011, 6, e27607. | 1.1 | 78 |
| 92 | Central poststroke pain: A population-based study. <i>Pain</i> , 2011, 152, 818-824. | 2.0 | 128 |
| 93 | In-Hospital Medical Complications, Length of Stay, and Mortality Among Stroke Unit Patients. <i>Stroke</i> , 2011, 42, 3214-3218. | 1.0 | 186 |
| 94 | Processes of Care and Medical Complications in Patients With Stroke. <i>Stroke</i> , 2011, 42, 167-172. | 1.0 | 72 |
| 95 | Medical complications in patients with stroke: data validity in a stroke registry and a hospital discharge registry. <i>Clinical Epidemiology</i> , 2010, 2, 5. | 1.5 | 31 |
| 96 | Medical Prophylaxis following Hospitalization for Ischemic Stroke: Age- and Sex-Related Differences and Relation to Mortality. <i>Cerebrovascular Diseases</i> , 2010, 30, 556-566. | 0.8 | 12 |
| 97 | Thrombolysis in very elderly people: controlled comparison of SITS International Stroke Thrombolysis Registry and Virtual International Stroke Trials Archive. <i>BMJ: British Medical Journal</i> , 2010, 341, c6046-c6046. | 2.4 | 198 |
| 98 | Upgraded Acute Stroke Care Including Thrombolysis Is Associated with Reduced Length of Hospital Stay among Non-Stroke Patients. <i>Cerebrovascular Diseases</i> , 2009, 27, 60-66. | 0.8 | 4 |
| 99 | Safety and Efficacy of MRI-Based Selection for Recombinant Tissue Plasminogen Activator Treatment: Responder Analysis of Outcome in the 3-Hour Time Window. <i>Cerebrovascular Diseases</i> , 2009, 27, 223-229. | 0.8 | 17 |
| 100 | Sex-Related Differences in Quality of Care and Short-Term Mortality Among Patients With Acute Stroke in Denmark. <i>Stroke</i> , 2009, 40, 1134-1139. | 1.0 | 40 |
| 101 | Carbogen inhalation increases oxygen transport to hypoperfused brain tissue in patients with occlusive carotid artery disease. <i>Brain Research</i> , 2009, 1304, 90-95. | 1.1 | 19 |
| 102 | Cortical Excitability in Chronic Stroke and Modulation by Training: A TMS Study. <i>Neurorehabilitation and Neural Repair</i> , 2009, 23, 486-493. | 1.4 | 56 |
| 103 | Quality of Care and Length of Hospital Stay Among Patients With Stroke. <i>Medical Care</i> , 2009, 47, 575-582. | 1.1 | 37 |
| 104 | Dimensions of Post-Stroke Fatigue: A Two-Year Follow-Up Study. <i>Cerebrovascular Diseases</i> , 2008, 26, 134-141. | 0.8 | 135 |
| 105 | National Use of Thrombolysis with Alteplase for Acute Ischaemic Stroke via Telemedicine in Denmark. <i>CNS Drugs</i> , 2008, 22, 73-81. | 2.7 | 42 |
| 106 | MRI Detection of Early Blood-Brain Barrier Disruption. <i>Stroke</i> , 2008, 39, 1025-1028. | 1.0 | 106 |
| 107 | Organisational barriers to thrombolysis treatment of acute ischaemic stroke. <i>Current Medical Research and Opinion</i> , 2007, 23, 2833-2839. | 0.9 | 15 |
| 108 | Inhibition of Selective Noradrenergic Reuptake as Treatment of Pathological Laughter. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 108-110. | 0.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Cost-Effectiveness of Intravenous Thrombolysis With Alteplase Within a 3-Hour Window After Acute Ischemic Stroke. <i>Stroke</i> , 2007, 38, 85-89. | 1.0 | 63 |
| 110 | Ischemic injury detected by diffusion imaging 11 minutes after stroke. <i>Annals of Neurology</i> , 2005, 58, 462-465. | 2.8 | 133 |
| 111 | Dynamic changes of the pyramidal tract after ischemic stroke detected by MR tractography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S152-S152. | 2.4 | 0 |
| 112 | Vascular disease and affective disorders. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 398-398. | 2.2 | 0 |
| 113 | Final Infarct Size after Acute Stroke: Prediction with Flow Heterogeneity. <i>Radiology</i> , 2002, 225, 269-275. | 3.6 | 36 |
| 114 | Viability Thresholds of Ischemic Penumbra of Hyperacute Stroke Defined by Perfusion-Weighted MRI and Apparent Diffusion Coefficient. <i>Stroke</i> , 2001, 32, 1140-1146. | 1.0 | 238 |
| 115 | Book review. <i>Acta Neurologica Scandinavica</i> , 2000, 101, 72-72. | 1.0 | 4 |
| 116 | Citalopram Treatment of Traumatic Brain Damage in a 6-year-old Boy. <i>Journal of Neurotrauma</i> , 1999, 16, 341-344. | 1.7 | 25 |
| 117 | Tramadol relieves pain and allodynia in polyneuropathy: a randomised, double-blind, controlled trial. <i>Pain</i> , 1999, 83, 85-90. | 2.0 | 283 |
| 118 | Post-Stroke depression and pathological crying: Clinical aspects and new pharmacological approaches. <i>Aphasiology</i> , 1997, 11, 651-664. | 1.4 | 16 |
| 119 | Post-stroke sleep disorder treated with the selective serotonin reuptake inhibitor citalopram—a case study. <i>European Journal of Neurology</i> , 1996, 3, 164-168. | 1.7 | 7 |
| 120 | Intellectual Impairment in the First Year following Stroke, Compared to an Age-Matched Population Sample. <i>Cerebrovascular Diseases</i> , 1996, 6, 363-369. | 0.8 | 45 |
| 121 | Sensory abnormalities in consecutive, unselected patients with central post-stroke pain. <i>Pain</i> , 1995, 61, 177-186. | 2.0 | 195 |
| 122 | Incidence of central post-stroke pain. <i>Pain</i> , 1995, 61, 187-193. | 2.0 | 393 |
| 123 | Treatment of Uncontrolled Crying After Stroke. <i>Drugs and Aging</i> , 1995, 6, 105-111. | 1.3 | 33 |
| 124 | Effective treatment of poststroke depression with the selective serotonin reuptake inhibitor citalopram. <i>Stroke</i> , 1994, 25, 1099-1104. | 1.0 | 364 |
| 125 | Pathoanatomic correlation between poststroke pathological crying and damage to brain areas involved in serotonergic neurotransmission. <i>Stroke</i> , 1994, 25, 1050-1052. | 1.0 | 92 |
| 126 | Headache in stroke. <i>Stroke</i> , 1993, 24, 1621-1624. | 1.0 | 143 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Citalopram for post-stroke pathological crying. <i>Lancet, The</i> , 1993, 342, 837-839. | 6.3 | 245 |
| 128 | â€œPure alexiaâ€•without hemianopia or colour anomia. <i>Acta Neurologica Scandinavica</i> , 1988, 78, 501-505. | 1.0 | 6 |