## Jan-Willem van Wingerden

## List of Publications by Citations

Source: https://exaly.com/author-pdf/8646657/jan-willem-van-wingerden-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 1,519 19 37 h-index g-index citations papers 101 1,931 3.2 5.11 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
82	Evaluating techniques for redirecting turbine wakes using SOWFA. <i>Renewable Energy</i> , <b>2014</b> , 70, 211-2	<b>18</b> 8.1	225
81	Subspace identification of Bilinear and LPV systems for open- and closed-loop data. <i>Automatica</i> , <b>2009</b> , 45, 372-381	5.7	165
80	Simulation comparison of wake mitigation control strategies for a two-turbine case. <i>Wind Energy</i> , <b>2015</b> , 18, 2135-2143	3.4	143
79	Subspace identification of MIMO LPV systems using a periodic scheduling sequence. <i>Automatica</i> , <b>2007</b> , 43, 1684-1697	5.7	113
78	Closed-loop subspace identification methods: an overview. <i>IET Control Theory and Applications</i> , <b>2013</b> , 7, 1339-1358	2.5	77
77	Two-Degree-of-Freedom Active Vibration Control of a Prototyped BmartIRotor. <i>IEEE Transactions on Control Systems Technology</i> , <b>2011</b> , 19, 284-296	4.8	56
76	Wind farm multi-objective wake redirection for optimizing power production and loads. <i>Energy</i> , <b>2017</b> , 121, 561-569	7.9	52
75	Recursive Predictor-Based Subspace Identification With Application to the Real-Time Closed-Loop Tracking of Flutter. <i>IEEE Transactions on Control Systems Technology</i> , <b>2012</b> , 20, 934-949	4.8	50
74	Rejection of Periodic Wind Disturbances on a Smart Rotor Test Section Using Lifted Repetitive Control. <i>IEEE Transactions on Control Systems Technology</i> , <b>2013</b> , 21, 347-359	4.8	40
73	A control-oriented dynamic wind farm model: WFSim. Wind Energy Science, 2018, 3, 75-95	3.2	39
72	Global Identification of Wind Turbines Using a Hammerstein Identification Method. <i>IEEE Transactions on Control Systems Technology</i> , <b>2013</b> , 21, 1471-1478	4.8	35
71	Periodic dynamic induction control of wind farms: proving the potential in simulations and wind tunnel experiments. <i>Wind Energy Science</i> , <b>2020</b> , 5, 245-257	3.2	30
70	Wind Tunnel Testing of Subspace Predictive Repetitive Control for Variable Pitch Wind Turbines. <i>IEEE Transactions on Control Systems Technology</i> , <b>2015</b> , 23, 2101-2116	4.8	29
69	Robust active wake control in consideration of wind direction variability and uncertainty. <i>Wind Energy Science</i> , <b>2018</b> , 3, 869-882	3.2	28
68	Active Power Control of Waked Wind Farms. IFAC-PapersOnLine, 2017, 50, 4484-4491	0.7	26
67	Adjoint-based model predictive control for optimal energy extraction in waked wind farms. <i>Control Engineering Practice</i> , <b>2019</b> , 84, 48-62	3.9	23
66	Closed-loop model-based wind farm control using FLORIS under time-varying inflow conditions. <i>Renewable Energy</i> , <b>2020</b> , 156, 719-730	8.1	22

## (2017-2020)

65	The helix approach: Using dynamic individual pitch control to enhance wake mixing in wind farms. Wind Energy, <b>2020</b> , 23, 1739-1751	3.4	20	
64	Analysis and optimal individual pitch control decoupling by inclusion of an azimuth offset in the multiblade coordinate transformation. <i>Wind Energy</i> , <b>2019</b> , 22, 341-359	3.4	20	
63	Linear Parameter Varying Identification of Freeway Traffic Models. <i>IEEE Transactions on Control Systems Technology</i> , <b>2011</b> , 19, 31-45	4.8	18	
62	Data-driven repetitive control: Wind tunnel experiments under turbulent conditions. <i>Control Engineering Practice</i> , <b>2018</b> , 80, 105-115	3.9	18	
61	LPV Identification of Wind Turbine Rotor Vibrational Dynamics Using Periodic Disturbance Basis Functions. <i>IEEE Transactions on Control Systems Technology</i> , <b>2013</b> , 21, 1183-1190	4.8	17	
60	Predictor-Based Tensor Regression (PBTR) for LPV subspace identification. <i>Automatica</i> , <b>2017</b> , 79, 235-2	<b>43</b> 7	16	
59	Field experiment for open-loop yaw-based wake steering at a commercial onshore wind farm in Italy. <i>Wind Energy Science</i> , <b>2021</b> , 6, 159-176	3.2	16	
58	Refinements and Tests of an Advanced Controller to Mitigate Fatigue Loads in the Controls Advanced Research Turbine <b>2011</b> ,		15	
57	Validation of a lookup-table approach to modeling turbine fatigue loads in wind farms under active wake control. <i>Wind Energy Science</i> , <b>2019</b> , 4, 549-561	3.2	14	
56	Quasi Linear Parameter Varying modeling for wind farm control using the 2D Navier-Stokes equations <b>2016</b> ,		12	
55	Adjoint-based model predictive control of wind farms: Beyond the quasi steady-state power maximization * *This work has been funded by the Ministry for Sciences and Culture of the Federal State of Lower Saxony, Germany as part of the PhD Programme on System Integration of	0.7	12	
54	Renewable Energies (SEE) and by the German Ministry of Economic Affairs and Energy (BMWi) in Online model calibration for a simplified LES model in pursuit of real-time closed-loop wind farm control. Wind Energy Science, 2018, 3, 749-765	3.2	11	
53	Yaw-Misalignment and its Impact on Wind Turbine Loads and Wind Farm Power Output. <i>Journal of Physics: Conference Series</i> , <b>2016</b> , 753, 062013	0.3	11	
52	Hierarchical subspace identification of directed acyclic graphs. <i>International Journal of Control</i> , <b>2015</b> , 88, 123-137	1.5	8	
51	Subspace IDentification of MIMO LPV systems: The PBSID approach 2008,		7	
50	Subspace identification of MIMO LPV systems using a piecewise constant scheduling sequence with hard/soft switching <b>2007</b> ,		7	
49	Data-Driven Incipient Fault Detection via Canonical Variate Dissimilarity and Mixed Kernel Principal Component Analysis. <i>IEEE Transactions on Industrial Informatics</i> , <b>2021</b> , 17, 5380-5390	11.9	7	
48	Hlbontroller design for closed-loop wake redirection <b>2017</b> ,		6	

47	LPV Subspace Identification of a DC motor with unbalanced disc. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , <b>2009</b> , 42, 856-861		6
46	Control design, implementation, and evaluation for an in-field 500 kW wind turbine with a fixed-displacement hydraulic drivetrain. <i>Wind Energy Science</i> , <b>2018</b> , 3, 615-638	3.2	6
45	On the Potential of Reduced Order Models for Wind Farm Control: A Koopman Dynamic Mode Decomposition Approach. <i>Energies</i> , <b>2020</b> , 13, 6513	3.1	6
44	Feedback-feedforward individual pitch control design for wind turbines with uncertain measurements <b>2019</b> ,		6
43	Experimental wind tunnel testing of linear individual pitch control for two-bladed wind turbines. Journal of Physics: Conference Series, <b>2014</b> , 524, 012056	0.3	5
42	Subspace identification of multivariable LPV systems: a novel approach 2008,		5
41	Subspace identification of bilinear systems using a dedicated input sequence 2007,		5
40	Preventing wind turbine tower natural frequency excitation with a quasi-LPV model predictive control scheme. <i>Wind Energy</i> , <b>2020</b> , 23, 627-644	3.4	5
39	Tensor networks for MIMO LPV system identification. <i>International Journal of Control</i> , <b>2020</b> , 93, 797-81	11.5	5
38	Observability of the ambient conditions in model-based estimation for wind farm control: A focus on static models. <i>Wind Energy</i> , <b>2020</b> , 23, 1777-1791	3.4	5
37	The Immersion and Invariance Wind Speed Estimator Revisited and New Results <b>2022</b> , 6, 361-366		5
36	Tensor Nuclear Norm LPV Subspace Identification. <i>IEEE Transactions on Automatic Control</i> , <b>2018</b> , 63, 3897-3903	5.9	4
35	LPV subspace identification of the edgewise vibrational dynamics of a wind turbine rotor <b>2011</b> ,		4
34	Online model calibration for a simplified LES model in pursuit of real-time closed-loop wind farm contro	ol	4
33	Field experiment for open-loop yaw-based wake steering at a commercial onshore wind farm in Italy		4
32	Model-based closed-loop wind farm control for power maximization using Bayesian optimization: a large eddy simulation study <b>2019</b> ,		4
31	Revealing Time-Varying Joint Impedance With Kernel-Based Regression and Nonparametric Decomposition. <i>IEEE Transactions on Control Systems Technology</i> , <b>2020</b> , 28, 224-237	4.8	4
30	Robust lidar-based closed-loop wake redirection for wind farm control. <i>IFAC-PapersOnLine</i> , <b>2017</b> , 50, 4498-4503	0.7	3

29	LPV identification of an aeroelastic flutter model 2010,		3
28	VARMAX-based closed-loop subspace model identification 2009,		3
27	Blade Effective Wind Speed Estimation: A Subspace Predictive Repetitive Estimator Approach <b>2021</b>		3
26	Wind tunnel tests with combined pitch and free-floating flap control: data-driven iterative feedforward controller tuning. <i>Wind Energy Science</i> , <b>2016</b> , 1, 205-220	3.2	3
25	Model-based design of a wave-feedforward control strategy in floating wind turbines. <i>Wind Energy Science</i> , <b>2021</b> , 6, 885-901	3.2	3
24	On wind farm wake mixing strategies using dynamic individual pitch control. <i>Journal of Physics:</i> Conference Series, <b>2020</b> , 1618, 022050	0.3	2
23	Predicting the benefit of wake steering on the annual energy production of a wind farm using large eddy simulations and Gaussian process regression. <i>Journal of Physics: Conference Series</i> , <b>2020</b> , 1618, 02	226234	2
22	A comprehensive model for transient behavior of tapping mode atomic force microscope. <i>Nonlinear Dynamics</i> , <b>2019</b> , 97, 1601-1617	5	2
21	Rejection of periodic wind disturbances on an experimental EmartIrotor section using lifted repetitive control <b>2011</b> ,		2
20	The Proportional Integral Notch and Coleman Blade Effective Wind Speed Estimators and Their Similarities <b>2022</b> , 6, 2198-2203		2
19	Feedforward-Feedback wake redirection for wind farm control		2
18	Subspace Identification of Hammerstein Wiener Systems Operating in Closed-loop. <i>Lecture Notes in Control and Information Sciences</i> , <b>2010</b> , 229-239	0.5	2
17	Fault-tolerant individual pitch control of floating offshore wind turbines via subspace predictive repetitive control. <i>Wind Energy</i> , <b>2021</b> , 24, 1045-1065	3.4	2
16	Wind farm flow control: prospects and challenges		2
15	Fault Detection of the Mooring system in Floating Offshore Wind Turbines based on the Wave-excited Linear Model. <i>Journal of Physics: Conference Series</i> , <b>2020</b> , 1618, 022049	0.3	1
14	Tensor regression for LTI subspace identification <b>2015</b> ,		1
13	Parameter estimation for spatially interconnected descriptor systems using Sequentially Semi-Separable matrices <b>2013</b> ,		1
12	Damping identification of offshore wind turbines using operational modal analysis: a review. <i>Wind Energy Science</i> , <b>2022</b> , 7, 161-184	3.2	1

11	Iterative feedback tuning of wind turbine controllers. Wind Energy Science, 2017, 2, 153-173	3.2	1
10	Model Predictive Control for Wake Redirection in Wind Farms: a Koopman Dynamic Mode Decomposition Approach <b>2021</b> ,		1
9	Validating subspace predictive repetitive control under turbulent wind conditions with wind tunnel experiment. <i>Journal of Physics: Conference Series</i> , <b>2018</b> , 1037, 032008	0.3	1
8	Input torque measurements for wind turbine gearboxes using fiber-optic strain sensors. <i>Wind Energy Science</i> , <b>2022</b> , 7, 505-521	3.2	1
7	Dynamic Flow Modelling for Model-Predictive Wind Farm Control. <i>Journal of Physics: Conference Series</i> , <b>2020</b> , 1618, 022023	0.3	O
6	Floating offshore wind turbine fault diagnosis via regularized dynamic canonical correlation and fisher discriminant analysis. <i>IET Renewable Power Generation</i> , <b>2021</b> , 15, 4006	2.9	О
5	Load reduction for wind turbines: an output-constrained, subspace predictive repetitive control approach. <i>Wind Energy Science</i> , <b>2022</b> , 7, 523-537	3.2	О
4	Tensor regression for LPV subspace identification. <i>IFAC-PapersOnLine</i> , <b>2015</b> , 48, 421-426	0.7	
3	Tensor regression for LTI subspace identification: free parametrizations**This work is funded and supported by the Design for Reliable Power Performance (D4REL) program, project code P91202 IFAC-PapersOnLine, <b>2015</b> , 48, 909-914	0.7	
2	Using The Helix Mixing Approach On Floating Offshore Wind Turbines. <i>Journal of Physics:</i> Conference Series, <b>2022</b> , 2265, 042011	0.3	

On the load impact of dynamic wind farm wake mixing strategies. *Renewable Energy*, **2022**, 194, 582-5958.1