

Pierre Michel Adam

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8648638/pierre-michel-adam-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

2,698
citations

28
h-index

47
g-index

138
ext. papers

3,070
ext. citations

4.2
avg, IF

4.87
L-index

#	Paper	IF	Citations
127	Inhomogeneous defect distribution of triangular WS monolayer revealed by surface-enhanced and tip-enhanced Raman and photoluminescence spectroscopy.. <i>Journal of Chemical Physics</i> , 2022 , 156, 034702	3.9	0
126	Monitoring tautomerization of single hypericin molecules in a tunable optical microcavity.. <i>Journal of Chemical Physics</i> , 2022 , 156, 014203	3.9	0
125	Investigation of Lattice Plasmon Modes in 2D Arrays of Au Nanoantennas. <i>Crystals</i> , 2022 , 12, 336	2.3	0
124	Engineering of the Photon Local Density of States: Strong Inhibition of Spontaneous Emission near the Resonant and High-Refractive Index Dielectric Nano-objects. <i>Journal of Physical Chemistry C</i> , 2022 , 126, 5691-5700	3.8	1
123	Tuning electrical and thermal conductivities of the two-dimensional electron gas in AlN/GaN heterostructures by piezoelectricity. <i>Nanotechnology</i> , 2021 , 32, 115703	3.4	0
122	Hybridization and Dehybridization of Plasmonic Modes. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 724-738	3.8	2
121	Evidence of the retardation effect on the plasmonic resonances of aluminum nanodisks in the symmetric/asymmetric environment. <i>Optics Express</i> , 2021 , 29, 14799-14814	3.3	0
120	Quantifying Analyte Surface Densities and Their Distribution with Respect to Electromagnetic Hot Spots in Plasmon-Enhanced Spectroscopic Biosensors. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 9866-9874	3.8	1
119	Theoretical and Experimental Evidence of Two-Step Tautomerization in Hypericin. <i>Advanced Photonics Research</i> , 2021 , 2, 2000170	1.9	1
118	Engineering Electromagnetic Hot-Spots in Nanoparticle Cluster Arrays on Reflective Substrates for Highly Sensitive Detection of (Bio)molecular Analytes. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 32653-32661	9.5	1
117	Chemical Enhancement vs Molecule-Substrate Geometry in Plasmon-Enhanced Spectroscopy. <i>ACS Photonics</i> , 2021 , 8, 2243-2255	6.3	6
116	Direct Observation of Structural Heterogeneity and Tautomerization of Single Hypericin Molecules. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 1025-1031	6.4	2
115	Analyte Co-localization at Electromagnetic Gap Hot-Spots for Highly Sensitive (Bio)molecular Detection by Plasmon Enhanced Spectroscopies. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 9113-9121	9.5	5
114	Hot carrier-mediated avalanche multiphoton photoluminescence from coupled Au-Al nanoantennas. <i>Journal of Chemical Physics</i> , 2021 , 154, 074701	3.9	0
113	 Core-Shell Nanostructures: Toward a New Platform for Controlling Optical Properties at the Nanoscale. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 20606-20616	3.8	2
112	Hypericin: Single Molecule Spectroscopy of an Active Natural Drug. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 2497-2504	2.8	8
111	Refractive index mediated plasmon hybridization in an array of aluminium nanoparticles. <i>Nanoscale</i> , 2020 , 12, 6394-6402	7.7	11

110	Accessing the Hotspots of Cavity Plasmon Modes in Vertical MetalInsulatorMetal Structures for Surface Enhanced Raman Scattering. <i>Advanced Optical Materials</i> , 2020 , 8, 1901734	8.1	8
109	Enhanced two-photon photoluminescence assisted by multi-resonant characteristics of a gold nanocylinder. <i>Nanophotonics</i> , 2020 , 9, 4009-4019	6.3	2
108	Surface enhanced Raman spectroscopy phylogenetic tree for genosensing of <i>Brettanomyces bruxellensis</i> yeast on nanostructured ultrafine glass supports. <i>Optik</i> , 2020 , 203, 163956	2.5	2
107	Flexible plasmonic and strain sensors: fabrication, design and perspectives. <i>Journal of Physics: Conference Series</i> , 2020 , 1461, 012096	0.3	1
106	Nanoplasmonic Arrays with High Spatial Resolutions, Quality, and Throughput for Quantitative Detection of Molecular Analytes 2020 ,		2
105	Influence of order-to-disorder transitions on the optical properties of the aluminum plasmonic metasurface. <i>Nanoscale</i> , 2020 , 12, 23173-23182	7.7	10
104	Possible nanoantenna control of chlorophyll dynamics for bioinspired photovoltaics. <i>Scientific Reports</i> , 2019 , 9, 7138	4.9	16
103	Robust SERS Platforms Based on Annealed Gold Nanostructures Formed on Ultrafine Glass Substrates for Various (Bio)Applications. <i>Biosensors</i> , 2019 , 9,	5.9	8
102	Large-Scale and Low-Cost Fabrication of Silicon Mie Resonators. <i>ACS Nano</i> , 2019 , 13, 4199-4208	16.7	23
101	Charge transfer and electromagnetic enhancement processes revealed in the SERS and TERS of a CoPc thin film. <i>Nanophotonics</i> , 2019 , 8, 1533-1546	6.3	4
100	Relative spectral tuning of the vertical versus base modes in plasmonic nanocones. <i>Nanotechnology</i> , 2019 , 30, 415201	3.4	6
99	Influence of the CTAB surfactant layer on optical properties of single metallic nanospheres. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2019 , 36, C78-C84	1.8	8
98	Polarization switching between parallel and orthogonal collective resonances in arrays of metal nanoparticles. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2019 , 36, E65	1.7	10
97	Strong second-harmonic generation from Au-Al heterodimers. <i>Nanoscale</i> , 2019 , 11, 23475-23481	7.7	5
96	Photochromic control of a plasmon-quantum dots coupled system. <i>Nanoscale</i> , 2018 , 11, 258-265	7.7	9
95	Dense Brushes of Tilted Metallic Nanorods Grown onto Stretchable Substrates for Optical Strain Sensing. <i>ACS Applied Nano Materials</i> , 2018 , 1, 2347-2355	5.6	21
94	Carrier recombination and plasmonic emission channels in metallic photoluminescence. <i>Nanoscale</i> , 2018 , 10, 8240-8245	7.7	13
93	Effect of Metallic Nanoparticles on Improving the Detection Capacity of a Micro-SERS Sensor Created by the Hybrid Waveguide of Metallic Slots and Dielectric Strips. <i>ACS Omega</i> , 2018 , 3, 4017-4026 ^{3.9}	3.9	4

92	Colloidal Silver Films on Polypropylene and Polyethylene. <i>Physica Status Solidi (B): Basic Research</i> , 2018 , 255, 1700491	1.3	3
91	Plasmon-Enhanced Second Harmonic Sensing. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 11475-11481	3.8	9
90	Extinction measurements of metallic nanoparticles arrays as a way to explore the single nanoparticle plasmon resonances. <i>Optics Express</i> , 2018 , 26, 6439-6445	3.3	12
89	Mapping the electric field distribution of tightly focused cylindrical vector beams with gold nanorings. <i>Optics Express</i> , 2018 , 26, 14982-14998	3.3	3
88	Plasmon-enhanced second-harmonic sensing on a microfluidic chip 2018 ,		1
87	Novel advanced scoping meta-review methodology for defining a graduate level textbook in an emerging subject area.. <i>LIBER Quarterly</i> , 2018 , 28, 1	2.9	
86	Graphene Doping Induced Tunability of Nanoparticles Plasmonic Resonances. <i>Plasmonics</i> , 2018 , 13, 1219-1225	2.1	7
85	Revealing the Hidden Plasmonic Modes of a Gold Nanocylinder. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 23651-23658	3.8	8
84	Polarization-dependent strong coupling between silver nanorods and photochromic molecules. <i>Beilstein Journal of Nanotechnology</i> , 2018 , 9, 2657-2664	3	2
83	Temperature dependence of metal-enhanced fluorescence of photosystem I from <i>Thermosynechococcus elongatus</i> . <i>Nanoscale</i> , 2017 , 9, 4196-4204	7.7	12
82	Determination of gold nanoparticle shape from absorption spectroscopy and ellipsometry. <i>Applied Surface Science</i> , 2017 , 421, 301-309	6.7	7
81	In Depth Investigation of Lattice Plasmon Modes in Substrate-Supported Gratings of Metal Monomers and Dimers. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 2388-2401	3.8	20
80	Plasmon-Enhanced Second Harmonic Generation: from Individual Antennas to Extended Arrays. <i>Plasmonics</i> , 2017 , 12, 1595-1600	2.4	8
79	Angular plasmon response of gold nanoparticles arrays: approaching the Rayleigh limit. <i>Nanophotonics</i> , 2017 , 6, 279-288	6.3	25
78	Fabrication of Annealed Gold Nanostructures on Pre-Treated Glow-Discharge Cleaned Glasses and Their Used for Localized Surface Plasmon Resonance (LSPR) and Surface Enhanced Raman Spectroscopy (SERS) Detection of Adsorbed (Bio)molecules. <i>Sensors</i> , 2017 , 17,	3.8	11
77	Optical properties of gold nanorods macro-structure: a numerical study. <i>Photonics Letters of Poland</i> , 2017 , 9, 23	2.1	4
76	Development of localized surface plasmon resonance biosensors for the detection of <i>Brettanomyces bruxellensis</i> in wine. <i>Sensors and Actuators B: Chemical</i> , 2016 , 223, 295-300	8.5	27
75	A general strategy to incorporate a wide range of metallic salts into ring-like organized nanostructures via polymer self-assembly. <i>RSC Advances</i> , 2016 , 6, 102843-102852	3.7	5

74	Enhanced Raman scattering of ZnO nanocrystals in the vicinity of gold and silver nanostructured surfaces. <i>Optics Express</i> , 2016 , 24, A168-73	3.3	20
73	Direct Comparison of Second Harmonic Generation and Two-Photon Photoluminescence from Single Connected Gold Nanodimers. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 17699-17710	3.8	22
72	Theoretical investigation of SERS nanosensors based on hybrid waveguides made of metallic slots and dielectric strips. <i>Optics Express</i> , 2016 , 24, 21244-55	3.3	12
71	Fate and Characterization Factors of Nanoparticles in Seventeen Subcontinental Freshwaters: A Case Study on Copper Nanoparticles. <i>Environmental Science & Technology</i> , 2016 , 50, 9370-9	10.3	33
70	How to determine the morphology of plasmonic nanocrystals without transmission electron microscopy?. <i>Journal of Nanoparticle Research</i> , 2016 , 18, 1	2.3	13
69	Elastoplasmonic interaction in metal-insulator-metal localized surface plasmon systems. <i>Physical Review B</i> , 2016 , 94,	3.3	11
68	Silver Nanoparticle Rings of Controllable Size: Multi-Wavelength SERS Response and High Enhancement of Three Pyridine Derivatives. <i>ChemistrySelect</i> , 2016 , 1, 1201-1206	1.8	9
67	Transient Optical Response of a Single Gold Nanoantenna: The Role of Plasmon Detuning. <i>ACS Photonics</i> , 2015 , 2, 521-529	6.3	42
66	Near-Field and Far-Field Sensitivities of LSPR Sensors. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 9470-9476	3.7	21
65	The beginnings of plasmomechanics: towards plasmonic strain sensors. <i>Frontiers of Materials Science</i> , 2015 , 9, 170-177	2.5	35
64	Ultrastable, Uniform, Reproducible, and Highly Sensitive Bimetallic Nanoparticles as Reliable Large Scale SERS Substrates. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 26091-26100	3.8	32
63	Selective Functionalization of the Nanogap of a Plasmonic Dimer. <i>ACS Photonics</i> , 2015 , 2, 121-129	6.3	36
62	Coupling between plasmonic films and nanostructures: from basics to applications. <i>Nanophotonics</i> , 2015 , 4, 363-382	6.3	59
61	Plasmonic mode interferences and Fano resonances in Metal-Insulator-Metal nanostructured interface. <i>Scientific Reports</i> , 2015 , 5, 14419	4.9	40
60	Effects of Irregular Bimetallic Nanostructures on the Optical Properties of Photosystem I from <i>Thermosynechococcus elongatus</i> . <i>Photonics</i> , 2015 , 2, 838-854	2.2	6
59	Fixed <i>Escherichia coli</i> bacterial templates enable the production of sensitive SERS-based gold nanostructures. <i>Sensors and Actuators B: Chemical</i> , 2015 , 211, 213-219	8.5	11
58	Direct laser writing of random Au nanoparticle three-dimensional structures for highly reproducible micro-SERS measurements. <i>RSC Advances</i> , 2014 , 4, 4128-4133	3.7	31
57	Strong improvements of localized surface plasmon resonance sensitivity by using Au/Ag bimetallic nanostructures modified with polydopamine films. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 219-227	9.5	61

56	Enhancing LSPR Sensitivity of Au Gratings through Graphene Coupling to Au Film. <i>Plasmonics</i> , 2014 , 9, 507-512	2.4	43
55	Single step synthesis and organization of gold colloids assisted by copolymer templates. <i>Nanotechnology</i> , 2014 , 25, 225603	3.4	6
54	Polarization-dependent fluorescence from an anisotropic gold/polymer hybrid nano-emitter. <i>Applied Physics Letters</i> , 2014 , 104, 023114	3.4	5
53	Sequential acoustic detection of atrazine herbicide and carbofuran insecticide using a single micro-structured gold quartz crystal microbalance. <i>Sensors and Actuators B: Chemical</i> , 2013 , 188, 400-404	8.5	17
52	A facile and cost-effective TEM grid approach to design gold nano-structured substrates for high throughput plasmonic sensitive detection of biomolecules. <i>Analyst, The</i> , 2013 , 138, 1015-9	5	11
51	Reversible strong coupling in silver nanoparticle arrays using photochromic molecules. <i>Nano Letters</i> , 2013 , 13, 282-6	11.5	74
50	Nonresonant surface-enhanced Raman scattering of ZnO quantum dots with Au and Ag nanoparticles. <i>ACS Nano</i> , 2013 , 7, 3420-6	16.7	69
49	Large Scale Fabrication of Gold Nano-Structured Substrates Via High Temperature Annealing and Their Direct Use for the LSPR Detection of Atrazine. <i>Plasmonics</i> , 2013 , 8, 143-151	2.4	36
48	Compositional-asymmetry influenced non-linear optical processes of plasmonic nanoparticle dimers. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 8031-4	3.6	14
47	Copolymer template control of gold nanoparticle synthesis via thermal annealing. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1	2.3	8
46	OPTICAL DETERMINATION AND IDENTIFICATION OF ORGANIC SHELLS AROUND NANOPARTICLES: APPLICATION TO SILVER NANOPARTICLES. <i>Nano</i> , 2013 , 08, 1350016	1.1	9
45	Strategies for self-organization of Au nanoparticles assisted by copolymer templates 2013 ,		2
44	Sensitive localized surface plasmon resonance multiplexing protocols. <i>Analytical Chemistry</i> , 2012 , 84, 8020-7	7.8	34
43	Heuristic optimization for the design of plasmonic nanowires with specific resonant and scattering properties. <i>Optics Express</i> , 2012 , 20, 13146-63	3.3	23
42	Selective Excitation of Plasmon Resonances of Single Au Triangles by Polarization-Dependent Light Excitation. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 14591-14598	3.8	59
41	Micro/nanoporous polymer chips as templates for highly sensitive SERS sensors. <i>RSC Advances</i> , 2012 , 2, 7837	3.7	21
40	Compact surface structures for the efficient excitation of surface plasmon-polaritons. <i>Physica Status Solidi (B): Basic Research</i> , 2012 , 249, 1178-1187	1.3	11
39	Polarized second harmonic response of square, hexagonal and random arrays of gold metallic nanocylinders. <i>Optical Materials</i> , 2011 , 33, 1440-1444	3.3	6

38	Metal nanostars: Stochastic optimization of resonant scattering properties. <i>Superlattices and Microstructures</i> , 2011 , 49, 288-293	2.8	14
37	Enhancement and quenching regimes in metal-semiconductor hybrid optical nanosources. <i>ACS Nano</i> , 2010 , 4, 759-64	16.7	129
36	Retrieving the complex polarizability of single plasmonic nanoresonators. <i>Physical Review B</i> , 2009 , 80,	3.3	9
35	Mapping local field enhancements at nanostructured metal surfaces by second-harmonic generation induced in the near field. <i>Journal of Microscopy</i> , 2008 , 229, 233-9	1.9	8
34	Detection in near-field domain of biomolecules adsorbed on a single metallic nanoparticle. <i>Journal of Microscopy</i> , 2008 , 229, 270-4	1.9	20
33	Near-field second-harmonic generation in single gold nanoparticles. <i>Applied Physics Letters</i> , 2008 , 92, 093119	3.4	65
32	Short range plasmon resonators probed by photoemission electron microscopy. <i>Nano Letters</i> , 2008 , 8, 935-40	11.5	120
31	Near-field second-harmonic generation from gold nanoellipsoids. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008 , 5, 2657-2661		6
30	Coherent scattering phenomena in apertureless scanning near-field fluorescence microscopy. <i>Optics Communications</i> , 2007 , 276, 180-185	2	
29	Biological and chemical gold nanosensors based on localized surface plasmon resonance 2007 , 40, 240-244		31
28	Electron beam lithography designed chemical nanosensors based on localized surface plasmon resonance. <i>Surface Science</i> , 2007 , 601, 5057-5061	1.8	55
27	Near-field reflection backscattering apertureless optical microscopy: application to spectroscopy experiments on opaque samples, comparison between lock-in and digital photon counting detection techniques. <i>Ultramicroscopy</i> , 2007 , 107, 16-24	3.1	3
26	Mapping local field distribution at metal nanostructures by near-field second-harmonic generation 2007 ,		5
25	Characterization of strong electromagnetic field confinement on gold nanostructures by apertureless scanning near-field optical microscopy. <i>Optics Letters</i> , 2007 , 32, 620-2	3	2
24	Polarization-sensitive printing of surface plasmon interferences. <i>Optics Express</i> , 2007 , 15, 4238-46	3.3	31
23	Role of surface plasmon in second harmonic generation from gold nanorods. <i>Applied Physics Letters</i> , 2007 , 90, 181105	3.4	120
22	Optical Extinction Spectroscopy of Oblate, Prolate and Ellipsoid Shaped Gold Nanoparticles: Experiments and Theory. <i>Plasmonics</i> , 2006 , 1, 135-140	2.4	98
21	Error signal artifact in apertureless scanning near-field optical microscopy. <i>Applied Physics Letters</i> , 2006 , 89, 023105	3.4	12

20	Surface enhanced Raman scattering on gold nanowire arrays: Evidence of strong multipolar surface plasmon resonance enhancement. <i>Chemical Physics Letters</i> , 2006 , 422, 303-307	2.5	116
19	Recovering of the apertureless scanning near-field optical microscopy signal through a lock-in detection. <i>Applied Physics B: Lasers and Optics</i> , 2006 , 84, 233-238	1.9	11
18	Role of localized surface plasmons in surface-enhanced Raman scattering of shape-controlled metallic particles in regular arrays. <i>Physical Review B</i> , 2005 , 72,	3.3	170
17	Apertureless near field optical microscopy: a contribution to the understanding of the signal detected in the presence of a background field. <i>Optics Communications</i> , 2004 , 230, 245-251	2	16
16	Definition of a simple resolution criterion in an Apertureless Scanning Near-Field Optical Microscope (A-SNOM): contribution of the tip vibration and lock-in detection. <i>EPJ Applied Physics</i> , 2004 , 26, 45-52	1.1	5
15	Development of an apertureless near-field optical microscope for fluorescence imaging and spectroscopy. <i>Synthetic Metals</i> , 2003 , 139, 557-560	3.6	7
14	Optimization of SERS-active substrates for near-field Raman spectroscopy. <i>Synthetic Metals</i> , 2003 , 139, 621-624	3.6	73
13	Influence of tip modulation on image formation in scanning near-field optical microscopy. <i>Journal of Applied Physics</i> , 2001 , 89, 5159-5169	2.5	51
12	Fluorescence imaging of submicrometric lattices of colour centres in LiF by an apertureless scanning near-field optical microscope. <i>Optics Express</i> , 2001 , 9, 353-9	3.3	26
11	Observation of nanometric metallic particles with an apertureless scanning near-field optical microscope. <i>Surface Science</i> , 2001 , 491, 195-207	1.8	20
10	Analysis of the influence of the tip vibration in the formation of images in apertureless scanning near-field optical microscopy. <i>Optics Communications</i> , 2000 , 174, 91-98	2	25
9	Localized surface plasmons on nanometric gold particles observed with an apertureless scanning near-field optical microscope. <i>Journal of Applied Physics</i> , 2000 , 88, 6919-6921	2.5	16
8	Near-field optical study of mesoscopic Au periodic samples: Effect of the polarization and comparison between different imaging modes. <i>Physical Review B</i> , 2000 , 62, 17072-17083	3.3	13
7	Polarization contrast with an apertureless near-field optical microscope. <i>Ultramicroscopy</i> , 1998 , 71, 327-331		16
6	Apertureless near-field optical microscopy: influence of the illumination conditions on the image contrast. <i>Applied Optics</i> , 1998 , 37, 1814-9	1.7	21
5	Apertureless near-field optical microscope in reflection and transmission modes. <i>Optical Engineering</i> , 1998 , 37, 2142	1.1	3
4	Photon scanning tunneling microscope using incoherent polychromatic light. <i>Optics Communications</i> , 1994 , 105, 7-14	2	11
3	Effect of coherence of the source on the images obtained with a photon scanning tunneling microscope. <i>Optics Letters</i> , 1994 , 19, 1082-4	3	18

- | | | | |
|---|---|-----|----|
| 2 | Determination of the spatial extension of the surface-plasmon evanescent field of a silver film with a photon scanning tunneling microscope. <i>Physical Review B</i> , 1993 , 48, 2680-2683 | 3.3 | 51 |
| 1 | Revealing the Three-Dimensional Orientation and Interplay between Plasmons and Interband Transitions for Single Gold Bipyramids by Photoluminescence Excitation Pattern Imaging. <i>Journal of Physical Chemistry C</i> , | 3.8 | 1 |