

# Imre E Somssich

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8648958/publications.pdf>

Version: 2024-02-01

93  
papers

20,499  
citations

30070

54  
h-index

48315

88  
g-index

95  
all docs

95  
docs citations

95  
times ranked

13644  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | PAMP-INDUCED SECRETED PEPTIDE 3 (PIP3) modulates immunity in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2020, 71, 850-864.  | 4.8  | 27        |
| 2  | Elucidating the role of WRKY27 in male sterility in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2018, 13, e1363945.   | 2.4  | 23        |
| 3  | Principles and characteristics of the <i>Arabidopsis</i> WRKY regulatory network during early MAMP-triggered immunity. <i>Plant Journal</i> , 2018, 96, 487-502.   | 5.7  | 57        |
| 4  | Transcriptional events defining plant immune responses. <i>Current Opinion in Plant Biology</i> , 2017, 38, 1-9.   | 7.1  | 165       |
| 5  | Induced Genome-Wide Binding of Three <i>Arabidopsis</i> WRKY Transcription Factors during Early MAMP-Triggered Immunity. <i>Plant Cell</i> , 2017, 29, 20-38.  | 6.6  | 202       |
| 6  | <i>Botrytis cinerea</i> B05.10 promotes disease development in <i>Arabidopsis</i> by suppressing WRKY33-mediated host immunity. <i>Plant, Cell and Environment</i> , 2017, 40, 2189-2206.  | 5.7  | 60        |
| 7  | A DNA-based real-time PCR assay for robust growth quantification of the bacterial pathogen <i>Pseudomonas syringae</i> on <i>Arabidopsis thaliana</i> . <i>Plant Methods</i> , 2016, 12, 48.   | 4.3  | 41        |
| 8  | Transcriptional networks in plant immunity. <i>New Phytologist</i> , 2015, 206, 932-947.   | 7.3  | 401       |
| 9  | Negative regulation of ABA signaling by WRKY33 is critical for <i>Arabidopsis</i> immunity towards <i>Botrytis cinerea</i> 2100. <i>ELife</i> , 2015, 4, e07295.   | 6.0  | 232       |
| 10 | <i>Arabidopsis</i> TTG2 Regulates TRY Expression through Enhancement of Activator Complex-Triggered Activation. <i>Plant Cell</i> , 2014, 26, 4067-4083.   | 6.6  | 55        |
| 11 | Functional dissection of the PROPEP2 and PROPEP3 promoters reveals the importance of WRKY factors in mediating microbe-associated molecular pattern-induced expression. <i>New Phytologist</i> , 2013, 198, 1165-1177.   | 7.3  | 56        |
| 12 | <i>Arabidopsis</i> scaffold protein RACK1A interacts with diverse environmental stress and photosynthesis related proteins. <i>Plant Signaling and Behavior</i> , 2013, 8, e24012.   | 2.4  | 43        |
| 13 | Analyses of wrky18 wrky40 Plants Reveal Critical Roles of SA/EDS1 Signaling and Indole-Glucosinolate Biosynthesis for <i>Golovinomyces orontii</i> Resistance and a Loss-of Resistance Towards <i>Pseudomonas syringae</i> pv. <i>tomato</i> AvrRPS4. <i>Molecular Plant-Microbe Interactions</i> , 2013, 26, 758-767. | 2.6  | 91        |
| 14 | Identification of functional cis-regulatory elements by sequential enrichment from a randomized synthetic DNA library. <i>BMC Plant Biology</i> , 2013, 13, 164.   | 3.6  | 6         |
| 15 | The transcriptional regulator BZR1 mediates trade-off between plant innate immunity and growth. <i>ELife</i> , 2013, 2, e00983.  | 6.0  | 208       |
| 16 | <i>Arabidopsis</i> WRKY33 Is a Key Transcriptional Regulator of Hormonal and Metabolic Responses toward <i>Botrytis cinerea</i> Infection. <i>Plant Physiology</i> , 2012, 159, 266-285.   | 4.8  | 487       |
| 17 | Chromatin Immunoprecipitation to Identify Global Targets of WRKY Transcription Factor Family Members Involved in Plant Immunity. <i>Methods in Molecular Biology</i> , 2011, 712, 45-58.   | 0.9  | 6         |
| 18 | Coiled-Coil Domain-Dependent Homodimerization of Intracellular Barley Immune Receptors Defines a Minimal Functional Module for Triggering Cell Death. <i>Cell Host and Microbe</i> , 2011, 9, 187-199.   | 11.0 | 269       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Transcriptional Plant Responses Critical for Resistance Towards Necrotrophic Pathogens. <i>Frontiers in Plant Science</i> , 2011, 2, 76.   | 3.6  | 47        |
| 20 | The wheat <i>Mla</i> homologue <i>TmMla1</i> exhibits an evolutionarily conserved function against powdery mildew in both wheat and barley. <i>Plant Journal</i> , 2011, 65, 610-621.  | 5.7  | 65        |
| 21 | Transcriptional reprogramming regulated by WRKY18 and WRKY40 facilitates powdery mildew infection of <i>Arabidopsis</i> . <i>Plant Journal</i> , 2010, 64, 912-923.  | 5.7  | 241       |
| 22 | WRKY transcription factors. <i>Trends in Plant Science</i> , 2010, 15, 247-258.  | 8.8  | 2,080     |
| 23 | The Role of WRKY Transcription Factors in Plant Immunity. <i>Plant Physiology</i> , 2009, 150, 1648-1655.  | 4.8  | 1,012     |
| 24 | Studies on DNA-binding selectivity of WRKY transcription factors lend structural clues into WRKY-domain function. <i>Plant Molecular Biology</i> , 2008, 68, 81-92.  | 3.9  | 395       |
| 25 | Natural variation of potato allene oxide synthase 2 causes differential levels of jasmonates and pathogen resistance in <i>Arabidopsis</i> . <i>Planta</i> , 2008, 228, 293-306.   | 3.2  | 48        |
| 26 | T-DNA-mediated transfer of <i>Agrobacterium tumefaciens</i> chromosomal DNA into plants. <i>Nature Biotechnology</i> , 2008, 26, 1015-1017.  | 17.5 | 64        |
| 27 | The <i>Arabidopsis</i> transcription factor WRKY27 influences wilt disease symptom development caused by <i>Ralstonia solanacearum</i> . <i>Plant Journal</i> , 2008, 56, 935-947.   | 5.7  | 101       |
| 28 | Transcriptional Responses of <i>Arabidopsis thaliana</i> during Wilt Disease Caused by the Soil-Borne Phytopathogenic Bacterium, <i>Ralstonia solanacearum</i> . <i>PLoS ONE</i> , 2008, 3, e2589.   | 2.5  | 77        |
| 29 | Chemical Interference of Pathogen-associated Molecular Pattern-triggered Immune Responses in <i>Arabidopsis</i> Reveals a Potential Role for Fatty-acid Synthase Type II Complex-derived Lipid Signals. <i>Journal of Biological Chemistry</i> , 2007, 282, 6803-6811. | 3.4  | 68        |
| 30 | Expression of AtWRKY33 Encoding a Pathogen- or PAMP-Responsive WRKY Transcription Factor Is Regulated by a Composite DNA Motif Containing W Box Elements. <i>Molecular Plant-Microbe Interactions</i> , 2007, 20, 420-429.   | 2.6  | 146       |
| 31 | Nuclear Activity of MLA Immune Receptors Links Isolate-Specific and Basal Disease-Resistance Responses. <i>Science</i> , 2007, 315, 1098-1103.   | 12.6 | 659       |
| 32 | Networks of WRKY transcription factors in defense signaling. <i>Current Opinion in Plant Biology</i> , 2007, 10, 366-371.  | 7.1  | 1,159     |
| 33 | The WRKY70 transcription factor of <i>Arabidopsis</i> influences both the plant senescence and defense signaling pathways. <i>Planta</i> , 2007, 226, 125-137.   | 3.2  | 243       |
| 34 | An improved method for preparing <i>Agrobacterium</i> cells that simplifies the <i>Arabidopsis</i> transformation protocol. <i>Plant Methods</i> , 2006, 2, 16.  | 4.3  | 155       |
| 35 | Analysis of PR Gene derived Pathogen-Inducible synthetic Promoters in the Crop Sugar Beet. <i>Journal Fur Verbraucherschutz Und Lebensmittelsicherheit</i> , 2006, 1, 116-116.   | 1.4  | 0         |
| 36 | The Transcription Factors WRKY11 and WRKY17 Act as Negative Regulators of Basal Resistance in <i>Arabidopsis thaliana</i> . <i>Plant Cell</i> , 2006, 18, 3289-3302.   | 6.6  | 391       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | The MAP kinase substrate MKS1 is a regulator of plant defense responses. <i>EMBO Journal</i> , 2005, 24, 2579-2589.  | 7.8  | 480       |
| 38 | A rapid and versatile combined DNA/RNA extraction protocol and its application to the analysis of a novel DNA marker set polymorphic between <i>Arabidopsis thaliana</i> ecotypes Col-0 and Landsberg erecta. <i>Plant Methods</i> , 2005, 1, 4.                     | 4.3  | 67        |
| 39 | Stimulus-Dependent, Promoter-Specific Binding of Transcription Factor WRKY1 to Its Native Promoter and the Defense-Related Gene P <sub>c</sub> PR1-1 in Parsley[W]. <i>Plant Cell</i> , 2004, 16, 2573-2585.   | 6.6  | 180       |
| 40 | WRKY transcription factors: from DNA binding towards biological function. <i>Current Opinion in Plant Biology</i> , 2004, 7, 491-498.  | 7.1  | 832       |
| 41 | Closing Another Gap in the Plant SAR Puzzle. <i>Cell</i> , 2003, 113, 815-816.   | 28.9 | 22        |
| 42 | Non-self recognition, transcriptional reprogramming, and secondary metabolite accumulation during plant/pathogen interactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 14569-14576.                      | 7.1  | 148       |
| 43 | Physical interaction between RRS1-R, a protein conferring resistance to bacterial wilt, and PopP2, a type III effector targeted to the plant nucleus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 8024-8029. | 7.1  | 635       |
| 44 | Members of the Arabidopsis WRKY Group III Transcription Factors Are Part of Different Plant Defense Signaling Pathways. <i>Molecular Plant-Microbe Interactions</i> , 2003, 16, 295-305.   | 2.6  | 250       |
| 45 | Synthetic Plant Promoters Containing Defined Regulatory Elements Provide Novel Insights into Pathogen- and Wound-Induced Signaling. <i>Plant Cell</i> , 2002, 14, 749-762.   | 6.6  | 375       |
| 46 | Targets of AtWRKY6 regulation during plant senescence and pathogen defense. <i>Genes and Development</i> , 2002, 16, 1139-1149.  | 5.9  | 591       |
| 47 | Leucine zipper-containing WRKY proteins widen the spectrum of immediate early elicitor-induced WRKY transcription factors in parsley. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2002, 1576, 92-100.  | 2.4  | 96        |
| 48 | A new member of the Arabidopsis WRKY transcription factor family, AtWRKY6, is associated with both senescence- and defence-related processes. <i>Plant Journal</i> , 2001, 28, 123-133.  | 5.7  | 382       |
| 49 | A novel regulatory element involved in rapid activation of parsleyELI7gene family members by fungal elicitor or pathogen infection. <i>Molecular Plant Pathology</i> , 2000, 1, 243-251.   | 4.2  | 45        |
| 50 | The WRKY superfamily of plant transcription factors. <i>Trends in Plant Science</i> , 2000, 5, 199-206.  | 8.8  | 2,462     |
| 51 | UV light selectively coinduces supply pathways from primary metabolism and flavonoid secondary product formation in parsley. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 1903-1907.                           | 7.1  | 175       |
| 52 | Three 4-coumarate:coenzyme A ligases in <i>Arabidopsis thaliana</i> represent two evolutionarily divergent classes in angiosperms. <i>Plant Journal</i> , 1999, 19, 9-20.  | 5.7  | 402       |
| 53 | Early nuclear events in plant defence signalling: rapid gene activation by WRKY transcription factors. <i>EMBO Journal</i> , 1999, 18, 4689-4699.  | 7.8  | 497       |
| 54 | Transcriptional control of plant genes responsive to pathogens. <i>Current Opinion in Plant Biology</i> , 1998, 1, 311-315.  | 7.1  | 358       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Isolation of putative plant transcriptional coactivators using a modified two-hybrid system incorporating a GFP reporter gene. <i>Plant Journal</i> , 1998, 14, 685-692.  | 5.7 | 50        |
| 56 | Pathogen defence in plants – a paradigm of biological complexity. <i>Trends in Plant Science</i> , 1998, 3, 86-90.  | 8.8 | 345       |
| 57 | A Novel Type of Pathogen Defense-Related Cinnamyl Alcohol Dehydrogenase. <i>Biological Chemistry</i> , 1997, 378, 909-914.  | 2.5 | 29        |
| 58 | Rapid and Transient Induction of a Parsley Microsomal [ $\Delta$ ] <sup>12</sup> Fatty Acid Desaturase mRNA by Fungal Elicitor. <i>Plant Physiology</i> , 1997, 115, 283-289.   | 4.8 | 63        |
| 59 | MAP kinases and plant defence. <i>Trends in Plant Science</i> , 1997, 2, 406-408.   | 8.8 | 25        |
| 60 | Rapid amplification of genomic ends (RAGE) as a simple method to clone flanking genomic DNA. <i>Gene</i> , 1997, 194, 273-276.  | 2.2 | 41        |
| 61 | Cloning of PCR products using the green fluorescent protein. <i>Technical Tips Online</i> , 1997, 2, 104-106.   | 0.2 | 2         |
| 62 | Ultra-fast alkaline lysis plasmid extraction (UFX). <i>Technical Tips Online</i> , 1997, 2, 151-152.  | 0.2 | 0         |
| 63 | Developmental and auxin-induced expression of the <i>Arabidopsis prha</i> homeobox gene. <i>Plant Journal</i> , 1997, 12, 635-647.  | 5.7 | 35        |
| 64 | Dampening of Bait Proteins in the Two-Hybrid System. <i>Analytical Biochemistry</i> , 1997, 248, 184-186.   | 2.4 | 9         |
| 65 | <i>Arabidopsis thaliana</i> defense-related protein ELI3 is an aromatic alcohol:NADP <sup>+</sup> oxidoreductase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 14199-14203. | 7.1 | 83        |
| 66 | Interaction of elicitor-induced DNA-binding proteins with elicitor response elements in the promoters of parsley PR1 genes. <i>EMBO Journal</i> , 1996, 15, 5690-5700.  | 7.8 | 575       |
| 67 | Activation of defense-related genes in parsley leaves by infection with <i>Erwinia chrysanthemi</i> . <i>European Journal of Plant Pathology</i> , 1995, 101, 549-559.  | 1.7 | 7         |
| 68 | Gene activation by UV light, fungal elicitor or fungal infection in <i>Petroselinum crispum</i> is correlated with repression of cell cycle-related genes. <i>Plant Journal</i> , 1995, 8, 865-876.                               | 5.7 | 151       |
| 69 | The phenylalanine ammonia-lyase gene family in <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 1995, 27, 327-338.  | 3.9 | 235       |
| 70 | Two pathogen-responsive genes in parsley encode a tyrosine-rich hydroxyproline-rich glycoprotein (hrgp) and an anionic peroxidase. <i>Molecular Genetics and Genomics</i> , 1995, 247, 444-452.                                   | 2.4 | 48        |
| 71 | Defense Responses of Plants to Pathogens. <i>Advances in Botanical Research</i> , 1995, 21, 1-34.   | 1.1 | 207       |
| 72 | Plant homeodomain protein involved in transcriptional regulation of a pathogen defense-related gene. <i>Plant Cell</i> , 1994, 6, 695-708.  | 6.6 | 128       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Plant Homeodomain Protein Involved in Transcriptional Regulation of a Pathogen Defense-Related Gene. <i>Plant Cell</i> , 1994, 6, 695.  | 6.6 | 27        |
| 74 | Regulatory Elements Governing Pathogenesis-Related (PR) Gene Expression. Results and Problems in Cell Differentiation, 1994, 20, 163-179.   | 0.7 | 14        |
| 75 | Assay for gene expression using run-on transcription in isolated nuclei. , 1994, , 245-255.   |     | 1         |
| 76 | Influence of bacterial strain genotype on transient expression of plasmid DNA in plant protoplasts. <i>Plant Journal</i> , 1993, 4, 587-592.  | 5.7 | 36        |
| 77 | Polyubiquitin gene expression and structural properties of the ubi4-2 gene in <i>Petroselinum crispum</i> . <i>Plant Molecular Biology</i> , 1993, 21, 673-684.   | 3.9 | 82        |
| 78 | Isolation of putative defense-related genes from <i>Arabidopsis thaliana</i> and expression in fungal elicitor-treated cells. <i>Plant Molecular Biology</i> , 1993, 21, 385-389.   | 3.9 | 108       |
| 79 | Induction by fungal elicitor of S-adenosyl-L-methionine synthetase and S-adenosyl-L-homocysteine hydrolase mRNAs in cultured cells and leaves of <i>Petroselinum crispum</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 4713-4717. | 7.1 | 162       |
| 80 | Rapid activation of a novel plant defense gene is strictly dependent on the <i>Arabidopsis</i> RPM1 disease resistance locus.. <i>EMBO Journal</i> , 1992, 11, 4677-4684.   | 7.8 | 117       |
| 81 | Elicitor-Inducible and Constitutive in vivo DNA Footprints Indicate Novel cis-Acting Elements in the Promoter of a Parsley Gene Encoding Pathogenesis-Related Protein 1. <i>Plant Cell</i> , 1991, 3, 309.  | 6.6 | 3         |
| 82 | Elicitor-inducible and constitutive in vivo DNA footprints indicate novel cis-acting elements in the promoter of a parsley gene encoding pathogenesis-related protein 1.. <i>Plant Cell</i> , 1991, 3, 309-315.   | 6.6 | 46        |
| 83 | Interactions Between <i>Arabidopsis Thaliana</i> and Phytopathogenic <i>Pseudomonas</i> Pathovars: A Model for the Genetics of Disease Resistance. <i>Current Plant Science and Biotechnology in Agriculture</i> , 1991, , 78-83.   | 0.0 | 8         |
| 84 | A 125 bp promoter fragment is sufficient for strong elicitor-mediated gene activation in parsley.. <i>EMBO Journal</i> , 1990, 9, 2945-2950.  | 7.8 | 77        |
| 85 | Chromosomal localization of parsley 4-coumarate: CoA ligase genes by in situ hybridization with a complementary DNA. <i>Plant Cell Reports</i> , 1989, 8, 59-62.  | 5.6 | 0         |
| 86 | Differential early activation of defense-related genes in elicitor-treated parsley cells. <i>Plant Molecular Biology</i> , 1989, 12, 227-234.   | 3.9 | 98        |
| 87 | Gene structure and in situ transcript localization of pathogenesis-related protein 1 in parsley. <i>Molecular Genetics and Genomics</i> , 1988, 213, 93-98.   | 2.4 | 193       |
| 88 | Detection of a single-copy gene on plant chromosomes by in situ hybridization. <i>Molecular Genetics and Genomics</i> , 1988, 211, 143-147.   | 2.4 | 38        |
| 89 | Early replication banding reveals a strongly conserved functional pattern in mammalian chromosomes. <i>Chromosoma</i> , 1985, 93, 69-76.  | 2.2 | 21        |
| 90 | Correlation between tumorigenicity and banding pattern of chromosome 15 in murine T-cell leukemia cells and hybrids of normal and malignant cells. <i>Chromosoma</i> , 1984, 91, 39-45.   | 2.2 | 17        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 91 | Cytogenetic replication studies on murine T-cell leukemias with special consideration to chromosome 15. <i>Chromosoma</i> , 1982, 86, 197-208. | 2.2 | 10        |
| 92 | The pattern of early replicating bands in the chromosomes of the mouse. <i>Cytogenetic and Genome Research</i> , 1981, 30, 222-231.            | 1.1 | 26        |
| 93 | Networks of Transcriptional Regulation Underlying Plant Defense Responses Toward Phytopathogens. , 0, , 266-284.                               |     | 0         |