

Elizabeth R Mueller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8650336/publications.pdf>

Version: 2024-02-01

72
papers

3,570
citations

257450

24
h-index

144013

57
g-index

72
all docs

72
docs citations

72
times ranked

2443
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Urine Is Not Sterile: Use of Enhanced Urine Culture Techniques To Detect Resident Bacterial Flora in the Adult Female Bladder. <i>Journal of Clinical Microbiology</i> , 2014, 52, 871-876. | 3.9 | 676 |
| 2 | Evidence of Uncultivated Bacteria in the Adult Female Bladder. <i>Journal of Clinical Microbiology</i> , 2012, 50, 1376-1383. | 3.9 | 543 |
| 3 | The Clinical Urine Culture: Enhanced Techniques Improve Detection of Clinically Relevant Microorganisms. <i>Journal of Clinical Microbiology</i> , 2016, 54, 1216-1222. | 3.9 | 277 |
| 4 | Advanced anterior vaginal wall prolapse is highly correlated with apical prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 1837-1840. | 1.3 | 226 |
| 5 | Robotic Compared With Laparoscopic Sacrocolpopexy. <i>Obstetrics and Gynecology</i> , 2014, 123, 5-12. | 2.4 | 218 |
| 6 | Incontinence medication response relates to the female urinary microbiota. <i>International Urogynecology Journal</i> , 2016, 27, 723-733. | 1.4 | 213 |
| 7 | The Bladder Is Not Sterile: History and Current Discoveries on the Urinary Microbiome. <i>Current Bladder Dysfunction Reports</i> , 2016, 11, 18-24. | 0.5 | 122 |
| 8 | The urobiome of continent adult women: a cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 193-201. | 2.3 | 92 |
| 9 | Urinary microbes and postoperative urinary tract infection risk in urogynecologic surgical patients. <i>International Urogynecology Journal</i> , 2018, 29, 1797-1805. | 1.4 | 91 |
| 10 | Long-term Safety and Efficacy of Mirabegron and Solifenacin in Combination Compared with Monotherapy in Patients with Overactive Bladder: A Randomised, Multicentre Phase 3 Study (SYNERGY) <i>Tj ETQq0 0.0 rgBT / Overlock 10</i> | | |
| 11 | The global burden of female pelvic floor disorders. <i>BJU International</i> , 2006, 98, 1-5. | 2.5 | 73 |
| 12 | The Prevention of Lower Urinary Tract Symptoms (PLUS) Research Consortium: A Transdisciplinary Approach Toward Promoting Bladder Health and Preventing Lower Urinary Tract Symptoms in Women Across the Life Course. <i>Journal of Women's Health</i> , 2018, 27, 283-289. | 3.3 | 69 |
| 13 | Urinary symptoms are associated with certain urinary microbes in urogynecologic surgical patients. <i>International Urogynecology Journal</i> , 2018, 29, 1765-1771. | 1.4 | 68 |
| 14 | Female urinary microbiota. <i>Current Opinion in Urology</i> , 2017, 27, 282-286. | 1.8 | 58 |
| 15 | Urine trouble: should we think differently about UTI?. <i>International Urogynecology Journal</i> , 2018, 29, 205-210. | 1.4 | 57 |
| 16 | Patient-selected goals: the fourth dimension in assessment of pelvic floor disorders. <i>International Urogynecology Journal</i> , 2007, 19, 81-84. | 1.4 | 56 |
| 17 | Vaginal estrogen therapy is associated with increased <i>Lactobacillus</i> in the urine of postmenopausal women with overactive bladder symptoms. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 727.e1-727.e11. | 1.3 | 42 |
| 18 | Temporal Dynamics of the Adult Female Lower Urinary Tract Microbiota. <i>MBio</i> , 2020, 11, . | 4.1 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | One-Year Outcomes After Minimally Invasive Sacrocolpopexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 382-384. | 1.1 | 39 |
| 20 | Urodynamic Prolapse Reduction Alters Urethral Pressure but Not Filling or Pressure Flow Parameters. <i>Journal of Urology</i> , 2007, 177, 600-603. | 0.4 | 36 |
| 21 | Patient-reported outcomes from SYNERGY, a randomized, double-blind, multicenter study evaluating combinations of mirabegron and solifenacin compared with monotherapy and placebo in OAB patients. <i>Neurourology and Urodynamics</i> , 2018, 37, 394-406. | 1.5 | 33 |
| 22 | The Urethral Microbiota: A Missing Link in the Female Urinary Microbiota. <i>Journal of Urology</i> , 2020, 204, 303-309. | 0.4 | 32 |
| 23 | Current Use of Pelvic Organ Prolapse Quantification by AUGS and ICS Members. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011, 17, 67-69. | 1.1 | 30 |
| 24 | Bladder bacterial diversity differs in continent and incontinent women: a cross-sectional study. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 729.e1-729.e10. | 1.3 | 29 |
| 25 | Effect of Aging on Storage and Voiding Function in Women with Stress Predominant Urinary Incontinence. <i>Journal of Urology</i> , 2014, 192, 464-468. | 0.4 | 28 |
| 26 | Terminology for bladder health research in women and girls: Prevention of Lower Urinary Tract Symptoms transdisciplinary consortium definitions. <i>Neurourology and Urodynamics</i> , 2019, 38, 1339-1352. | 1.5 | 22 |
| 27 | Abdominal Colpopexy: Comparison of Endoscopic Surgical Strategies (ACCESS). <i>Contemporary Clinical Trials</i> , 2012, 33, 1011-1018. | 1.8 | 21 |
| 28 | Bladder Health Experiences, Perceptions and Knowledge of Sexual and Gender Minorities. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3170. | 2.6 | 21 |
| 29 | Paravertebral block for percutaneous nephrolithotomy: a prospective, randomized, double-blind placebo-controlled study. <i>World Journal of Urology</i> , 2020, 38, 2963-2969. | 2.2 | 20 |
| 30 | Complex Repetitive Discharges—A Feature of the Urethral Continence Mechanism or a Pathological Finding?. <i>Journal of Urology</i> , 2012, 187, 2140-2143. | 0.4 | 19 |
| 31 | Attendance at Prescribed Pelvic Floor Physical Therapy in a Diverse, Urban Urogynecology Population. <i>PM and R</i> , 2018, 10, 601-606. | 1.6 | 19 |
| 32 | Patients' pelvic goals change after initial urogynecologic consultation. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 640.e1-640.e3. | 1.3 | 18 |
| 33 | Transabdominal uterosacral suspension: outcomes and complications. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 200, 656.e1-656.e5. | 1.3 | 17 |
| 34 | Normative noninvasive bladder function measurements in healthy women: A systematic review and meta-analysis. <i>Neurourology and Urodynamics</i> , 2020, 39, 507-522. | 1.5 | 15 |
| 35 | Pre-operative guided imagery in female pelvic medicine and reconstructive surgery: a randomized trial. <i>International Urogynecology Journal</i> , 2018, 29, 1117-1122. | 1.4 | 14 |
| 36 | Bladder urinary oxygen tension is correlated with urinary microbiota composition. <i>International Urogynecology Journal</i> , 2019, 30, 1261-1267. | 1.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | IL22 Regulates Human Urothelial Cell Sensory and Innate Functions through Modulation of the Acetylcholine Response, Immunoregulatory Cytokines and Antimicrobial Peptides: Assessment of an In Vitro Model. <i>PLoS ONE</i> , 2014, 9, e111375. | 2.5 | 13 |
| 38 | Long-term treatment of older patients with overactive bladder using a combination of mirabegron and solifenacin: a prespecified analysis from the randomized, phase III SYNERGY II study. <i>Neurourology and Urodynamics</i> , 2019, 38, 779-792. | 1.5 | 13 |
| 39 | Expert Panel Recommendations on Lower Urinary Tract Health of Women Across Their Life Span. <i>Journal of Women's Health</i> , 2016, 25, 1086-1096. | 3.3 | 12 |
| 40 | International Prostate Symptom Scores in young asymptomatic American men. <i>BJU International</i> , 2005, 95, 554-556. | 2.5 | 11 |
| 41 | Why complex pelvic organ prolapse should be approached abdominally. <i>Current Opinion in Urology</i> , 2013, 23, 317-322. | 1.8 | 9 |
| 42 | Characterizing anxiety at the first encounter in women presenting to the clinic: the CAFÅ%o study. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 509.e1-509.e7. | 1.3 | 8 |
| 43 | A Randomized Clinical Trial of Standard Versus Expanded Cultures to Diagnose Urinary Tract Infections in Women. <i>Journal of Urology</i> , 2021, 206, 1212-1221. | 0.4 | 8 |
| 44 | The Prevalence of Nocturnal Polyuria in the United States: Results from the Epidemiology of Nocturnal Polyuria Study. <i>European Urology Focus</i> , 2022, 8, 1415-1423. | 3.1 | 8 |
| 45 | Comparison of flowrates and voided volumes during non-instrumented uroflowmetry and pressure-flow studies in women with stress incontinence. <i>Neurourology and Urodynamics</i> , 2015, 34, 549-553. | 1.5 | 7 |
| 46 | Are we missing an opportunity to teach future physicians about female pelvic floor disorders?. <i>International Urogynecology Journal</i> , 2009, 20, 1413-1415. | 1.4 | 6 |
| 47 | Genomic relatedness and clinical significance of <i>Streptococcus mitis</i> strains isolated from the urogenital tract of sexual partners. <i>Microbial Genomics</i> , 2021, 7, . | 2.0 | 6 |
| 48 | Symptom improvement with mirabegron treatment is associated with urobiome changes in adult women. <i>International Urogynecology Journal</i> , 2022, 33, 1319-1328. | 1.4 | 6 |
| 49 | Modern Management of Genitourinary Fistula. <i>Journal of Pelvic Medicine & Surgery</i> , 2005, 11, 223-234. | 0.1 | 5 |
| 50 | Converging on Bladder Health through Design Thinking: From an Ecology of Influence to a Focused Set of Research Questions. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4340. | 2.6 | 5 |
| 51 | Views of Normal Bladder Function Among Women Experiencing Lower Urinary Tract Symptoms. <i>Urology</i> , 2021, 150, 103-109. | 1.0 | 5 |
| 52 | Rationale and design of the validation of bladder health instrument for evaluation in women (VIEW) protocol. <i>BMC Women's Health</i> , 2021, 21, 18. | 2.0 | 4 |
| 53 | Consideration of pelvic floor myofascial release for overactive bladder. <i>Journal of Bodywork and Movement Therapies</i> , 2020, 24, 144-150. | 1.2 | 3 |
| 54 | Sliding hernia of the bladder presenting as suprapubic pain in a female. <i>International Urogynecology Journal</i> , 2004, 15, 51-52. | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Reply to Comment on Hardacker, C.T.; Baccellieri, A.; Mueller, E.R.; Brubaker, L.; Hutchins, G.; Zhang, J.L.Y.; Hebert-Beirne, J. Bladder Health Experiences, Perceptions and Knowledge of Sexual and Gender Minorities. <i>Int. J. Environ. Res. Public Health</i> 2019, 16, 3170. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2458. | 2.6 | 2 |
| 56 | Laying the Foundation for Bladder Health Promotion in Women and Girls. <i>Urology</i> , 2021, 150, 227-233. | 1.0 | 2 |
| 57 | Urinary retention is rare after colpocleisis and concomitant midurethral sling: a 10-year experience. <i>International Urogynecology Journal</i> , 2021, 32, 729-736. | 1.4 | 2 |
| 58 | Preoperative Music Listening in Pelvic Reconstructive Surgery: A Randomized Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 469-473. | 1.1 | 2 |
| 59 | Perioperative Bowel Habits of Women Undergoing Gynecologic Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012, 18, 153-157. | 1.1 | 1 |
| 60 | Post-hospital syndrome predicts poor postoperative outcomes and increased cost following transvaginal midurethral sling placement. <i>International Urogynecology Journal</i> , 2020, 31, 1417-1422. | 1.4 | 1 |
| 61 | Non-invasive bladder function measures in healthy, asymptomatic female children and adolescents: a systematic review and meta-analysis. <i>Journal of Pediatric Urology</i> , 2021, 17, 452-462. | 1.1 | 1 |
| 62 | It's About Time: The Temporal Burden of Lower Urinary Tract Symptoms Among Women. <i>Urologic Nursing</i> , 2020, 40, 277. | 0.1 | 1 |
| 63 | Should Nerve-Sparing Procedures Be Reserved to Men Only?. <i>Journal of Sexual Medicine</i> , 2008, 5, 2259-2263. | 0.6 | 0 |
| 64 | Relative efficacy of retropubic and transobturator slings. <i>Nature Reviews Urology</i> , 2009, 6, 523-524. | 3.8 | 0 |
| 65 | Measuring Clinical Outcomes in Overactive Bladder Interventions: We Can Do Better. <i>European Urology</i> , 2016, 70, 806-807. | 1.9 | 0 |
| 66 | Editorial Comment. <i>Journal of Urology</i> , 2016, 195, 941-941. | 0.4 | 0 |
| 67 | Use of Transvaginal Mesh: What the Surgeon Should Consider. <i>Journal of Urology</i> , 2017, 198, 755-756. | 0.4 | 0 |
| 68 | Does Urethral Function Affect Urodynamic Voiding Parameters in Women with Prolapse?. <i>UroToday International Journal</i> , 2008, , . | 0.0 | 0 |
| 69 | The Correlation of Voiding Variables Between Non-Instrumented Uroflowmetry and Pressure-Flow Studies in Women with Pelvic Organ Prolapse. <i>UroToday International Journal</i> , 2008, , . | 0.0 | 0 |
| 70 | Pelvic Pain Associated with a Gynecologic Etiology. , 2010, , 563-577. | | 0 |
| 71 | Retropubic Bladder Neck Suspensions. , 2013, , 107-114. | | 0 |
| 72 | Using clinical estimate or catheter measurement of urethral mid-point result in similar retropubic mid-urethral sling position: a randomized trial. <i>International Urogynecology Journal</i> , 2022, , . | 1.4 | 0 |