

# Elizabeth R Mueller

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8650336/publications.pdf>

Version: 2024-02-01

72  
papers

3,570  
citations

257450

24  
h-index

144013

57  
g-index

72  
all docs

72  
docs citations

72  
times ranked

2443  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Prevalence of Nocturnal Polyuria in the United States: Results from the Epidemiology of Nocturnal Polyuria Study. <i>European Urology Focus</i> , 2022, 8, 1415-1423.	3.1	8
2	Using clinical estimate or catheter measurement of urethral mid-point result in similar retropubic mid-urethral sling position: a randomized trial. <i>International Urogynecology Journal</i> , 2022, , .	1.4	0
3	Symptom improvement with mirabegron treatment is associated with urobiome changes in adult women. <i>International Urogynecology Journal</i> , 2022, 33, 1319-1328.	1.4	6
4	Laying the Foundation for Bladder Health Promotion in Women and Girls. <i>Urology</i> , 2021, 150, 227-233.	1.0	2
5	Views of Normal Bladder Function Among Women Experiencing Lower Urinary Tract Symptoms. <i>Urology</i> , 2021, 150, 103-109.	1.0	5
6	Rationale and design of the validation of bladder health instrument for evaluation in women (VIEW) protocol. <i>BMC Women's Health</i> , 2021, 21, 18.	2.0	4
7	Urinary retention is rare after colpocleisis and concomitant midurethral sling: a 10-year experience. <i>International Urogynecology Journal</i> , 2021, 32, 729-736.	1.4	2
8	Genomic relatedness and clinical significance of <i>Streptococcus mitis</i> strains isolated from the urogenital tract of sexual partners. <i>Microbial Genomics</i> , 2021, 7, .	2.0	6
9	Non-invasive bladder function measures in healthy, asymptomatic female children and adolescents: a systematic review and meta-analysis. <i>Journal of Pediatric Urology</i> , 2021, 17, 452-462.	1.1	1
10	Preoperative Music Listening in Pelvic Reconstructive Surgery: A Randomized Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 469-473.	1.1	2
11	A Randomized Clinical Trial of Standard Versus Expanded Cultures to Diagnose Urinary Tract Infections in Women. <i>Journal of Urology</i> , 2021, 206, 1212-1221.	0.4	8
12	Post-hospital syndrome predicts poor postoperative outcomes and increased cost following transvaginal midurethral sling placement. <i>International Urogynecology Journal</i> , 2020, 31, 1417-1422.	1.4	1
13	The urobiome of continent adult women: a cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 193-201.	2.3	92
14	Consideration of pelvic floor myofascial release for overactive bladder. <i>Journal of Bodywork and Movement Therapies</i> , 2020, 24, 144-150.	1.2	3
15	Normative noninvasive bladder function measurements in healthy women: A systematic review and meta-analysis. <i>Neurourology and Urodynamics</i> , 2020, 39, 507-522.	1.5	15
16	Vaginal estrogen therapy is associated with increased <i>Lactobacillus</i> in the urine of postmenopausal women with overactive bladder symptoms. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 727.e1-727.e11.	1.3	42
17	Bladder bacterial diversity differs in continent and incontinent women: a cross-sectional study. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 729.e1-729.e10.	1.3	29
18	Converging on Bladder Health through Design Thinking: From an Ecology of Influence to a Focused Set of Research Questions. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4340.	2.6	5

#	ARTICLE	IF	CITATIONS
19	Paravertebral block for percutaneous nephrolithotomy: a prospective, randomized, double-blind placebo-controlled study. <i>World Journal of Urology</i> , 2020, 38, 2963-2969.	2.2	20
20	Reply to Comment on Hardacker, C.T.; Baccellieri, A.; Mueller, E.R.; Brubaker, L.; Hutchins, G.; Zhang, J.L.Y.; Hebert-Beirne, J. Bladder Health Experiences, Perceptions and Knowledge of Sexual and Gender Minorities. <i>Int. J. Environ. Res. Public Health</i> 2019, 16, 3170. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2458.	2.6	2
21	Temporal Dynamics of the Adult Female Lower Urinary Tract Microbiota. <i>MBio</i> , 2020, 11, .	4.1	41
22	The Urethral Microbiota: A Missing Link in the Female Urinary Microbiota. <i>Journal of Urology</i> , 2020, 204, 303-309.	0.4	32
23	It's About Time: The Temporal Burden of Lower Urinary Tract Symptoms Among Women. <i>Urologic Nursing</i> , 2020, 40, 277.	0.1	1
24	Bladder Health Experiences, Perceptions and Knowledge of Sexual and Gender Minorities. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3170.	2.6	21
25	Bladder urinary oxygen tension is correlated with urinary microbiota composition. <i>International Urogynecology Journal</i> , 2019, 30, 1261-1267.	1.4	14
26	Terminology for bladder health research in women and girls: Prevention of Lower Urinary Tract Symptoms transdisciplinary consortium definitions. <i>Neurourology and Urodynamics</i> , 2019, 38, 1339-1352.	1.5	22
27	Characterizing anxiety at the first encounter in women presenting to the clinic: the CAFÅ% study. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 509.e1-509.e7.	1.3	8
28	Long-term treatment of older patients with overactive bladder using a combination of mirabegron and solifenacin: a prespecified analysis from the randomized, phase III SYNERGY II study. <i>Neurourology and Urodynamics</i> , 2019, 38, 779-792.	1.5	13
29	The Prevention of Lower Urinary Tract Symptoms (PLUS) Research Consortium: A Transdisciplinary Approach Toward Promoting Bladder Health and Preventing Lower Urinary Tract Symptoms in Women Across the Life Course. <i>Journal of Women's Health</i> , 2018, 27, 283-289.	3.3	69
30	Urine trouble: should we think differently about UTI?. <i>International Urogynecology Journal</i> , 2018, 29, 205-210.	1.4	57
31	Attendance at Prescribed Pelvic Floor Physical Therapy in a Diverse, Urban Urogynecology Population. <i>PM and R</i> , 2018, 10, 601-606.	1.6	19
32	Patient-reported outcomes from SYNERGY, a randomized, double-blind, multicenter study evaluating combinations of mirabegron and solifenacin compared with monotherapy and placebo in OAB patients. <i>Neurourology and Urodynamics</i> , 2018, 37, 394-406.	1.5	33
33	Pre-operative guided imagery in female pelvic medicine and reconstructive surgery: a randomized trial. <i>International Urogynecology Journal</i> , 2018, 29, 1117-1122.	1.4	14
34	Urinary microbes and postoperative urinary tract infection risk in urogynecologic surgical patients. <i>International Urogynecology Journal</i> , 2018, 29, 1797-1805.	1.4	91
35	Urinary symptoms are associated with certain urinary microbes in urogynecologic surgical patients. <i>International Urogynecology Journal</i> , 2018, 29, 1765-1771.	1.4	68
36	Long-term Safety and Efficacy of Mirabegron and Solifenacin in Combination Compared with Monotherapy in Patients with Overactive Bladder: A Randomised, Multicentre Phase 3 Study (SYNERGY) Tj ETQq0 0.0 rgBT / Overlock 10	1.0	0

#	ARTICLE	IF	CITATIONS
37	Female urinary microbiota. <i>Current Opinion in Urology</i> , 2017, 27, 282-286.	1.8	58
38	Use of Transvaginal Mesh: What the Surgeon Should Consider. <i>Journal of Urology</i> , 2017, 198, 755-756.	0.4	0
39	Measuring Clinical Outcomes in Overactive Bladder Interventions: We Can Do Better. <i>European Urology</i> , 2016, 70, 806-807.	1.9	0
40	The Clinical Urine Culture: Enhanced Techniques Improve Detection of Clinically Relevant Microorganisms. <i>Journal of Clinical Microbiology</i> , 2016, 54, 1216-1222.	3.9	277
41	One-Year Outcomes After Minimally Invasive Sacrocolpopexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 382-384.	1.1	39
42	Expert Panel Recommendations on Lower Urinary Tract Health of Women Across Their Life Span. <i>Journal of Women's Health</i> , 2016, 25, 1086-1096.	3.3	12
43	Editorial Comment. <i>Journal of Urology</i> , 2016, 195, 941-941.	0.4	0
44	Incontinence medication response relates to the female urinary microbiota. <i>International Urogynecology Journal</i> , 2016, 27, 723-733.	1.4	213
45	The Bladder Is Not Sterile: History and Current Discoveries on the Urinary Microbiome. <i>Current Bladder Dysfunction Reports</i> , 2016, 11, 18-24.	0.5	122
46	Comparison of flowrates and voided volumes during non-instrumented uroflowmetry and pressure-flow studies in women with stress incontinence. <i>Neurourology and Urodynamics</i> , 2015, 34, 549-553.	1.5	7
47	IL22 Regulates Human Urothelial Cell Sensory and Innate Functions through Modulation of the Acetylcholine Response, Immunoregulatory Cytokines and Antimicrobial Peptides: Assessment of an In Vitro Model. <i>PLoS ONE</i> , 2014, 9, e111375.	2.5	13
48	Robotic Compared With Laparoscopic Sacrocolpopexy. <i>Obstetrics and Gynecology</i> , 2014, 123, 5-12.	2.4	218
49	Effect of Aging on Storage and Voiding Function in Women with Stress Predominant Urinary Incontinence. <i>Journal of Urology</i> , 2014, 192, 464-468.	0.4	28
50	Urine Is Not Sterile: Use of Enhanced Urine Culture Techniques To Detect Resident Bacterial Flora in the Adult Female Bladder. <i>Journal of Clinical Microbiology</i> , 2014, 52, 871-876.	3.9	676
51	Why complex pelvic organ prolapse should be approached abdominally. <i>Current Opinion in Urology</i> , 2013, 23, 317-322.	1.8	9
52	Retropubic Bladder Neck Suspensions. , 2013, , 107-114.		0
53	Evidence of Uncultivated Bacteria in the Adult Female Bladder. <i>Journal of Clinical Microbiology</i> , 2012, 50, 1376-1383.	3.9	543
54	Perioperative Bowel Habits of Women Undergoing Gynecologic Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012, 18, 153-157.	1.1	1

#	ARTICLE	IF	CITATIONS
55	Abdominal Colpopexy: Comparison of Endoscopic Surgical Strategies (ACCESS). Contemporary Clinical Trials, 2012, 33, 1011-1018.	1.8	21
56	Complex Repetitive Discharges—A Feature of the Urethral Continence Mechanism or a Pathological Finding?. Journal of Urology, 2012, 187, 2140-2143.	0.4	19
57	Current Use of Pelvic Organ Prolapse Quantification by AUGS and ICS Members. Female Pelvic Medicine and Reconstructive Surgery, 2011, 17, 67-69.	1.1	30
58	Pelvic Pain Associated with a Gynecologic Etiology. , 2010, , 563-577.		0
59	Relative efficacy of retropubic and transobturator slings. Nature Reviews Urology, 2009, 6, 523-524.	3.8	0
60	Are we missing an opportunity to teach future physicians about female pelvic floor disorders?. International Urogynecology Journal, 2009, 20, 1413-1415.	1.4	6
61	Transabdominal uterosacral suspension: outcomes and complications. American Journal of Obstetrics and Gynecology, 2009, 200, 656.e1-656.e5.	1.3	17
62	Should Nerve-Sparing Procedures Be Reserved to Men Only?. Journal of Sexual Medicine, 2008, 5, 2259-2263.	0.6	0
63	Does Urethral Function Affect Urodynamic Voiding Parameters in Women with Prolapse?. UroToday International Journal, 2008, , .	0.0	0
64	The Correlation of Voiding Variables Between Non-Instrumented Uroflowmetry and Pressure-Flow Studies in Women with Pelvic Organ Prolapse. UroToday International Journal, 2008, , .	0.0	0
65	Urodynamic Prolapse Reduction Alters Urethral Pressure but Not Filling or Pressure Flow Parameters. Journal of Urology, 2007, 177, 600-603.	0.4	36
66	Patients'™ pelvic goals change after initial urogynecologic consultation. American Journal of Obstetrics and Gynecology, 2007, 197, 640.e1-640.e3.	1.3	18
67	Patient-selected goals: the fourth dimension in assessment of pelvic floor disorders. International Urogynecology Journal, 2007, 19, 81-84.	1.4	56
68	The global burden of female pelvic floor disorders. BJU International, 2006, 98, 1-5.	2.5	73
69	Advanced anterior vaginal wall prolapse is highly correlated with apical prolapse. American Journal of Obstetrics and Gynecology, 2006, 195, 1837-1840.	1.3	226
70	Modern Management of Genitourinary Fistula. Journal of Pelvic Medicine & Surgery, 2005, 11, 223-234.	0.1	5
71	International Prostate Symptom Scores in young asymptomatic American men. BJU International, 2005, 95, 554-556.	2.5	11
72	Sliding hernia of the bladder presenting as suprapubic pain in a female. International Urogynecology Journal, 2004, 15, 51-52.	1.4	2