## Kim J Fernie

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8652191/kim-j-fernie-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65 2,146 25 45 g-index

65 2,389 7.1 4.92 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
65	The potential of aerial insectivores for monitoring microplastics in terrestrial environments. <i>Science of the Total Environment</i> , <b>2022</b> , 807, 150453	10.2	2
64	The influence of global climate change on accumulation and toxicity of persistent organic pollutants and chemicals of emerging concern in Arctic food webs <i>Environmental Sciences: Processes and Impacts</i> , <b>2022</b> ,	4.3	3
63	Potential disruption of thyroid hormones by perfluoroalkyl acids in an Arctic seabird during reproduction <i>Environmental Pollution</i> , <b>2022</b> , 119181	9.3	1
62	Mercury, legacy and emerging POPs, and endocrine-behavioural linkages: Implications of Arctic change in a diving seabird <i>Environmental Research</i> , <b>2022</b> , 113190	7.9	3
61	Climate change and mercury in the Arctic: Biotic interactions <i>Science of the Total Environment</i> , <b>2022</b> , 155221	10.2	4
60	A Critical Review of Bioaccumulation and Biotransformation of Organic Chemicals in Birds. <i>Reviews of Environmental Contamination and Toxicology</i> , <b>2022</b> , 260,	3.5	1
59	Co-contaminants of microplastics in two seabird species from the Canadian Arctic. <i>Environmental Science and Ecotechnology</i> , <b>2022</b> , 100189	7.4	O
58	Influence of perfluoroalkyl acids and other parameters on circulating thyroid hormones and immune-related microRNA expression in free-ranging nestling peregrine falcons. <i>Science of the Total Environment</i> , <b>2021</b> , 770, 145346	10.2	2
57	A review of 1,2-dibromo-4-(1,2-dibromoethyl)cyclohexane in the environment and assessment of its persistence, bioaccumulation and toxicity. <i>Environmental Research</i> , <b>2021</b> , 195, 110497	7.9	7
56	Organophosphate Esters in the Canadian Arctic Ocean. <i>Environmental Science &amp; Environmental Science &amp; </i>	10.3	25
55	Interspecies comparisons of brominated flame retardants in relation to foraging ecology and behaviour of gulls frequenting a UK landfill. <i>Science of the Total Environment</i> , <b>2021</b> , 764, 142890	10.2	1
54	Thyroid disruption and oxidative stress in American kestrels following embryonic exposure to the alternative flame retardants, EHTBB and TBPH. <i>Environment International</i> , <b>2021</b> , 157, 106826	12.9	2
53	Establishment of baseline cytology metrics in nestling American kestrels (Falco sparverius): Immunomodulatory effects of the flame retardant isopropylated triarylphosphate isomers. <i>Environment International</i> , <b>2021</b> , 157, 106779	12.9	1
52	Perfluoroalkyl acids and sulfonamides and dietary, biological and ecological associations in peregrine falcons from the Laurentian Great Lakes Basin, Canada. <i>Environmental Research</i> , <b>2020</b> , 191, 110151	7.9	6
51	Assessment of the effects of early life exposure to triphenyl phosphate on fear, boldness, aggression, and activity in Japanese quail (Coturnix japonica) chicks. <i>Environmental Pollution</i> , <b>2020</b> , 258, 113695	9.3	4
50	Uptake, Deposition, and Metabolism of Triphenyl Phosphate in Embryonated Eggs and Chicks of Japanese Quail (Coturnix japonica). <i>Environmental Toxicology and Chemistry</i> , <b>2020</b> , 39, 565-573	3.8	2
49	In ovo exposure to brominated flame retardants Part II: Assessment of effects of TBBPA-BDBPE and BTBPE on hatching success, morphometric and physiological endpoints in American kestrels. <i>Ecotoxicology and Environmental Safety</i> , <b>2019</b> , 179, 151-159	7	10

48	Microplastics in the diet of nestling double-crested cormorants (Phalacrocorax auritus), an obligate piscivore in a freshwater ecosystem. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , <b>2019</b> , 76, 2156	-2163	19
47	Flame retardant concentrations and profiles in wild birds associated with landfill: A critical review. <i>Environmental Pollution</i> , <b>2019</b> , 248, 646-658	9.3	24
46	Is the current-use flame retardant, DBE-DBCH, a potential obesogen? Effects on body mass, fat content and associated behaviors in American kestrels. <i>Ecotoxicology and Environmental Safety</i> , <b>2019</b> , 169, 770-777	7	6
45	Elevated exposure, uptake and accumulation of polycyclic aromatic hydrocarbons by nestling tree swallows (Tachycineta bicolor) through multiple exposure routes in active mining-related areas of the Athabasca oil sands region. <i>Science of the Total Environment</i> , <b>2018</b> , 624, 250-261	10.2	25
44	Reproductive and developmental changes in tree swallows (Tachycineta bicolor) are influenced by multiple stressors, including polycyclic aromatic compounds, in the Athabasca Oil Sands. <i>Environmental Pollution</i> , <b>2018</b> , 238, 931-941	9.3	15
43	Sex-specific responses in neuroanatomy of hatchling American kestrels in response to embryonic exposure to the flame retardants bis(2-ethylhexyl)-2,3,4,5-tetrabromophthalate and 2-ethylhexyl-2,3,4,5-tetrabromobenzoate. <i>Environmental Toxicology and Chemistry</i> , <b>2018</b> , 37, 3032-304	3.8 10	13
42	Air synthesis review: polycyclic aromatic compounds in the oil sands region. <i>Environmental Reviews</i> , <b>2018</b> , 26, 430-468	4.5	39
41	Female hatchling American kestrels have a larger hippocampus than males: A link with sexual size dimorphism?. <i>Behavioural Brain Research</i> , <b>2018</b> , 349, 98-101	3.4	2
40	Birds and flame retardants: A review of the toxic effects on birds of historical and novel flame retardants. <i>Environmental Research</i> , <b>2017</b> , 154, 398-424	7.9	70
39	Disruption of thyroxine and sex hormones by 1,2-dibromo-4-(1,2-dibromoethyl)cyclohexane (DBE-DBCH) in American kestrels (Falco sparverius) and associations with reproductive and behavioral changes. <i>Environmental Research</i> , <b>2017</b> , 154, 389-397	7.9	38
38	Spatiotemporal patterns and relationships among the diet, biochemistry, and exposure to flame retardants in an apex avian predator, the peregrine falcon. <i>Environmental Research</i> , <b>2017</b> , 158, 43-53	7.9	30
37	Transfer of hexabromocyclododecane flame retardant isomers from captive American kestrel eggs to feathers and their association with thyroid hormones and growth. <i>Environmental Pollution</i> , <b>2017</b> , 220, 441-451	9.3	4
36	Occurrence of Triclocarban and Triclosan in an Agro-ecosystem Following Application of Biosolids. <i>Environmental Science &amp; Environmental Science &amp; Env</i>	10.3	33
35	Sex-specific changes in thyroid gland function and circulating thyroid hormones in nestling American kestrels (Falco sparverius) following embryonic exposure to polybrominated diphenyl ethers by maternal transfer. <i>Environmental Toxicology and Chemistry</i> , <b>2016</b> , 35, 2084-91	3.8	31
34	Inhaling Benzene, Toluene, Nitrogen Dioxide, and Sulfur Dioxide, Disrupts Thyroid Function in Captive American Kestrels (Falco sparverius). <i>Environmental Science &amp; Environmental Science &amp; Environme</i>	1-11318	3 <sup>15</sup>
33	Uptake, distribution, depletion, and in ovo transfer of isomers of hexabromocyclododecane flame retardant in diet-exposed American kestrels (Falco sparverius). <i>Environmental Toxicology and Chemistry</i> , <b>2015</b> , 34, 1103-12	3.8	20
32	Detoxification, endocrine, and immune responses of tree swallow nestlings naturally exposed to air contaminants from the Alberta oil sands. <i>Science of the Total Environment</i> , <b>2015</b> , 502, 8-15	10.2	41
31	Dietary exposure of American kestrels (Falco sparverius) to decabromodiphenyl ether (BDE-209) flame retardant: uptake, distribution, debromination and cytochrome P450 enzyme induction. <i>Environment International</i> , <b>2014</b> , 63, 182-90	12.9	40

30	Levels and trends of PBDEs and HBCDs in the global environment: status at the end of 2012. <i>Environment International</i> , <b>2014</b> , 65, 147-58	12.9	304
29	Polybrominated diphenyl ethers and multiple stressors influence the reproduction of free-ranging tree swallows (Tachycineta bicolor) nesting at wastewater treatment plants. <i>Science of the Total Environment</i> , <b>2014</b> , 472, 63-71	10.2	16
28	Changes in the incubation by American kestrels (Falco sparverius) during exposure to the polybrominated diphenyl ether (PBDE) mixture DE-71. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2013</b> , 76, 978-89	3.2	7
27	Dietary exposure to technical hexabromocyclododecane (HBCD) alters courtship, incubation and parental behaviors in American kestrels (Falco sparverius). <i>Chemosphere</i> , <b>2012</b> , 89, 1077-83	8.4	27
26	The flame retardant £1,2-dibromo-4-(1,2-dibromoethyl)cyclohexane: fate, fertility, and reproductive success in American kestrels (Falco sparverius). <i>Environmental Science &amp; amp; Technology</i> , <b>2012</b> , 46, 8440-7	10.3	32
25	Emerging and historical brominated flame retardants in peregrine falcon (Falco peregrinus) eggs from Canada and Spain. <i>Environment International</i> , <b>2012</b> , 40, 179-186	12.9	78
24	Diet exposure to technical hexabromocyclododecane (HBCD) affects testes and circulating testosterone and thyroxine levels in American kestrels (Falco sparverius). <i>Environmental Research</i> , <b>2011</b> , 111, 1116-23	7.9	34
23	Factors affecting germline mutations in a hypervariable microsatellite: a comparative analysis of six species of swallows (Aves: Hirundinidae). <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>2011</b> , 708, 37-43	3.3	9
22	Reproductive changes in American kestrels (Falco sparverius) in relation to exposure to technical hexabromocyclododecane flame retardant. <i>Environmental Toxicology and Chemistry</i> , <b>2011</b> , 30, 2570-5	3.8	31
21	Dechlorane plus and related compounds in peregrine falcon (Falco peregrinus) eggs from Canada and Spain. <i>Environmental Science &amp; Environmental Scienc</i>	10.3	95
20	Embryonic exposure to the polybrominated diphenyl ether mixture, DE-71, affects testes and circulating testosterone concentrations in adult American kestrels (Falco sparverius). <i>Toxicological Sciences</i> , <b>2011</b> , 121, 168-76	4.4	23
19	Changes in plasma retinol of American kestrels (Falco sparverius) in response to dietary or in ovo exposure to environmentally relevant concentrations of a penta-brominated diphenyl ether mixture, DE-71. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2010</b> , 73, 1645-5	3.2 4	8
18	Historical contaminants, flame retardants, and halogenated phenolic compounds in peregrine Falcon (Falco peregrinus) nestlings in the Canadian Great Lakes Basin. <i>Environmental Science &amp; Technology</i> , <b>2010</b> , 44, 3520-6	10.3	59
17	Multi-generational effects of polybrominated diphenylethers exposure: embryonic exposure of male American kestrels (Falco sparverius) to DE-71 alters reproductive success and behaviors. <i>Environmental Toxicology and Chemistry</i> , <b>2010</b> , 29, 1740-7	3.8	33
16	Environmentally relevant concentrations of DE-71 and HBCD alter eggshell thickness and reproductive success of American kestrels. <i>Environmental Science &amp; Environmental &amp; Env</i>	10.3	100
15	Changes in reproductive courtship behaviors of adult American kestrels (Falco sparverius) exposed to environmentally relevant levels of the polybrominated diphenyl ether mixture, DE-71. <i>Toxicological Sciences</i> , <b>2008</b> , 102, 171-8	4.4	102
14	Brood patches of American kestrels altered by experimental exposure to PCBs. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2006</b> , 69, 1603-12	3.2	13
13	Changes in the growth, but not the survival, of American kestrels (Falco sparverius) exposed to environmentally relevant polybrominated diphenyl ethers. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2006</b> , 69, 1541-54	3.2	81

## LIST OF PUBLICATIONS

12	Population trends and calling phenology of anuran populations surveyed in Ontario estimated using acoustic surveys. <i>Biodiversity and Conservation</i> , <b>2006</b> , 15, 3481-3497	3.4	18
11	Population trends and calling phenology of anuran populations surveyed in Ontario estimated using acoustic surveys <b>2006</b> , 113-129		1
10	Exposure to polybrominated diphenyl ethers (PBDEs): changes in thyroid, vitamin A, glutathione homeostasis, and oxidative stress in American kestrels (Falco sparverius). <i>Toxicological Sciences</i> , <b>2005</b> , 88, 375-83	4.4	254
9	Evidence of immunomodulation in nestling American kestrels (Falco sparverius) exposed to environmentally relevant PBDEs. <i>Environmental Pollution</i> , <b>2005</b> , 138, 485-93	9.3	94
8	Effect of sampling effort and species detectability on volunteer based anuran monitoring programs. <i>Biological Conservation</i> , <b>2005</b> , 121, 585-594	6.2	65
7	The effects of electromagnetic fields from power lines on avian reproductive biology and physiology: a review. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , <b>2005</b> , 8, 127-40	8.6	45
6	DNA strand length and EROD activity in relation to two screening measures of genotoxic exposure in Great Lakes herring gulls. <i>Ecotoxicology</i> , <b>2005</b> , 14, 527-44	2.9	6
5	Developmental toxicity of in ovo exposure to polychlorinated biphenyls: II. Effects of maternal or paternal exposure on second-generation nestling american kestrels. <i>Environmental Toxicology and Chemistry</i> , <b>2003</b> , 22, 2688-94	3.8	12
4	Developmental toxicity of in ovo exposure to polychlorinated biphenyls: I. Immediate and subsequent effects on first-generation nestling American kestrels (Falco sparverius). <i>Environmental Toxicology and Chemistry</i> , <b>2003</b> , 22, 554-560	3.8	22
3	Reproductive abnormalities, teratogenicity, and developmental problems in American kestrels (Falco sparverius) exposed to polychlorinated biphenyls. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2003</b> , 66, 2089-103	3.2	28
2	. Environmental Toxicology and Chemistry, <b>2003</b> , 22, 554	3.8	9
1	Developmental toxicity of in ovo exposure to polychlorinated biphenyls: I. Immediate and subsequent effects on first-generation nestling American kestrels (Falco sparverius). <i>Environmental Toxicology and Chemistry</i> . <b>2003</b> , 22, 554-60	3.8	1