

Mauricio Kunz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8652598/publications.pdf>

Version: 2024-02-01

64
papers

3,302
citations

201674

27
h-index

144013

57
g-index

69
all docs

69
docs citations

69
times ranked

4696
citing authors

#	ARTICLE	IF	CITATIONS
1	Inflammatory markers in post-traumatic stress disorder: a systematic review, meta-analysis, and meta-regression. <i>Lancet Psychiatry</i> , 2015, 2, 1002-1012.	7.4	520
2	Brain-derived neurotrophic factor as a state-marker of mood episodes in bipolar disorders: A systematic review and meta-regression analysis. <i>Journal of Psychiatric Research</i> , 2011, 45, 995-1004.	3.1	349
3	Elevated serum superoxide dismutase and thiobarbituric acid reactive substances in different phases of bipolar disorder and in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1677-1681.	4.8	188
4	Staging systems in bipolar disorder: an international society for bipolar disorders Task Force Report. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 354-363.	4.5	175
5	Serum levels of brain-derived neurotrophic factor in patients with schizophrenia and bipolar disorder. <i>Neuroscience Letters</i> , 2007, 420, 45-48.	2.1	135
6	Serum levels of IL-6, IL-10 and TNF- α in patients with bipolar disorder and schizophrenia: differences in pro- and anti-inflammatory balance. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 268-274.	1.7	131
7	The Role of BDNF as a Mediator of Neuroplasticity in Bipolar Disorder. <i>Psychiatry Investigation</i> , 2010, 7, 243.	1.6	124
8	Improvement of Negative and Positive Symptoms in Treatment-Refractory Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1416-1423.	2.2	108
9	Increased oxidative stress and DNA damage in bipolar disorder: A twin-case report. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 283-285.	4.8	104
10	Serum levels of IL-6, IL-10 and TNF- α ; in patients with bipolar disorder and schizophrenia: differences in pro- and anti-inflammatory balance. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 268-274.	1.7	102
11	Staging and Neuroprogression in Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2012, 14, 667-675.	4.5	101
12	Mediators of allostasis and systemic toxicity in bipolar disorder. <i>Physiology and Behavior</i> , 2012, 106, 46-50.	2.1	100
13	Predominant polarity in bipolar disorder: Diagnostic implications. <i>Journal of Affective Disorders</i> , 2008, 107, 45-51.	4.1	98
14	Staging and Neuroprogression in Bipolar Disorder: A Systematic Review of the Literature. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 70-74.	1.7	97
15	Mitochondrial activity and oxidative stress markers in peripheral blood mononuclear cells of patients with bipolar disorder, schizophrenia, and healthy subjects. <i>Journal of Psychiatric Research</i> , 2013, 47, 1396-1402.	3.1	92
16	Relationship between cognitive functioning and 6-month clinical and functional outcome in patients with first manic episode bipolar I disorder. <i>Psychological Medicine</i> , 2011, 41, 971-982.	4.5	73
17	Serum brain-derived neurotrophic factor (BDNF) is not associated with response to electroconvulsive therapy (ECT): A pilot study in drug resistant depressed patients. <i>Neuroscience Letters</i> , 2009, 453, 195-198.	2.1	72
18	The Association of Elevated Body Mass Index with Reduced Brain Volumes in First-Episode Mania. <i>Biological Psychiatry</i> , 2011, 70, 381-387.	1.3	62

#	ARTICLE	IF	CITATIONS
19	The effect of antipsychotics on the cognitive performance of individuals with psychotic disorders: Network meta-analyses of randomized controlled trials. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 126, 265-275.	6.1	53
20	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. <i>Journal of Affective Disorders</i> , 2014, 167, 104-111.	4.1	43
21	Optimal duration of risperidone or olanzapine adjunctive therapy to mood stabilizer following remission of a manic episode: A CANMAT randomized double-blind trial. <i>Molecular Psychiatry</i> , 2016, 21, 1050-1056.	7.9	42
22	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 654-663.	1.9	39
23	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015, 64, 1-8.	3.1	39
24	Biomarkers and staging of bipolar disorder: a systematic review. <i>Trends in Psychiatry and Psychotherapy</i> , 2015, 37, 03-11.	0.8	35
25	Peripheral brain-derived neurotrophic factor changes along treatment with extended release quetiapine during acute mood episodes: An open-label trial in drug-free patients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012, 46, 1511-1514.	3.1	32
26	The association of weight gain with mood symptoms and functional outcomes following a first manic episode: prospective 12-month data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM). <i>Bipolar Disorders</i> , 2010, 12, 616-626.	1.9	31
27	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015, 30, 99-105.	0.2	28
28	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019, 113, 1-9.	3.1	25
29	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 571-582.	4.5	24
30	Val66Met polymorphism and serum brain-derived neurotrophic factor in bipolar disorder: an open-label trial. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 393-400.	4.5	23
31	Age and sex trends for suicide in Brazil between 2000 and 2016. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 857-860.	3.1	21
32	BDNF prevents central oxidative damage in a chronic unpredictable mild stress model: The possible role of PRDX-1 in anhedonic behavior. <i>Behavioural Brain Research</i> , 2020, 378, 112245.	2.2	20
33	Pharmacological treatment and staging in bipolar disorder: evidence from clinical practice. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 121-125.	1.7	19
34	Birth cohort and dual diagnosis effects on age at onset in Brazilian patients with bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 492-495.	4.5	17
35	Homocysteine and other markers of cardiovascular risk during a manic episode in patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 157-160.	1.7	17
36	Early identification of bipolar disorder among young adults – a 22-year community birth cohort. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 476-485.	4.5	16

#	ARTICLE	IF	CITATIONS
37	Serotonin in violent patients with schizophrenia. <i>Psychiatry Research</i> , 1995, 59, 161-163.	3.3	13
38	Cognitive performance and psychosocial functioning in patients with bipolar disorder, unaffected siblings, and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 275-280.	1.7	12
39	Adjunctive tianeptine treatment for bipolar disorder: A 24-week randomized, placebo-controlled, maintenance trial. <i>Journal of Psychopharmacology</i> , 2019, 33, 502-510.	4.0	12
40	Bipolar Disorder Affects Behavior and Social Skills on the Internet. <i>PLoS ONE</i> , 2013, 8, e79673.	2.5	11
41	Treatment delay is associated with more episodes and more severe illness staging progression in patients with bipolar disorder. <i>Psychiatry Research</i> , 2015, 227, 372-373.	3.3	11
42	Long-term efficacy of risperidone long-acting injectable in bipolar disorder with psychotic features. <i>International Clinical Psychopharmacology</i> , 2011, 26, 146-150.	1.7	10
43	Lack of Association Between Serum Brain-Derived Neurotrophic Factor Levels and Improvement of Schizophrenia Symptoms in a Double-Blind, Randomized, Placebo-Controlled Trial of Memantine as Adjunctive Therapy to Clozapine. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 91-92.	2.2	9
44	Effects of deep breathing in patients with bipolar disorder. <i>Perspectives in Psychiatric Care</i> , 2019, 55, 119-125.	1.9	8
45	Differences in coping strategies in adult patients with bipolar disorder and their first-degree relatives in comparison to healthy controls. <i>Trends in Psychiatry and Psychotherapy</i> , 2018, 40, 318-325.	0.8	7
46	Cardiovascular risk and bipolar disorder: factors associated with a positive coronary calcium score in patients with bipolar disorder type 1. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 163-168.	1.7	7
47	Data-driven cognitive phenotypes in subjects with bipolar disorder and their clinical markers of severity. <i>Psychological Medicine</i> , 2022, 52, 1728-1735.	4.5	7
48	Late-Onset Neuroleptic Malignant Syndrome in a Patient Using Olanzapine. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 303-304.	1.4	6
49	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 26.	2.2	6
50	Expression of matrix metalloproteinases in patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 375-379.	1.7	5
51	An open label trial of venlafaxine in adults with attention deficit disorder. <i>Biological Psychiatry</i> , 1996, 39, 622.	1.3	3
52	Should bipolar disorder be considered a systemic illness?. <i>Neuropsychiatry</i> , 2011, 1, 45-54.	0.4	3
53	Trends in self-poisoning in children and adolescents in Southern Brazil between 2005 and 2013. <i>European Psychiatry</i> , 2015, 30, S136-S136.	0.2	3
54	Resistência à insulina e síndrome metabólica em pacientes ambulatoriais com transtorno do humor bipolar. <i>Revista De Psiquiatria Clínica</i> , 2010, 37, 81-84.	0.6	3

#	ARTICLE	IF	CITATIONS
55	Validity of the Portuguese version of the Bipolar Depression Rating Scale. Acta Neuropsychiatrica, 2010, 22, 100-101.	2.1	2
56	Anatomical faces of neuroprogression in bipolar disorder. Neuropsychiatry, 2012, 2, 279-280.	0.4	2
57	The melancholic omega as sign of clinical depression and Darwin's description of melancholy. Australian and New Zealand Journal of Psychiatry, 2020, 54, 646-647.	2.3	2
58	Post-traumatic stress disorder and interleukin 6 – Authors' reply. Lancet Psychiatry, the, 2016, 3, 202.	7.4	1
59	Social cognition and bipolar disorder: A preliminary study. European Psychiatry, 2017, 41, S425-S425.	0.2	1
60	Waist Circumference as a Simple and Meaningful Means to Assess Insulin Resistance Among Outpatients with Bipolar Disorder. European Psychiatry, 2009, 24, .	0.2	0
61	Social cognition and bipolar disorder: A preliminary study. European Psychiatry, 2017, 41, S426-S426.	0.2	0
62	Response to lithium has a neurobiological signature. Molecular Psychiatry, 2020, 25, 509-510.	7.9	0
63	Clinical correlates of high burden of general medical comorbidities in patients with bipolar disorder. Journal of Affective Disorders Reports, 2020, 1, 100001.	1.7	0
64	Prática psiquiátrica no hospital geral: interconsulta e emergência. Revista Brasileira De Psiquiatria, 2006, 28, 257-257.	1.7	0