

Mauricio Kunz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8652598/publications.pdf>

Version: 2024-02-01

64
papers

3,302
citations

201575

27
h-index

143943

57
g-index

69
all docs

69
docs citations

69
times ranked

4696
citing authors

#	ARTICLE	IF	CITATIONS
1	Data-driven cognitive phenotypes in subjects with bipolar disorder and their clinical markers of severity. <i>Psychological Medicine</i> , 2022, 52, 1728-1735.	2.7	7
2	The effect of antipsychotics on the cognitive performance of individuals with psychotic disorders: Network meta-analyses of randomized controlled trials. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 126, 265-275.	2.9	53
3	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 26.	0.8	6
4	Response to lithium has a neurobiological signature. <i>Molecular Psychiatry</i> , 2020, 25, 509-510.	4.1	0
5	BDNF prevents central oxidative damage in a chronic unpredictable mild stress model: The possible role of PRDX-1 in anhedonic behavior. <i>Behavioural Brain Research</i> , 2020, 378, 112245.	1.2	20
6	Clinical correlates of high burden of general medical comorbidities in patients with bipolar disorder. <i>Journal of Affective Disorders Reports</i> , 2020, 1, 100001.	0.9	0
7	Early identification of bipolar disorder among young adults – a 22-year community birth cohort. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 476-485.	2.2	16
8	The melancholic omega as sign of clinical depression and Darwin's description of melancholy. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 646-647.	1.3	2
9	Age and sex trends for suicide in Brazil between 2000 and 2016. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 857-860.	1.6	21
10	Adjunctive tianeptine treatment for bipolar disorder: A 24-week randomized, placebo-controlled, maintenance trial. <i>Journal of Psychopharmacology</i> , 2019, 33, 502-510.	2.0	12
11	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019, 113, 1-9.	1.5	25
12	Effects of deep breathing in patients with bipolar disorder. <i>Perspectives in Psychiatric Care</i> , 2019, 55, 119-125.	0.9	8
13	Differences in coping strategies in adult patients with bipolar disorder and their first-degree relatives in comparison to healthy controls. <i>Trends in Psychiatry and Psychotherapy</i> , 2018, 40, 318-325.	0.4	7
14	Cardiovascular risk and bipolar disorder: factors associated with a positive coronary calcium score in patients with bipolar disorder type 1. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 163-168.	0.9	7
15	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 571-582.	2.2	24
16	Social cognition and bipolar disorder: A preliminary study. <i>European Psychiatry</i> , 2017, 41, S425-S425.	0.1	1
17	Social cognition and bipolar disorder: A preliminary study. <i>European Psychiatry</i> , 2017, 41, S426-S426.	0.1	0
18	Cognitive performance and psychosocial functioning in patients with bipolar disorder, unaffected siblings, and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 275-280.	0.9	12

#	ARTICLE	IF	CITATIONS
19	Post-traumatic stress disorder and interleukin 6 " Authors' reply. <i>Lancet Psychiatry</i> ,the, 2016, 3, 202.	3.7	1
20	Optimal duration of risperidone or olanzapine adjunctive therapy to mood stabilizer following remission of a manic episode: A CANMAT randomized double-blind trial. <i>Molecular Psychiatry</i> , 2016, 21, 1050-1056.	4.1	42
21	Pharmacological treatment and staging in bipolar disorder: evidence from clinical practice. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 121-125.	0.9	19
22	Biomarkers and staging of bipolar disorder: a systematic review. <i>Trends in Psychiatry and Psychotherapy</i> , 2015, 37, 03-11.	0.4	35
23	Trends in self-poisoning in children and adolescents in Southern Brazil between 2005 and 2013. <i>European Psychiatry</i> , 2015, 30, S136-S136.	0.1	3
24	Inflammatory markers in post-traumatic stress disorder: a systematic review, meta-analysis, and meta-regression. <i>Lancet Psychiatry</i> ,the, 2015, 2, 1002-1012.	3.7	520
25	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015, 30, 99-105.	0.1	28
26	Treatment delay is associated with more episodes and more severe illness staging progression in patients with bipolar disorder. <i>Psychiatry Research</i> , 2015, 227, 372-373.	1.7	11
27	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015, 64, 1-8.	1.5	39
28	Val66Met polymorphism and serum brain-derived neurotrophic factor in bipolar disorder: an open-label trial. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 393-400.	2.2	23
29	Staging systems in bipolar disorder: an international society for bipolar disorders Task Force Report. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 354-363.	2.2	175
30	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. <i>Journal of Affective Disorders</i> , 2014, 167, 104-111.	2.0	43
31	Mitochondrial activity and oxidative stress markers in peripheral blood mononuclear cells of patients with bipolar disorder, schizophrenia, and healthy subjects. <i>Journal of Psychiatric Research</i> , 2013, 47, 1396-1402.	1.5	92
32	Staging and Neuroprogression in Bipolar Disorder: A Systematic Review of the Literature. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 70-74.	0.9	97
33	Bipolar Disorder Affects Behavior and Social Skills on the Internet. <i>PLoS ONE</i> , 2013, 8, e79673.	1.1	11
34	Expression of matrix metalloproteinases in patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 375-379.	0.9	5
35	Homocysteine and other markers of cardiovascular risk during a manic episode in patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 157-160.	0.9	17
36	Anatomical faces of neuroprogression in bipolar disorder. <i>Neuropsychiatry</i> , 2012, 2, 279-280.	0.4	2

#	ARTICLE	IF	CITATIONS
37	Staging and Neuroprogression in Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2012, 14, 667-675.	2.1	101
38	Peripheral brain-derived neurotrophic factor changes along treatment with extended release quetiapine during acute mood episodes: An open-label trial in drug-free patients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012, 46, 1511-1514.	1.5	32
39	Mediators of allostasis and systemic toxicity in bipolar disorder. <i>Physiology and Behavior</i> , 2012, 106, 46-50.	1.0	100
40	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 654-663.	1.1	39
41	The Association of Elevated Body Mass Index with Reduced Brain Volumes in First-Episode Mania. <i>Biological Psychiatry</i> , 2011, 70, 381-387.	0.7	62
42	Serum levels of IL-6, IL-10 and TNF- α in patients with bipolar disorder and schizophrenia: differences in pro- and anti-inflammatory balance. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 268-274.	0.9	131
43	Long-term efficacy of risperidone long-acting injectable in bipolar disorder with psychotic features. <i>International Clinical Psychopharmacology</i> , 2011, 26, 146-150.	0.9	10
44	Brain-derived neurotrophic factor as a state-marker of mood episodes in bipolar disorders: A systematic review and meta-regression analysis. <i>Journal of Psychiatric Research</i> , 2011, 45, 995-1004.	1.5	349
45	Should bipolar disorder be considered a systemic illness?. <i>Neuropsychiatry</i> , 2011, 1, 45-54.	0.4	3
46	Relationship between cognitive functioning and 6-month clinical and functional outcome in patients with first manic episode bipolar I disorder. <i>Psychological Medicine</i> , 2011, 41, 971-982.	2.7	73
47	Serum levels of IL-6, IL-10 and TNF- α ; in patients with bipolar disorder and schizophrenia: differences in pro- and anti-inflammatory balance. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 268-274.	0.9	102
48	Validity of the Portuguese version of the Bipolar Depression Rating Scale. <i>Acta Neuropsychiatrica</i> , 2010, 22, 100-101.	1.0	2
49	The association of weight gain with mood symptoms and functional outcomes following a first manic episode: prospective 12-month data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM). <i>Bipolar Disorders</i> , 2010, 12, 616-626.	1.1	31
50	The Role of BDNF as a Mediator of Neuroplasticity in Bipolar Disorder. <i>Psychiatry Investigation</i> , 2010, 7, 243.	0.7	124
51	Resistência à insulina e síndrome metabólica em pacientes ambulatoriais com transtorno do humor bipolar. <i>Revista De Psiquiatria Clinica</i> , 2010, 37, 81-84.	0.6	3
52	Lack of Association Between Serum Brain-Derived Neurotrophic Factor Levels and Improvement of Schizophrenia Symptoms in a Double-Blind, Randomized, Placebo-Controlled Trial of Memantine as Adjunctive Therapy to Clozapine. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 91-92.	1.1	9
53	Birth cohort and dual diagnosis effects on age at onset in Brazilian patients with bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 492-495.	2.2	17
54	Serum brain-derived neurotrophic factor (BDNF) is not associated with response to electroconvulsive therapy (ECT): A pilot study in drug resistant depressed patients. <i>Neuroscience Letters</i> , 2009, 453, 195-198.	1.0	72

#	ARTICLE	IF	CITATIONS
55	Waist Circumference as a Simple and Meaningful Means to Assess Insulin Resistance Among Outpatients with Bipolar Disorder. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
56	Improvement of Negative and Positive Symptoms in Treatment-Refractory Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1416-1423.	1.1	108
57	Predominant polarity in bipolar disorder: Diagnostic implications. <i>Journal of Affective Disorders</i> , 2008, 107, 45-51.	2.0	98
58	Elevated serum superoxide dismutase and thiobarbituric acid reactive substances in different phases of bipolar disorder and in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1677-1681.	2.5	188
59	Late-Onset Neuroleptic Malignant Syndrome in a Patient Using Olanzapine. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 303-304.	0.7	6
60	Increased oxidative stress and DNA damage in bipolar disorder: A twin-case report. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 283-285.	2.5	104
61	Serum levels of brain-derived neurotrophic factor in patients with schizophrenia and bipolar disorder. <i>Neuroscience Letters</i> , 2007, 420, 45-48.	1.0	135
62	Prática psiquiátrica no hospital geral: interconsulta e emergência. <i>Revista Brasileira De Psiquiatria</i> , 2006, 28, 257-257.	0.9	0
63	An open label trial of venlafaxine in adults with attention deficit disorder. <i>Biological Psychiatry</i> , 1996, 39, 622.	0.7	3
64	Serotonin in violent patients with schizophrenia. <i>Psychiatry Research</i> , 1995, 59, 161-163.	1.7	13