Eric Dominique Henri Durieux

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/8652949/publications.pdf

Version: 2024-02-01

29	418	759055	794469
papers	citations	12 h-index	19 g-index

29	29	29	731
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Assessment of catch composition, production and fishing effort of small-scale fisheries: The case study of Corsica Island (Mediterranean Sea). Ocean and Coastal Management, 2022, 218, 105998.	2.0	5
2	Comparison of fatty acid profiles of two cultivated and wild marine fish from Mediterranean Sea. Aquaculture International, 2022, 30, 1435-1452.	1.1	6
3	Influence of environmental patterns on gonadosomatic index and early life stages of Paracentrotus lividus in Corsica (Mediterranean Sea). Regional Studies in Marine Science, 2021, 42, 101645.	0.4	3
4	Trace Elements and Fatty Acid Profile of Argyrosomus regius (Asso, 1801) from Mediterranean Aquaculture. Biological Trace Element Research, 2020, 196, 618-628.	1.9	4
5	Population Genetic Structure and Connectivity of the European Lobster Homarus gammarus in the Adriatic and Mediterranean Seas. Frontiers in Genetics, 2020, 11, 576023.	1.1	5
6	Historical translocations and stocking alter the genetic structure of a Mediterranean lobster fishery. Ecology and Evolution, 2020, 10, 5631-5636.	0.8	6
7	Revealing the deposition of macrophytes transported offshore: Evidence of their long-distance dispersal and seasonal aggregation to the deep sea. Scientific Reports, 2019, 9, 4331.	1.6	26
8	Relationship between swimming capacities and morphological traits of fish larvae at settlement stage: a study of several coastal Mediterranean species. Journal of Fish Biology, 2019, 95, 348-356.	0.7	11
9	Spatio-temporal patterns based on demographic and genetic diversity of the purple sea urchin Paracentrotus lividus in the area around Corsica (Mediterranean Sea). Mediterranean Marine Science, 2019, 19, 620.	0.6	9
10	Evaluation of Homarus gammarus (Crustacea: Decapoda: Nephropidae) catches and potential in a Mediterranean small-scale fishery. Scientia Marina, 2019, 83, 69.	0.3	11
11	Comparison of elemental composition in two wild and cultured marine fish and potential risks to human health. Ecotoxicology and Environmental Safety, 2018, 158, 204-212.	2.9	59
12	Absence of spatial genetic structure in common dentex (Dentex dentex Linnaeus, 1758) in the Mediterranean Sea as evidenced by nuclear and mitochondrial molecular markers. PLoS ONE, 2018, 13, e0203866.	1.1	8
13	Trace element concentrations in the apex predator swordfish (Xiphias gladius) from a Mediterranean fishery and risk assessment for consumers. Marine Pollution Bulletin, 2017, 120, 364-369.	2.3	27
14	Combining microsatellite, otolith shape and parasites community analyses as a holistic approach to assess population structure of Dentex dentex. Journal of Sea Research, 2017, 128, 1-14.	0.6	18
15	Catch variation and demographic structure of common dentex (Sparidae) exploited by Mediterranean artisanal fisheries. Bulletin of Marine Science, 2016, 92, 191-206.	0.4	7
16	Comparison of otolith and scale readings for age and growth estimation of common dentex Dentex dentex. Journal of Fish Biology, 2016, 88, 760-766.	0.7	12
17	Connectivity patterns of coastal fishes following different dispersal scenarios across a transboundary marine protected area (Bonifacio strait, NW Mediterranean). Estuarine, Coastal and Shelf Science, 2015, 154, 234-247.	0.9	19
18	Comparative analysis of artisanal and recreational fisheries for Dentex dentex in a Marine Protected Area. Fisheries Management and Ecology, 2015, 22, 249-260.	1.0	18

#	Article	IF	Citations
19	A review of biology, fisheries and population structure of Dentex dentex (Sparidae). Reviews in Fish Biology and Fisheries, 2014, 24, 1065-1088.	2.4	21
20	Cytochrome P4501A mRNA and protein induction in striped bass (Morone saxatilis). Fish Physiology and Biochemistry, 2012, 38, 1107-1116.	0.9	7
21	Phenotypic and genetic differentiation in young-of-the-year common sole (Solea solea) at differentially contaminated nursery grounds. Marine Environmental Research, 2011, 71, 195-206.	1.1	7
22	Natural factors to consider when using acetylcholinesterase activity as neurotoxicity biomarker in Young-Of-Year striped bass (Morone saxatilis). Fish Physiology and Biochemistry, 2011, 37, 21-29.	0.9	40
23	Sedentary behaviour establishment in O-group common soleSolea solea: a laboratory video-tracking study. Journal of the Marine Biological Association of the United Kingdom, 2010, 90, 1257-1262.	0.4	6
24	Digenean metacercariae parasites as natural tags of habitat use by 0-group common sole Solea solea in nearshore coastal areas: A case study in the embayed system of the Pertuis Charentais (Bay of Biscay,) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.6	23
25	Temperature, selective mortality and early growth in the shortâ€lived clupeid Spratelloides gracilis. Journal of Fish Biology, 2009, 74, 921-938.	0.7	16
26	Temporal changes in lipid condition and parasitic infection by digenean metacercariae of young-of-year common sole Solea solea (L.) in an Atlantic nursery ground (Bay of Biscay, France). Journal of Sea Research, 2007, 57, 162-170.	0.6	19
27	Comparison of Solea solea macroparasites between two nursery-continental shelf systems in the Bay of Biscay and the Portuguese coast. Journal of Fish Biology, 2007, 70, 1921-1930.	0.7	11
28	Spatial variability in digenean metacercariae infection of 0-group common sole Solea solea among nurseries along the French Atlantic coast. Diseases of Aquatic Organisms, 2007, 75, 221-228.	0.5	2
29	Parasites in marine protected areas: success and specificity of monogeneans. Journal of Fish Biology, 2004, 64, 370-379.	0.7	22