

# John

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8653048/publications.pdf>

Version: 2024-02-01

82  
papers

2,417  
citations

257450

24  
h-index

223800

46  
g-index

84  
all docs

84  
docs citations

84  
times ranked

3784  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nuclear Transporter IPO13 Is Central to Efficient Neuronal Differentiation. <i>Cells</i> , 2022, 11, 1904.	4.1	3
2	Chronic stress and Alzheimer's disease: the interplay between the hypothalamic-pituitary-adrenal axis, genetics and microglia. <i>Biological Reviews</i> , 2021, 96, 2209-2228.	10.4	37
3	Compartmentalized microfluidic chambers enable long-term maintenance and communication between human pluripotent stem cell-derived forebrain and midbrain neurons. <i>Lab on A Chip</i> , 2021, 21, 4016-4030.	6.0	9
4	Inhibition of $\beta$ -catenin dependent WNT signalling upregulates the transcriptional repressor NROB1 and downregulates markers of an A9 phenotype in human embryonic stem cell-derived dopaminergic neurons: Implications for Parkinson's disease. <i>PLoS ONE</i> , 2021, 16, e0261730.	2.5	2
5	Three-dimensional differentiation of human pluripotent stem cell-derived neural precursor cells using tailored porous polymer scaffolds. <i>Acta Biomaterialia</i> , 2020, 101, 102-116.	8.3	26
6	Modelling Lyssavirus Infections in Human Stem Cell-Derived Neural Cultures. <i>Viruses</i> , 2020, 12, 359.	3.3	16
7	NKX2-5 regulates human cardiomyogenesis via a HEY2 dependent transcriptional network. <i>Nature Communications</i> , 2018, 9, 1373.	12.8	77
8	Acute or Delayed Systemic Administration of Human Amnion Epithelial Cells Improves Outcomes in Experimental Stroke. <i>Stroke</i> , 2018, 49, 700-709.	2.0	53
9	PI3K activation in neural stem cells drives tumorigenesis which can be ameliorated by targeting the cAMP response element binding protein. <i>Neuro-Oncology</i> , 2018, 20, 1344-1355.	1.2	23
10	Induced Pluripotent Stem Cell-Derived Podocyte-Like Cells as Models for Assessing Mechanisms Underlying Heritable Disease Phenotype: Initial Studies Using Two Alport Syndrome Patient Lines Indicate Impaired Potassium Channel Activity. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 367, 335-347.	2.5	11
11	Increased Cardiomyocyte Alignment and Intracellular Calcium Transients Using Micropatterned and Drug-Releasing Poly(Glycerol Sebacate) Elastomers. <i>ACS Biomaterials Science and Engineering</i> , 2018, 4, 2494-2504.	5.2	21
12	Characterising the developmental profile of human embryonic stem cell-derived medium spiny neuron progenitors and assessing mature neuron function using a CRISPR-generated human DARPP-32 WT/eGFP-AMP reporter line. <i>Neurochemistry International</i> , 2017, 106, 3-13.	3.8	10
13	A PITX3 -EGFP Reporter Line Reveals Connectivity of Dopamine and Non-dopamine Neuronal Subtypes in Grafts Generated from Human Embryonic Stem Cells. <i>Stem Cell Reports</i> , 2017, 9, 868-882.	4.8	32
14	The potential of stem cells for 21st century neuroscience, II. <i>Neurochemistry International</i> , 2017, 106, 1-2.	3.8	0
15	Specification of murine ground state pluripotent stem cells to regional neuronal populations. <i>Scientific Reports</i> , 2017, 7, 16001.	3.3	7
16	Efficiently Specified Ventral Midbrain Dopamine Neurons from Human Pluripotent Stem Cells Under Xeno-Free Conditions Restore Motor Deficits in Parkinsonian Rodents. <i>Stem Cells Translational Medicine</i> , 2017, 6, 937-948.	3.3	55
17	Human pluripotent stem cell derived midbrain PITX3eGFP/w neurons: a versatile tool for pharmacological screening and neurodegenerative modeling. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 104.	3.7	16
18	Facile One-Step Micropatterning Using Photodegradable Gelatin Hydrogels for Improved Cardiomyocyte Organization and Alignment. <i>Advanced Functional Materials</i> , 2015, 25, 977-986.	14.9	98

#	ARTICLE	IF	CITATIONS
19	Methotrexate-Conjugated PEGylated Dendrimers Show Differential Patterns of Deposition and Activity in Tumor-Burdened Lymph Nodes after Intravenous and Subcutaneous Administration in Rats. <i>Molecular Pharmaceutics</i> , 2015, 12, 432-443.	4.6	51
20	PEGylation Does Not Significantly Change the Initial Intravenous or Subcutaneous Pharmacokinetics or Lymphatic Exposure of Trastuzumab in Rats but Increases Plasma Clearance after Subcutaneous Administration. <i>Molecular Pharmaceutics</i> , 2015, 12, 794-809.	4.6	34
21	Comparing mouse and human pluripotent stem cell derived cardiac cells: Both systems have advantages for pharmacological and toxicological screening. <i>Journal of Pharmacological and Toxicological Methods</i> , 2015, 74, 17-25.	0.7	2
22	SIRPA, VCAM1 and CD34 identify discrete lineages during early human cardiovascular development. <i>Stem Cell Research</i> , 2014, 13, 172-179.	0.7	63
23	Pulmonary administration of a doxorubicin-conjugated dendrimer enhances drug exposure to lung metastases and improves cancer therapy. <i>Journal of Controlled Release</i> , 2014, 183, 18-26.	9.9	158
24	Zinc-finger Nuclease Enhanced Gene Targeting in Human Embryonic Stem Cells. <i>Journal of Visualized Experiments</i> , 2014, , e51764.	0.3	3
25	A novel androgen signalling pathway uses dihydrotestosterone, but not testosterone, to activate the EGF receptor signalling cascade in prostate stromal cells. <i>British Journal of Pharmacology</i> , 2013, 170, 592-601.	5.4	10
26	Pluripotent stem cell-derived dopaminergic neurons as models of neurodegeneration. <i>Future Neurology</i> , 2013, 8, 649-661.	0.5	1
27	DNA-Dependent Protein Kinase Is a Context Dependent Regulator of Lmx1a and Midbrain Specification. <i>PLoS ONE</i> , 2013, 8, e78759.	2.5	3
28	Characterization of forebrain neurons derived from late-onset Huntington's disease human embryonic stem cell lines. <i>Frontiers in Cellular Neuroscience</i> , 2013, 7, 37.	3.7	31
29	Synthesis and Pharmacological Evaluation of Dual Acting Antioxidant A <sub>2A</sub> Adenosine Receptor Agonists. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 3521-3534.	6.4	17
30	In Vitro Maturation of Dopaminergic Neurons Derived from Mouse Embryonic Stem Cells: Implications for Transplantation. <i>PLoS ONE</i> , 2012, 7, e31999.	2.5	28
31	Lmx1a Allows Context-Specific Isolation of Progenitors of GABAergic or Dopaminergic Neurons During Neural Differentiation of Embryonic Stem Cells. <i>Stem Cells</i> , 2012, 30, 1349-1361.	3.2	23
32	Synthesis and Biological Evaluation of Adenosines with Heterobicyclic and Polycyclic <i>N</i> <sup>6</sup> -Substituents as Adenosine A <sub>1</sub> Receptor Agonists. <i>ChemMedChem</i> , 2012, 7, 1191-1201.	3.2	5
33	NKX2-5eGFP/w hESCs for isolation of human cardiac progenitors and cardiomyocytes. <i>Nature Methods</i> , 2011, 8, 1037-1040.	19.0	384
34	Midbrain and forebrain patterning delivers immunocytochemically and functionally similar populations of neuropeptide Y containing GABAergic neurons. <i>Neurochemistry International</i> , 2011, 59, 413-20.	3.8	8
35	Extended periods of neural induction and propagation of embryonic stem cell-derived neural progenitors with EGF and FGF2 enhances Lmx1a expression and neurogenic potential. <i>Neurochemistry International</i> , 2011, 59, 394-403.	3.8	5
36	Novel drug targets for the pharmacotherapy of benign prostatic hyperplasia (BPH). <i>British Journal of Pharmacology</i> , 2011, 163, 891-907.	5.4	65

#	ARTICLE	IF	CITATIONS
37	Endothelin-1 and angiotensin II modulate rate and contraction amplitude in a subpopulation of mouse embryonic stem cell-derived cardiomyocyte-containing bodies. <i>Stem Cell Research</i> , 2011, 6, 23-33.	0.7	10
38	A Targeted <i>NKX2.1</i> Human Embryonic Stem Cell Reporter Line Enables Identification of Human Basal Forebrain Derivatives. <i>Stem Cells</i> , 2011, 29, 462-473.	3.2	99
39	Directed Expression of <i>Gata2</i> , <i>Mash1</i> , and <i>Foxa2</i> Synergize to Induce the Serotonergic Neuron Phenotype During In Vitro Differentiation of Embryonic Stem Cells. <i>Stem Cells</i> , 2011, 29, 928-939.	3.2	23
40	Contractions of the Mouse Prostate Elicited by Acetylcholine Are Mediated by M <sub>3</sub> Muscarinic Receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 339, 870-877.	2.5	14
41	A Novel Highly Selective Adenosine A1 Receptor Agonist VCP28 Reduces Ischemia Injury in a Cardiac Cell Line and Ischemia Reperfusion Injury in Isolated Rat Hearts at Concentrations That Do Not Affect Heart Rate. <i>Journal of Cardiovascular Pharmacology</i> , 2010, 56, 282-292.	1.9	14
42	Troubleshooting immunohistochemical labelling of proliferating cell nuclear antigen (PCNA) in cryocut tissue sections of mouse prostate. <i>Journal of Pharmacological and Toxicological Methods</i> , 2010, 61, 98-101.	0.7	3
43	Androgens regulate adenylate cyclase activity and intracellular calcium in stromal cells derived from human prostate. <i>Prostate</i> , 2010, 70, 1222-1232.	2.3	5
44	The Residual Nonadrenergic Contractile Response to Nerve Stimulation of the Mouse Prostate Is Mediated by Acetylcholine but Not ATP in a Comparison with the Mouse Vas Deferens. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 335, 489-496.	2.5	13
45	Elastomeric nanocomposites as cell delivery vehicles and cardiac support devices. <i>Soft Matter</i> , 2010, 6, 4715.	2.7	65
46	P2X2, P2X4 and P2Y1 receptors elevate intracellular Ca <sup>2+</sup> in mouse embryonic stem cell-derived GABAergic neurons. <i>British Journal of Pharmacology</i> , 2009, 158, 1922-1931.	5.4	24
47	SYSTEMIC STEM CELL IMPROVEMENT IN CARDIAC FUNCTION AFTER ISCHAEMIC INJURY: LEAPING FORWARD SLOWLY. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008, 35, 105-106.	1.9	1
48	Phosphorylation of the PKG substrate, vasodilator-stimulated phosphoprotein (VASP), in human cultured prostatic stromal cells. <i>Nitric Oxide - Biology and Chemistry</i> , 2007, 16, 10-17.	2.7	17
49	Sex steroids modulate $\alpha$ 1-adrenoceptor-stimulated Ca <sup>2+</sup> elevation in human cultured prostatic stromal cells. <i>Prostate</i> , 2007, 67, 74-82.	2.3	7
50	Embryonic stem cells as a source of models for drug discovery. <i>Nature Reviews Drug Discovery</i> , 2007, 6, 605-616.	46.4	167
51	Heterogeneous population of dopaminergic neurons derived from mouse embryonic stem cells: preliminary phenotyping based on receptor expression and function. <i>European Journal of Neuroscience</i> , 2007, 25, 1961-1970.	2.6	18
52	$\alpha$ 2 and $\alpha$ 3-adrenoceptor inhibition of $\alpha$ 1-adrenoceptor-stimulated Ca <sup>2+</sup> elevation in human cultured prostatic stromal cells. <i>European Journal of Pharmacology</i> , 2007, 570, 18-26.	3.5	11
53	Saw palmetto is an indirectly acting sympathomimetic in the rat-isolated prostate gland. <i>Prostate</i> , 2006, 66, 115-123.	2.3	11
54	Protein kinase G-induced activation of KATP channels reduces contractility of human prostate tissue. <i>Prostate</i> , 2006, 66, 377-385.	2.3	25

#	ARTICLE	IF	CITATIONS
55	Pharmaceutical applications of embryonic stem cells. <i>Advanced Drug Delivery Reviews</i> , 2005, 57, 1918-1934.	13.7	54
56	Current models of human prostate contractility. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2005, 32, 797-804.	1.9	13
57	Electrical and neurotransmitter activity of mature neurons derived from mouse embryonic stem cells by Sox-1 lineage selection and directed differentiation. <i>European Journal of Neuroscience</i> , 2004, 20, 3209-3221.	2.6	31
58	A1 and A2A adenosine receptor modulation of $\hat{1}$ -adrenoceptor-mediated contractility in human cultured prostatic stromal cells. <i>British Journal of Pharmacology</i> , 2004, 141, 302-310.	5.4	16
59	Protein kinase G II-mediated proliferative effects in human cultured prostatic stromal cells. <i>Cellular Signalling</i> , 2004, 16, 253-261.	3.6	52
60	Purinoceptor-mediated contractility of the perfused uterine vasculature of the guinea-pig: influence of oestradiol and pregnancy. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003, 30, 329-335.	1.9	6
61	$\hat{1}$ -Adrenoceptor effects mediated by protein kinase C $\hat{1}$ in human cultured prostatic stromal cells. <i>British Journal of Pharmacology</i> , 2003, 138, 218-224.	5.4	16
62	Phorbol ester-induced contractility and Ca <sup>2+</sup> influx in human cultured prostatic stromal cells. <i>Biochemical Pharmacology</i> , 2002, 64, 385-392.	4.4	17
63	Protein kinase G activation of KATP channels in human-cultured prostatic stromal cells. <i>Cellular Signalling</i> , 2002, 14, 1023-1029.	3.6	24
64	Testosterone- and phorbol ester-stimulated proliferation in human cultured prostatic stromal cells. <i>Cellular Signalling</i> , 2001, 13, 703-709.	3.6	18
65	A2A adenosine receptor mediated potassium channel activation in rat epididymal smooth muscle. <i>British Journal of Pharmacology</i> , 2000, 130, 685-691.	5.4	16
66	Gi-protein $\hat{1}$ -subunit mRNA antisense oligonucleotide inhibition of Gi-coupled receptor contractile activity in the epididymis of the guinea-pig. <i>British Journal of Pharmacology</i> , 1999, 127, 85-90.	5.4	4
67	A1 adenosine receptor modulation of electrically-evoked contractions in the bisected vas deferens and cauda epididymis of the guinea-pig. <i>British Journal of Pharmacology</i> , 1998, 124, 964-970.	5.4	11
68	A1 and A2 adenosine receptor modulation of contractility in the cauda epididymis of the guinea-pig. <i>British Journal of Pharmacology</i> , 1998, 125, 570-576.	5.4	10
69	$\hat{2}$ -Adrenoceptor-mediated inhibition of $\hat{1}$ -adrenoceptor-mediated and field stimulation-induced contractile responses in the prostate of the guinea pig. <i>British Journal of Pharmacology</i> , 1997, 122, 1067-1074.	5.4	31
70	Neuropeptide Y (NPY) and peptide YY (PYY) effects in the epididymis of the guinea-pig: evidence of a pre-junctional PYY-selective receptor. <i>British Journal of Pharmacology</i> , 1997, 122, 1530-1536.	5.4	10
71	Rat amylin mediates a pressor response in the anaesthetised rat: implications for the association between hypertension and diabetes mellitus. <i>Diabetologia</i> , 1997, 40, 256-261.	6.3	19
72	$\hat{1}$ -Adrenoceptor mediated responses of the cauda epididymis of the guinea pig. <i>British Journal of Pharmacology</i> , 1996, 119, 1203-1210.	5.4	15

#	ARTICLE	IF	CITATIONS
73	The effects of P2 purinoceptor agonists on the isolated portal vein of the guinea pig. <i>European Journal of Pharmacology</i> , 1996, 316, 229-236.	3.5	14
74	Adrenomedullin and calcitonin gene-related peptide in the rat isolated kidney and in the anaesthetised rat: in vitro and in vivo effects. <i>European Journal of Pharmacology</i> , 1995, 280, 91-94.	3.5	41
75	?2Adrenoceptor- and Imidazoline-Preferring Binding Sites in the Dog Kidney. <i>Annals of the New York Academy of Sciences</i> , 1995, 763, 357-360.	3.8	7
76	CHARACTERIZATION OF BINDING SITES FOR [3H]-IDAZOXAN, [3H]-P-AMINOCLONIDINE AND [3H]-RAUWOLSCINE IN THE KIDNEY OF THE DOG. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1994, 21, 649-658.	1.9	11
77	Attenuated 5-hydroxytryptamine receptor-mediated responses in aortae from streptozotocin-induced diabetic rats. <i>British Journal of Pharmacology</i> , 1994, 111, 370-376.	5.4	23
78	Heterogeneity of $\alpha_1$ -adrenoceptors in the guinea-pig uterus. <i>Autonomic and Autacoid Pharmacology</i> , 1993, 13, 305-314.	0.6	6
79	$\alpha_2$ -Adrenoceptors in the guinea-pig uterus: heterogeneity in the circular and longitudinal smooth muscle layers. <i>European Journal of Pharmacology</i> , 1993, 250, 231-237.	3.5	6
80	Effects of 5-HT <sub>1</sub> receptor and $\alpha_2$ -adrenoceptor ligands on the haemodynamic response to acute central hypovolaemia in conscious rabbits. <i>British Journal of Pharmacology</i> , 1993, 109, 37-47.	5.4	21
81	A1 and A2-PURINOCEPTORS IN THE GUINEA-PIG UTERUS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1993, 20, 609-617.	1.9	6
82	?1- AND ?2-ADRENOCEPTORS OF THE CIRCULAR MYOMETRIUM FROM THE DIOESTROUS GUINEA-PIG. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1988, 15, 695-701.	1.9	5