Thomas P C Dorlo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8653884/publications.pdf

Version: 2024-02-01

88 papers

2,785 citations

201674 27 h-index 50 g-index

89 all docs 89 docs citations

89 times ranked 3301 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Miltefosine: a review of its pharmacology and therapeutic efficacy in the treatment of leishmaniasis. Journal of Antimicrobial Chemotherapy, 2012, 67, 2576-2597. | 3.0 | 605 |
| 2 | Increasing Failure of Miltefosine in the Treatment of Kala-azar in Nepal and the Potential Role of Parasite Drug Resistance, Reinfection, or Noncompliance. Clinical Infectious Diseases, 2013, 56, 1530-1538. | 5.8 | 276 |
| 3 | Pharmacokinetics of Miltefosine in Old World Cutaneous Leishmaniasis Patients. Antimicrobial Agents and Chemotherapy, 2008, 52, 2855-2860. | 3.2 | 141 |
| 4 | Failure of Miltefosine in Visceral Leishmaniasis Is Associated With Low Drug Exposure. Journal of Infectious Diseases, 2014, 210, 146-153. | 4.0 | 110 |
| 5 | LeishMan Recommendations for Treatment of Cutaneous and Mucosal Leishmaniasis in Travelers, 2014. Journal of Travel Medicine, 2014, 21, 116-129. | 3.0 | 110 |
| 6 | Optimal Dosing of Miltefosine in Children and Adults with Visceral Leishmaniasis. Antimicrobial Agents and Chemotherapy, 2012, 56, 3864-3872. | 3.2 | 84 |
| 7 | Safety and Efficacy of Single Dose versus Multiple Doses of AmBisome® for Treatment of Visceral Leishmaniasis in Eastern Africa: A Randomised Trial. PLoS Neglected Tropical Diseases, 2014, 8, e2613. | 3.0 | 71 |
| 8 | Failure of Miltefosine Treatment for Visceral Leishmaniasis in Children and Men in South-East Asia. PLoS ONE, 2014, 9, e100220. | 2.5 | 66 |
| 9 | Efficacy and Safety of AmBisome in Combination with Sodium Stibogluconate or Miltefosine and Miltefosine Monotherapy for African Visceral Leishmaniasis: Phase II Randomized Trial. PLoS Neglected Tropical Diseases, 2016, 10, e0004880. | 3.0 | 66 |
| 10 | Volumetric absorptive microsampling (VAMS) as an alternative to conventional dried blood spots in the quantification of miltefosine in dried blood samples. Journal of Pharmaceutical and Biomedical Analysis, 2017, 135, 160-166. | 2.8 | 65 |
| 11 | Systematic Review of Biomarkers To Monitor Therapeutic Response in Leishmaniasis. Antimicrobial Agents and Chemotherapy, 2015, 59, 1-14. | 3.2 | 62 |
| 12 | Clinical Pharmacokinetics of Systemically Administered Antileishmanial Drugs. Clinical Pharmacokinetics, 2018, 57, 151-176. | 3.5 | 55 |
| 13 | Development and validation of a quantitative assay for the measurement of miltefosine in human plasma by liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 865, 55-62. | 2.3 | 50 |
| 14 | Safety and Efficacy of miltefosine alone and in combination with sodium stibogluconate and liposomal amphotericin B for the treatment of primary visceral leishmaniasis in East Africa: study protocol for a randomized controlled trial. Trials, 2011, 12, 166. | 1.6 | 43 |
| 15 | Lopinavir/ritonavir significantly influences pharmacokinetic exposure of artemether/lumefantrine in HIV-infected Ugandan adults. Journal of Antimicrobial Chemotherapy, 2012, 67, 1217-1223. | 3.0 | 43 |
| 16 | Fludarabine exposure in the conditioning prior to allogeneic hematopoietic cell transplantation predicts outcomes. Blood Advances, 2019, 3, 2179-2187. | 5.2 | 42 |
| 17 | Pharmacokinetics of Miltefosine in Children and Adults with Cutaneous Leishmaniasis. Antimicrobial Agents and Chemotherapy, 2017, 61, . | 3.2 | 41 |
| 18 | Population Pharmacokinetics of Fludarabine in Children and Adults during Conditioning Prior to Allogeneic Hematopoietic Cell Transplantation. Clinical Pharmacokinetics, 2019, 58, 627-637. | 3.5 | 41 |

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 19 | Characterization and identification of suspected counterfeit miltefosine capsules. Analyst, The, 2012, 137, 1265. | 3.5 | 38 |
| 20 | Dose Reduction of Caspofungin in Intensive Care Unit Patients with Child Pugh B Will Result in Suboptimal Exposure. Clinical Pharmacokinetics, 2016, 55, 723-733. | 3 . 5 | 35 |
| 21 | Immunomodulatory Therapy of Visceral Leishmaniasis in Human Immunodeficiency Virus-Coinfected Patients. Frontiers in Immunology, 2017, 8, 1943. | 4.8 | 32 |
| 22 | An update on the clinical pharmacology of miltefosine in the treatment of leishmaniasis. International Journal of Antimicrobial Agents, 2022, 59, 106459. | 2.5 | 32 |
| 23 | Pharmacokinetics, Safety, and Efficacy of an Allometric Miltefosine Regimen for the Treatment of Visceral Leishmaniasis in Eastern African Children: An Open-label, Phase II Clinical Trial. Clinical Infectious Diseases, 2019, 68, 1530-1538. | 5.8 | 31 |
| 24 | Systematic Review of Host-Mediated Activity of Miltefosine in Leishmaniasis through Immunomodulation. Antimicrobial Agents and Chemotherapy, 2019, 63, . | 3.2 | 30 |
| 25 | Dynamics of Parasite Clearance in Cutaneous Leishmaniasis Patients Treated with Miltefosine. PLoS Neglected Tropical Diseases, 2011, 5, e1436. | 3.0 | 29 |
| 26 | Translational pharmacokinetic modelling and simulation for the assessment of duration of contraceptive use after treatment with miltefosine. Journal of Antimicrobial Chemotherapy, 2012, 67, 1996-2004. | 3.0 | 29 |
| 27 | A Poor-Quality Generic Drug for the Treatment of Visceral Leishmaniasis: A Case Report and Appeal. PLoS Neglected Tropical Diseases, 2012, 6, e1544. | 3.0 | 28 |
| 28 | Pentamidine Dosage: A Base/Salt Confusion. PLoS Neglected Tropical Diseases, 2008, 2, e225. | 3.0 | 28 |
| 29 | Severe encephalopathy and polyneuropathy induced by dichloroacetate. Journal of Neurology, 2010, 257, 2099-2100. | 3.6 | 27 |
| 30 | Lack of Clinical Pharmacokinetic Studies to Optimize the Treatment of Neglected Tropical Diseases: A Systematic Review. Clinical Pharmacokinetics, 2017, 56, 583-606. | 3. 5 | 27 |
| 31 | Assessment of blood–brain barrier penetration of miltefosine used to treat a fatal case of granulomatous amebic encephalitis possibly caused by an unusual Balamuthia mandrillaris strain. Parasitology Research, 2015, 114, 4431-4439. | 1.6 | 26 |
| 32 | Visceral leishmaniasis relapse hazard is linked to reduced miltefosine exposure in patients from Eastern Africa: a population pharmacokinetic/pharmacodynamic study. Journal of Antimicrobial Chemotherapy, 2017, 72, 3131-3140. | 3.0 | 23 |
| 33 | Adherence to miltefosine treatment for visceral leishmaniasis under routine conditions in <pre><scp>N</scp></pre> /scp>epal. Tropical Medicine and International Health, 2013, 18, 179-187. | 2.3 | 18 |
| 34 | Pharmacodynamic modeling of cardiac biomarkers in breast cancer patients treated with anthracycline and trastuzumab regimens. Journal of Pharmacokinetics and Pharmacodynamics, 2018, 45, 431-442. | 1.8 | 18 |
| 35 | Validation and Clinical Evaluation of a Novel Method To Measure Miltefosine in Leishmaniasis Patients Using Dried Blood Spot Sample Collection. Antimicrobial Agents and Chemotherapy, 2016, 60, 2081-2089. | 3.2 | 17 |
| 36 | Pharmacokinetic Targets for Therapeutic Drug Monitoring of Small Molecule Kinase Inhibitors in Pediatric Oncology. Clinical Pharmacology and Therapeutics, 2020, 108, 494-505. | 4.7 | 17 |

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 37 | Population Pharmacokinetics of Artemether, Dihydroartemisinin, and Lumefantrine in Rwandese Pregnant Women Treated for Uncomplicated Plasmodium falciparum Malaria. Antimicrobial Agents and Chemotherapy, 2018, 62, . | 3.2 | 15 |
| 38 | Macrophage Activation Marker Neopterin: A Candidate Biomarker for Treatment Response and Relapse in Visceral Leishmaniasis. Frontiers in Cellular and Infection Microbiology, 2018, 8, 181. | 3.9 | 15 |
| 39 | Evaluation of Extrapolation Methods to Predict Trough Concentrations to Guide Therapeutic Drug Monitoring of Oral Anticancer Drugs. Therapeutic Drug Monitoring, 2020, 42, 532-539. | 2.0 | 15 |
| 40 | Population Pharmacokinetics of Docetaxel, Paclitaxel, Doxorubicin and Epirubicin in Pregnant Women with Cancer: A Study from the International Network of Cancer, Infertility and Pregnancy (INCIP). Clinical Pharmacokinetics, 2021, 60, 775-784. | 3.5 | 15 |
| 41 | Quantification of miltefosine in peripheral blood mononuclear cells by high-performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 998-999, 57-62. | 2.3 | 13 |
| 42 | Blood Parasite Load as an Early Marker to Predict Treatment Response in Visceral Leishmaniasis in Eastern Africa. Clinical Infectious Diseases, 2021, 73, 775-782. | 5.8 | 13 |
| 43 | Influence of Malnutrition on the Pharmacokinetics of Drugs Used in the Treatment of Poverty-Related Diseases: A Systematic Review. Clinical Pharmacokinetics, 2021, 60, 1149-1169. | 3. 5 | 13 |
| 44 | Population Pharmacokinetics of MCLA-128, a HER2/HER3 Bispecific Monoclonal Antibody, in Patients with Solid Tumors. Clinical Pharmacokinetics, 2020, 59, 875-884. | 3.5 | 13 |
| 45 | Population pharmacokinetics of levamisole in children with steroidâ€sensitive nephrotic syndrome. British Journal of Clinical Pharmacology, 2015, 80, 242-252. | 2.4 | 12 |
| 46 | Skin tissue sample collection, sample homogenization, and analyte extraction strategies for liquid chromatographic mass spectrometry quantification of pharmaceutical compounds. Journal of Pharmaceutical and Biomedical Analysis, 2020, 191, 113590. | 2.8 | 12 |
| 47 | Simultaneous population pharmacokinetic modelling of plasma and intracellular PBMC miltefosine concentrations in New World cutaneous leishmaniasis and exploration of exposure–response relationships. Journal of Antimicrobial Chemotherapy, 2018, 73, 2104-2111. | 3.0 | 11 |
| 48 | Population pharmacokinetic analysis of nanoparticle-bound and free camptothecin after administration of NLG207 in adults with advanced solid tumors. Cancer Chemotherapy and Pharmacology, 2020, 86, 475-486. | 2.3 | 10 |
| 49 | Commentary: Substandard medicines are the priority for neglected tropical diseases. BMJ, The, 2012, 345, e7518-e7518. | 6.0 | 9 |
| 50 | Functional Validation of ABCA3 as a Miltefosine Transporter in Human Macrophages. Journal of Biological Chemistry, 2016, 291, 9638-9647. | 3.4 | 9 |
| 51 | Characterizing the non-linear pharmacokinetics of miltefosine in paediatric visceral leishmaniasis patients from Eastern Africa. Journal of Antimicrobial Chemotherapy, 2020, 75, 3260-3268. | 3.0 | 9 |
| 52 | Toxicity of pemetrexed during renal impairment explained—Implications for safe treatment. International Journal of Cancer, 2021, 149, 1576-1584. | 5.1 | 9 |
| 53 | Development and validation of an HPLC-MS/MS method for the quantification of the anti-leishmanial drug miltefosine in human skin tissue. Journal of Pharmaceutical and Biomedical Analysis, 2022, 207, 114402. | 2.8 | 9 |
| 54 | Highly sensitive UPLC-MS/MS method for the quantification of paromomycin in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2020, 185, 113245. | 2.8 | 8 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | Low antileishmanial drug exposure in HIV-positive visceral leishmaniasis patients on antiretrovirals: an Ethiopian cohort study. Journal of Antimicrobial Chemotherapy, 2021, 76, 1258-1268. | 3.0 | 8 |
| 56 | Geographical Variability in Paromomycin Pharmacokinetics Does Not Explain Efficacy Differences between Eastern African and Indian Visceral Leishmaniasis Patients. Clinical Pharmacokinetics, 2021, 60, 1463-1473. | 3.5 | 8 |
| 57 | Longitudinal nonlinear mixed effects modeling of <scp>EGFR</scp> mutations in <scp>ctDNA</scp> as predictor of disease progression in treatment of <scp>EGFR</scp> â€mutant nonâ€small cell lung cancer. Clinical and Translational Science, 2022, 15, 1916-1925. | 3.1 | 8 |
| 58 | Pharmacokinetics and pharmacodynamics of oleylphosphocholine in a hamster model of visceral leishmaniasis. Journal of Antimicrobial Chemotherapy, 2016, 71, 1892-1898. | 3.0 | 7 |
| 59 | A physiologically based pharmacokinetic (PBPK) model to describe organ distribution of 68Ga-DOTATATE in patients without neuroendocrine tumors. EJNMMI Research, 2021, 11, 73. | 2.5 | 7 |
| 60 | Impact of Older Age on the Exposure of Paclitaxel: a Population Pharmacokinetic Study. Pharmaceutical Research, 2019, 36, 33. | 3.5 | 6 |
| 61 | Clinical Trial Simulation To Optimize Trial Design for Fludarabine Dosing Strategies in Allogeneic Hematopoietic Cell Transplantation. CPT: Pharmacometrics and Systems Pharmacology, 2020, 9, 272-281. | 2.5 | 6 |
| 62 | Worse capecitabine treatment outcome in patients with a low skeletal muscle mass is not explained by altered pharmacokinetics. Cancer Medicine, 2021, 10, 4781-4789. | 2.8 | 6 |
| 63 | Comment on: Cutaneous and mucocutaneous leishmaniasis in Tigray, northern Ethiopia: clinical aspects and therapeutic concerns. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2010, 104, 84-85. | 1.8 | 5 |
| 64 | Safe mass drug administration for neglected tropical diseases. The Lancet Global Health, 2018, 6, e1054-e1055. | 6.3 | 5 |
| 65 | Does Older Age Lead to Higher Risk for Neutropenia in Patients Treated with Paclitaxel?. Pharmaceutical Research, 2019, 36, 163. | 3.5 | 5 |
| 66 | The global impact of Indian generics on access to health. Indian Journal of Medical Ethics, 2013, 10, 118-20. | 0.4 | 5 |
| 67 | Different liposomal amphotericin B formulations for visceral leishmaniasis. The Lancet Global Health, 2014, 2, e449. | 6.3 | 4 |
| 68 | Treatment of visceral leishmaniasis: pitfalls and stewardship. Lancet Infectious Diseases, The, 2016, 16, 777-778. | 9.1 | 4 |
| 69 | Exposure to Docetaxel in the Elderly Patient Population: a Population Pharmacokinetic Study. Pharmaceutical Research, 2019, 36, 181. | 3.5 | 4 |
| 70 | Predictable threats to public health through delaying universal access to innovative medicines for hepatitis C: a pharmaceutical standpoint. Tropical Medicine and International Health, 2016, 21, 1490-1495. | 2.3 | 3 |
| 71 | Poverty-Related Diseases College: a virtual African-European network to build research capacity. BMJ Global Health, 2016, 1, e000032. | 4.7 | 3 |
| 72 | A Semi-Mechanistic Population Pharmacokinetic/Pharmacodynamic Model of Bortezomib in Pediatric Patients with Relapsed/Refractory Acute Lymphoblastic Leukemia. Clinical Pharmacokinetics, 2020, 59, 207-216. | 3.5 | 3 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Pharmacokinetic/Pharmacodynamic Modelling of Allopurinol, its Active Metabolite Oxypurinol, and Biomarkers Hypoxanthine, Xanthine and Uric Acid in Hypoxic-Ischemic Encephalopathy Neonates. Clinical Pharmacokinetics, 2022, 61, 321-333. | 3.5 | 3 |
| 74 | Predictiveness of the Human-CYP3A4-Transgenic Mouse Model (Cyp3aXAV) for Human Drug Exposure of CYP3A4-Metabolized Drugs. Pharmaceuticals, 2022, 15, 860. | 3.8 | 3 |
| 75 | Development and validation of a high-performance liquid chromatography tandem mass spectrometry method for the quantification of the antiparasitic and antifungal drug amphotericin B in human skin tissue. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022. 1206. 123354. | 2.3 | 3 |
| 76 | Please, let not Western quackery replace traditional medicine in Africa. Tropical Medicine and International Health, 2013, 18, 242-244. | 2.3 | 2 |
| 77 | Population Pharmacokinetics of Intracellular 5-Fluorouridine 5′-Triphosphate and its Relationship with Hand-and-Foot Syndrome in Patients Treated with Capecitabine. AAPS Journal, 2021, 23, 23. | 4.4 | 2 |
| 78 | Population Pharmacokinetic Modelling to Support the Evaluation of Preclinical Pharmacokinetic Experiments with Lorlatinib. Journal of Pharmaceutical Sciences, 2022, 111, 495-504. | 3.3 | 2 |
| 79 | From Bench to Bedside: Development and Optimization of Clinical Therapies for Visceral Leishmaniasis. RSC Drug Discovery Series, 2017, , 37-54. | 0.3 | 2 |
| 80 | Universal access to quality medicines: prioritisation of a-priori solutions. Lancet Infectious Diseases, The, 2012, 12, 829-830. | 9.1 | 1 |
| 81 | Reply to Arya and Agarwal. Clinical Infectious Diseases, 2013, 57, 917-918. | 5.8 | 1 |
| 82 | Individualized Fludarabine Dosing for Predictable Immune Reconstitution and Increased Survival Chances after Allogeneic Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2018, 24, S306-S307. | 2.0 | 1 |
| 83 | Quantification of the pharmacokinetic-toxicodynamic relationship of oral docetaxel co-administered with ritonavir. Investigational New Drugs, 2020, 38, 1526-1532. | 2.6 | 1 |
| 84 | Relapsing leishmanial arthritis: report of a tricky localization and evidence of miltefosine diffusion in synovial fluid. Journal of Antimicrobial Chemotherapy, 2021, 76, 2740-2741. | 3.0 | 1 |
| 85 | Letter by Dorlo Regarding Article, "Acupuncture Therapy and Incidence of Depression After Stroke― Stroke, 2017, 48, e231. | 2.0 | 0 |
| 86 | 1662. Pushing the Dose: Miltefosine Treatment for a Supersized American with Cutaneous Leishmaniasis. Open Forum Infectious Diseases, 2019, 6, S608-S608. | 0.9 | 0 |
| 87 | Investigating the influence of relevant pharmacogenetic variants on the pharmacokinetics and pharmacodynamics of orally administered docetaxel combined with ritonavir. Pharmacogenomics Journal, 2021, 21, 336-345. | 2.0 | 0 |
| 88 | No evidence for cardiotoxicity of miltefosine. Anais Brasileiros De Dermatologia, 2022, , . | 1.1 | 0 |