

# Abdullah Aldosari AlFarraj

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8654368/abdullah-aldosari-alfarraj-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136  
papers

3,300  
citations

30  
h-index

51  
g-index

145  
ext. papers

3,955  
ext. citations

6.1  
avg, IF

5.59  
L-index

#	Paper	IF	Citations
136	New Strategies in Biomaterials Design for Tissue Regeneration. <i>Tissue Engineering - Part C: Methods</i> , <b>2021</b> , 27, 513-514	2.9	
135	New Strategies in Biomaterials Design for Tissue Regeneration. <i>Tissue Engineering - Part C: Methods</i> , <b>2021</b> , 27, 571-572	2.9	
134	The effect of lipoxin A4 on E. coli LPS-induced osteoclastogenesis. <i>Clinical Oral Investigations</i> , <b>2021</b> , 25, 957-969	4.2	2
133	Impact of Single or Combined Drug Therapy on Bone Regeneration in Healthy and Osteoporotic Rats. <i>Tissue Engineering - Part A</i> , <b>2021</b> , 27, 572-581	3.9	
132	Effect of Osteoporosis on Well-Integrated Bone Implants. <i>Applied Sciences (Switzerland)</i> , <b>2021</b> , 11, 723	2.6	
131	Effect of Systemic Zoledronic Acid Dosing Regimens on Bone Regeneration in Osteoporotic Rats. <i>Applied Sciences (Switzerland)</i> , <b>2021</b> , 11, 1906	2.6	
130	Application of specialized pro-resolving mediators in periodontitis and peri-implantitis: a review. <i>European Journal of Oral Sciences</i> , <b>2021</b> , 129, e12759	2.3	5
129	The molecular conformation of silk fibroin regulates osteogenic cell behavior by modulating the stability of the adsorbed protein-material interface. <i>Bone Research</i> , <b>2021</b> , 9, 13	13.3	5
128	Bilayered, peptide-biofunctionalized hydrogels for in vivo osteochondral tissue repair. <i>Acta Biomaterialia</i> , <b>2021</b> , 128, 120-129	10.8	3
127	Innovative implant design for continuous implant stability: A mechanical and histological experimental study in the iliac crest of goats. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2021</b> , 122, 104651	4.1	1
126	Electrophoretic deposition of silk fibroin coatings with pre-defined architecture to facilitate precise control over drug delivery. <i>Bioactive Materials</i> , <b>2021</b> , 6, 4243-4254	16.7	5
125	A tunable and injectable local drug delivery system for personalized periodontal application. <i>Journal of Controlled Release</i> , <b>2020</b> , 324, 134-145	11.7	32
124	Pre-Clinical Evaluation of Biological Bone Substitute Materials for Application in Highly Loaded Skeletal Sites. <i>Biomolecules</i> , <b>2020</b> , 10,	5.9	3
123	An Ovine Model of Bioreactor-Based Bone Generation. <i>Tissue Engineering - Part C: Methods</i> , <b>2020</b> , 26, 384-396	2.9	2
122	A Combination of Biphasic Calcium Phosphate (Maxresorb <sup>®</sup> ) and Hyaluronic Acid Gel (Hyadent <sup>®</sup> ) for Repairing Osseous Defects in a Rat Model. <i>Applied Sciences (Switzerland)</i> , <b>2020</b> , 10, 1651	2.6	3
121	Self-Propelled PLGA Micromotor with Chemotactic Response to Inflammation. <i>Advanced Healthcare Materials</i> , <b>2020</b> , 9, e1901710	10.1	34
120	Tough and injectable fiber reinforced calcium phosphate cement as an alternative to polymethylmethacrylate cement for vertebral augmentation: a biomechanical study. <i>Biomaterials Science</i> , <b>2020</b> , 8, 4239-4250	7.4	3

119	Electrodeposited Assembly of Additive-Free Silk Fibroin Coating from Pre-Assembled Nanospheres for Drug Delivery. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 12018-12029	9.5	21
118	Porous titanium fiber mesh with tailored elasticity and its effect on stromal cells. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2020</b> , 108, 2180-2191	3.5	1
117	The development and future of dental implants. <i>Dental Materials Journal</i> , <b>2020</b> , 39, 167-172	2.5	22
116	Design Considerations for Hydrogel Wound Dressings: Strategic and Molecular Advances. <i>Tissue Engineering - Part B: Reviews</i> , <b>2020</b> , 26, 230-248	7.9	61
115	Stabilizing dental implants with a fiber-reinforced calcium phosphate cement: An in vitro and in vivo study. <i>Acta Biomaterialia</i> , <b>2020</b> , 110, 280-288	10.8	13
114	Three-Dimensional Extrusion Printing of Porous Scaffolds Using Storable Ceramic Inks. <i>Tissue Engineering - Part C: Methods</i> , <b>2020</b> , 26, 292-305	2.9	4
113	Evaluation of Collagen Membranes Coated with Testosterone and Alendronate to Improve Guided Bone Regeneration in Mandibular Bone Defects in Minipigs. <i>Journal of Oral &amp; Maxillofacial Research</i> , <b>2020</b> , 11, e4	2.1	2
112	A Special Dedication to Editor-in-Chief, Dr. Tony Mikos. <i>Tissue Engineering - Part A</i> , <b>2020</b> , 26, 1223	3.9	
111	Polyisocyanopeptide Hydrogels Are Effectively Sterilized Using Supercritical Carbon Dioxide. <i>Tissue Engineering - Part C: Methods</i> , <b>2020</b> , 26, 132-141	2.9	3
110	Lipoxin suppresses inflammation via the TLR4/MyD88/NF- $\kappa$ B pathway in periodontal ligament cells. <i>Oral Diseases</i> , <b>2020</b> , 26, 429-438	3.5	12
109	A Rabbit Femoral Condyle Defect Model for Assessment of Osteochondral Tissue Regeneration. <i>Tissue Engineering - Part C: Methods</i> , <b>2020</b> , 26, 554-564	2.9	3
108	Antimicrobial and anti-inflammatory thermo-reversible hydrogel for periodontal delivery. <i>Acta Biomaterialia</i> , <b>2020</b> , 116, 259-267	10.8	17
107	Biological Effect of Single or Combined Pharmacological Therapy Using Alendronate and Simvastatin on Implant Osseointegration: An In Vivo Study in Healthy and Osteoporotic Rat Models. <i>Applied Sciences (Switzerland)</i> , <b>2020</b> , 10, 4298	2.6	
106	Electrospraying: Possibilities and Challenges of Engineering Carriers for Biomedical Applications-A Mini Review. <i>Frontiers in Chemistry</i> , <b>2019</b> , 7, 258	5	44
105	Monitoring In-labelled polyisocyanopeptide (PIC) hydrogel wound dressings in full-thickness wounds. <i>Biomaterials Science</i> , <b>2019</b> , 7, 3041-3050	7.4	15
104	Magnetic Resonance Imaging of Hard Tissues and Hard Tissue Engineered Bio-substitutes. <i>Molecular Imaging and Biology</i> , <b>2019</b> , 21, 1003-1019	3.8	28
103	Influence of formulation parameters on encapsulation of doxycycline in PLGA microspheres prepared by double emulsion technique for the treatment of periodontitis. <i>Journal of Drug Delivery Science and Technology</i> , <b>2019</b> , 52, 263-271	4.5	20
102	Biomaterials-aided mandibular reconstruction using in vivo bioreactors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 6954-6963	11.5	26

101	Multimodal porogen platforms for calcium phosphate cement degradation. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2019</b> , 107, 1713-1722	5.4	12
100	Encapsulation and release of doxycycline from electrospray-generated PLGA microspheres: Effect of polymer end groups. <i>International Journal of Pharmaceutics</i> , <b>2019</b> , 564, 1-9	6.5	44
99	Coculture with monocytes/macrophages modulates osteogenic differentiation of adipose-derived mesenchymal stromal cells on poly(lactic-co-glycolic) acid/polycaprolactone scaffolds. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , <b>2019</b> , 13, 785-798	4.4	11
98	Bone Regeneration Using Antiosteoporotic Drugs in Adjunction with Bone Grafting: A Meta-Analysis. <i>Tissue Engineering - Part B: Reviews</i> , <b>2019</b> , 25, 500-509	7.9	3
97	Evaluation of polydimethylsiloxane-based substrates for in vitro culture of human periodontal ligament cells. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2019</b> , 107, 2796-2805	5.4	3
96	Effect of mechanical loading and substrate elasticity on the osteogenic and adipogenic differentiation of mesenchymal stem cells. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , <b>2019</b> , 13, 2279-2290	4.4	8
95	Application of BMP-Bone Cement and FGF-Gel on Periodontal Tissue Regeneration in Nonhuman Primates. <i>Tissue Engineering - Part C: Methods</i> , <b>2019</b> , 25, 748-756	2.9	5
94	Evaluation of Peri-Implant Bone Grafting Around Surface-Porous Dental Implants: An In Vivo Study in a Goat Model. <i>Materials</i> , <b>2019</b> , 12,	3.5	3
93	Topical Host-Modulating Therapy for Periodontal Regeneration: A Systematic Review and Meta-Analysis. <i>Tissue Engineering - Part B: Reviews</i> , <b>2019</b> , 25, 526-543	7.9	8
92	Antiosteoporotic Drugs to Promote Bone Regeneration Related to Titanium Implants: A Systematic Review and Meta-Analysis. <i>Tissue Engineering - Part B: Reviews</i> , <b>2019</b> , 25, 89-99	7.9	6
91	Antibacterial effect and wound healing ability of silver nanoparticles incorporation into chitosan-based nanofibrous membranes. <i>Materials Science and Engineering C</i> , <b>2019</b> , 98, 1053-1063	8.3	47
90	Titanium surfaces characteristics modulate macrophage polarization. <i>Materials Science and Engineering C</i> , <b>2019</b> , 95, 143-151	8.3	31
89	Three-Dimensional Printing of Drug-Loaded Scaffolds for Antibacterial and Analgesic Applications. <i>Tissue Engineering - Part C: Methods</i> , <b>2019</b> , 25, 222-231	2.9	9
88	The kinetics and mechanism of bone morphogenetic protein 2 release from calcium phosphate-based implant-coatings. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2018</b> , 106, 2363-2371	5.4	15
87	A comparative study of the bone contact to zirconium and titanium implants after 8 weeks of implantation in rabbit femoral condyles. <i>Odontology / the Society of the Nippon Dental University</i> , <b>2018</b> , 106, 37-44	3.6	14
86	The performance of CPC/PLGA and Bio-Oss for bone regeneration in healthy and osteoporotic rats. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2018</b> , 106, 131-142	3.5	17
85	Evaluation of a platelet lysate bilayered system for periodontal regeneration in a rat intrabony three-wall periodontal defect. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , <b>2018</b> , 12, e1277-e1288	4.4	10
84	Thermosensitive biomimetic polyisocyanopeptide hydrogels may facilitate wound repair. <i>Biomaterials</i> , <b>2018</b> , 181, 392-401	15.6	52

83	Bisphosphonate Functionalized Gadolinium Oxide Nanoparticles Allow Long-Term MRI/CT Multimodal Imaging of Calcium Phosphate Bone Cement. <i>Advanced Healthcare Materials</i> , <b>2018</b> , 7, e1800202	10.1	15
82	Loading of Fluvastatin onto Gelatin-Coated Titanium Implants. <i>Key Engineering Materials</i> , <b>2018</b> , 782, 233-237	0.4	
81	Modifications of Poly(Methyl Methacrylate) Cement for Application in Orthopedic Surgery. <i>Advances in Experimental Medicine and Biology</i> , <b>2018</b> , 1078, 119-134	3.6	7
80	Chitosan-based sleeves loaded with silver and chlorhexidine in a percutaneous rabbit tibia model with a repeated bacterial challenge. <i>Acta Biomaterialia</i> , <b>2018</b> , 82, 102-110	10.8	5
79	Preparation of a calcium carbonate-based bone substitute with cinnamaldehyde crosslinking agent with potential anti-inflammatory properties. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2017</b> , 105, 1055-1062	5.4	10
78	Animal models for percutaneous-device-related infections: a review. <i>International Journal of Antimicrobial Agents</i> , <b>2017</b> , 49, 659-667	14.3	4
77	Bone Response to Porous Poly(methyl methacrylate) Cement Loaded with Hydroxyapatite Particles in a Rabbit Mandibular Model. <i>Tissue Engineering - Part C: Methods</i> , <b>2017</b> , 23, 262-273	2.9	9
76	Mechanochemical mechanism of integrin clustering modulated by nanoscale ligand spacing and rigidity of extracellular substrates. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2017</b> , 72, 29-37	4.1	5
75	Electrospun Nanofibrous Silk Fibroin Membranes Containing Gelatin Nanospheres for Controlled Delivery of Biomolecules. <i>Advanced Healthcare Materials</i> , <b>2017</b> , 6, 1700014	10.1	36
74	Influence of highly porous electrospun PLGA/PCL/nHA fibrous scaffolds on the differentiation of tooth bud cells in vitro. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2017</b> , 105, 2597-2607	5.4	17
73	Diabetes Mellitus and Bone Regeneration: A Systematic Review and Meta-Analysis of Animal Studies. <i>Tissue Engineering - Part B: Reviews</i> , <b>2017</b> , 23, 471-479	7.9	21
72	Biological evaluation of silver nanoparticles incorporated into chitosan-based membranes. <i>Nanomedicine</i> , <b>2017</b> , 12, 2771-2785	5.6	32
71	Composite Colloidal Gels Made of Bisphosphonate-Functionalized Gelatin and Bioactive Glass Particles for Regeneration of Osteoporotic Bone Defects. <i>Advanced Functional Materials</i> , <b>2017</b> , 27, 1703438	15.6	45
70	Perfluorocarbon/Gold Loading for Noninvasive in Vivo Assessment of Bone Fillers Using F Magnetic Resonance Imaging and Computed Tomography. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 22149-22159	9.5	11
69	Acellular mineral deposition within injectable, dual-gelling hydrogels for bone tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2017</b> , 105, 110-117	5.4	7
68	Size matters: effects of PLGA-microsphere size in injectable CPC/PLGA on bone formation. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , <b>2016</b> , 10, 669-78	4.4	11
67	SPECT vs. PET monitoring of bone defect healing and biomaterial performance in vivo. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , <b>2016</b> , 10, 843-854	4.4	11
66	A Radially Organized Multipatterned Device as a Diagnostic Tool for the Screening of Topographies in Tissue Engineering Biomaterials. <i>Tissue Engineering - Part C: Methods</i> , <b>2016</b> , 22, 914-22	2.9	4

65	Nanometer-grooved topography stimulates trabecular bone regeneration around a concave implant in a rat femoral medulla model. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , <b>2016</b> , 12, 2283-2290	6	7
64	Electrophoretic Deposition of Chitosan Coatings Modified with Gelatin Nanospheres To Tune the Release of Antibiotics. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 13785-92	9.5	66
63	Physicochemical properties and mineralization assessment of porous polymethylmethacrylate cement loaded with hydroxyapatite in simulated body fluid. <i>Materials Science and Engineering C</i> , <b>2016</b> , 61, 190-8	8.3	18
62	Influence of polymeric additives on the cohesion and mechanical properties of calcium phosphate cements. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2016</b> , 27, 58	4.5	14
61	Antibacterial effects of electrospun chitosan/poly(ethylene oxide) nanofibrous membranes loaded with chlorhexidine and silver. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , <b>2016</b> , 12, 1357-64	6	43
60	Increased acellular and cellular surface mineralization induced by nanogrooves in combination with a calcium-phosphate coating. <i>Acta Biomaterialia</i> , <b>2016</b> , 31, 368-377	10.8	22
59	Calcium carbonate hydrogel construct with cinnamaldehyde incorporated to control inflammation during surgical procedure. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2016</b> , 104, 768-774	5.4	11
58	Polymer-Based Local Antibiotic Delivery for Prevention of Polymicrobial Infection in Contaminated Mandibular Implants. <i>ACS Biomaterials Science and Engineering</i> , <b>2016</b> , 2, 558-566	5.5	15
57	The Role of a Platelet Lysate-Based Compartmentalized System as a Carrier of Cells and Platelet-Origin Cytokines for Periodontal Tissue Regeneration. <i>Tissue Engineering - Part A</i> , <b>2016</b> , 22, 1164-1175 <sup>13</sup>	2.9	13
56	Reconstruction of large mandibular defects using autologous tissues generated from in vivo bioreactors. <i>Acta Biomaterialia</i> , <b>2016</b> , 45, 72-84	10.8	25
55	A composite critical-size rabbit mandibular defect for evaluation of craniofacial tissue regeneration. <i>Nature Protocols</i> , <b>2016</b> , 11, 1989-2009	18.8	25
54	Top-Down Approach for the Preparation of Highly Porous PLLA Microcylinders. <i>ACS Biomaterials Science and Engineering</i> , <b>2016</b> , 2, 2099-2107	5.5	7
53	Effects of Stirring and Fluid Perfusion on the In Vitro Degradation of Calcium Phosphate Cement/PLGA Composites. <i>Tissue Engineering - Part C: Methods</i> , <b>2015</b> , 21, 1171-7	2.9	8
52	Preclinical evaluation of injectable bone substitute materials. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , <b>2015</b> , 9, 191-209	4.4	24
51	Bone regeneration and gene expression in bone defects under healthy and osteoporotic bone conditions using two commercially available bone graft substitutes. <i>Biomedical Materials (Bristol)</i> , <b>2015</b> , 10, 035003	3.5	14
50	Osteogenesis around CaP-coated titanium implants visualized using 3D histology and micro-computed tomography. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2015</b> , 103, 3463-73	5.4	9
49	Hydroxyapatite nanocrystals functionalized with alendronate as bioactive components for bone implant coatings to decrease osteoclastic activity. <i>Applied Surface Science</i> , <b>2015</b> , 328, 516-524	6.7	46
48	Biological evaluation of porous aliphatic polyurethane/hydroxyapatite composite scaffolds for bone tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2015</b> , 103, 2251-9	5.4	44

47	Development of porous polyurethane/strontium-substituted hydroxyapatite composites for bone regeneration. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2015</b> , 103, 1930-9	5.4	21
46	Osteogenic capacity of human BM-MSCs, AT-MSCs and their co-cultures using HUVECs in FBS and PL supplemented media. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , <b>2015</b> , 9, 779-88	4.4	14
45	The potential of tissue engineering for developing alternatives to animal experiments: a systematic review. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , <b>2015</b> , 9, 771-8	4.4	17
44	Effects of calcium phosphate composition in sputter coatings on in vitro and in vivo performance. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2015</b> , 103, 300-10	5.4	23
43	Bone morphology changes around two types of bone-level implants installed in fresh extraction sockets--a histomorphometric study in Beagle dogs. <i>Clinical Oral Implants Research</i> , <b>2015</b> , 26, 1106-12	4.8	20
42	Behavior of POP-calcium carbonate hydrogel as bone substitute with controlled release capability: a study in rat. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2015</b> , 103, 3273-83	5.4	14
41	Physicochemical properties and in vitro mineralization of porous polymethylmethacrylate cement loaded with calcium phosphate particles. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2015</b> , 103, 548-55	3.5	13
40	Influence of the Molecular Weight and Charge of Antibiotics on Their Release Kinetics From Gelatin Nanospheres. <i>Macromolecular Bioscience</i> , <b>2015</b> , 15, 901-11	5.5	18
39	Bone marrow-derived mesenchymal cells feature selective migration behavior on submicro- and nano-dimensional multi-patterned substrates. <i>Acta Biomaterialia</i> , <b>2015</b> , 16, 117-25	10.8	19
38	Nanogrooved surface-patterns induce cellular organization and axonal outgrowth in neuron-like PC12-cells. <i>Hearing Research</i> , <b>2015</b> , 320, 11-7	3.9	11
37	Effects of in vitro chondrogenic priming time of bone-marrow-derived mesenchymal stromal cells on in vivo endochondral bone formation. <i>Acta Biomaterialia</i> , <b>2015</b> , 13, 254-65	10.8	30
36	Monitoring the biological effect of BMP-2 release on bone healing by PET/CT. <i>Journal of Controlled Release</i> , <b>2014</b> , 183, 138-44	11.7	11
35	A theranostic agent to enhance osteogenic and magnetic resonance imaging properties of calcium phosphate cements. <i>Biomaterials</i> , <b>2014</b> , 35, 2227-33	15.6	20
34	Resolution, sensitivity, and in vivo application of high-resolution computed tomography for titanium-coated polymethyl methacrylate (PMMA) dental implants. <i>Clinical Oral Implants Research</i> , <b>2014</b> , 25, 359-365	4.8	21
33	Enzymatic pH control for biomimetic deposition of calcium phosphate coatings. <i>Acta Biomaterialia</i> , <b>2014</b> , 10, 931-9	10.8	16
32	Substrate geometry directs the in vitro mineralization of calcium phosphate ceramics. <i>Acta Biomaterialia</i> , <b>2014</b> , 10, 661-9	10.8	24
31	Self-healing hybrid nanocomposites consisting of bisphosphonated hyaluronan and calcium phosphate nanoparticles. <i>Biomaterials</i> , <b>2014</b> , 35, 6918-29	15.6	107
30	Osteoporosis [Fracture healing and osseointegration. <i>Drug Discovery Today: Disease Models</i> , <b>2014</b> , 13, 3-9	1.3	3

29	Human periodontal ligament derived progenitor cells: effect of STRO-1 cell sorting and Wnt3a treatment on cell behavior. <i>BioMed Research International</i> , <b>2014</b> , 2014, 145423	3	12
28	Osteoporotic rat models for evaluation of osseointegration of bone implants. <i>Tissue Engineering - Part C: Methods</i> , <b>2014</b> , 20, 493-505	2.9	28
27	The influence of implant geometry and surface composition on bone response. <i>Clinical Oral Implants Research</i> , <b>2014</b> , 25, 500-5	4.8	20
26	Biological response to titanium implants coated with nanocrystals calcium phosphate or type 1 collagen in a dog model. <i>Clinical Oral Implants Research</i> , <b>2013</b> , 24, 475-83	4.8	28
25	Micro- and Nanospheres for Tissue Engineering <b>2013</b> , 202-219		
24	Development of an in vitro confinement test to predict the clinical handling of polymer-based injectable bone substitutes. <i>Polymer Testing</i> , <b>2013</b> , 32, 1379-1384	4.5	5
23	Osteogenicity of titanium implants coated with calcium phosphate or collagen type-I in osteoporotic rats. <i>Biomaterials</i> , <b>2013</b> , 34, 3747-57	15.6	89
22	Bone regeneration associated with nontherapeutic and therapeutic surface coatings for dental implants in osteoporosis. <i>Tissue Engineering - Part B: Reviews</i> , <b>2013</b> , 19, 233-53	7.9	31
21	Engineering of Dental Tissues: Scaffolds and Preclinical Models <b>2013</b> , 409-429		3
20	Endochondral Bone Tissue Engineering <b>2012</b> , 165-182		
19	Local delivery of small and large biomolecules in craniomaxillofacial bone. <i>Advanced Drug Delivery Reviews</i> , <b>2012</b> , 64, 1152-64	18.5	44
18	Differential loading methods for BMP-2 within injectable calcium phosphate cement. <i>Journal of Controlled Release</i> , <b>2012</b> , 164, 283-90	11.7	46
17	Engineering of dental tissues; reality or distant prospect. <i>Saudi Dental Journal</i> , <b>2012</b> , 24, 61-2	2.5	2
16	Calcium phosphate/poly(D,L-lactic-co-glycolic acid) composite bone substitute materials: evaluation of temporal degradation and bone ingrowth in a rat critical-sized cranial defect. <i>Clinical Oral Implants Research</i> , <b>2012</b> , 23, 151-159	4.8	38
15	Initial cellular response to laser surface engineered biomaterials. <i>MRS Bulletin</i> , <b>2011</b> , 36, 1034-1042	3.2	4
14	Biological limits of the undersized surgical technique: a study in goats. <i>Clinical Oral Implants Research</i> , <b>2011</b> , 22, 129-34	4.8	24
13	Study of the osseointegration of dental implants placed with an adapted surgical technique. <i>Clinical Oral Implants Research</i> , <b>2011</b> , 22, 753-759	4.8	17
12	Bone response to fast-degrading, injectable calcium phosphate cements containing PLGA microparticles. <i>Biomaterials</i> , <b>2011</b> , 32, 8839-47	15.6	108



11	Enzymatically Enhanced Guided Tissue Regeneration. <i>Bioceramics Development and Applications</i> , <b>2011</b> , 1, 1-3		
10	Development of bone substitute materials: from Biocompatible to Instructive. <i>Journal of Materials Chemistry</i> , <b>2010</b> , 20, 8747		96
9	Effects of implant surface coatings and composition on bone integration: a systematic review. <i>Clinical Oral Implants Research</i> , <b>2009</b> , 20 Suppl 4, 185-206	4.8	377
8	In vivo biocompatibility of ultra-short single-walled carbon nanotube/biodegradable polymer nanocomposites for bone tissue engineering. <i>Bone</i> , <b>2008</b> , 43, 362-370	4.7	218
7	Bone regeneration of porous beta-tricalcium phosphate (Conduit TCP) and of biphasic calcium phosphate ceramic (Biosel) in trabecular defects in sheep. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2007</b> , 82, 711-22	5.4	59
6	Preparation and characterization of nano-hydroxyapatite/chitosan/konjac glucomannan composite. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2007</b> , 83, 931-939	5.4	29
5	Histological evaluation of oral implants inserted with different surgical techniques into the trabecular bone of goats. <i>Clinical Oral Implants Research</i> , <b>2007</b> , 18, 489-95	4.8	36
4	Functionalization of oligo(poly(ethylene glycol)fumarate) hydrogels with finely dispersed calcium phosphate nanocrystals for bone-substituting purposes. <i>Journal of Biomaterials Science, Polymer Edition</i> , <b>2007</b> , 18, 1547-1564	3.5	46
3	Bone response adjacent to calcium phosphate electrostatic spray deposition coated implants: an experimental study in goats. <i>Clinical Oral Implants Research</i> , <b>2006</b> , 17, 548-53	4.8	24
2	In vitro and in vivo reactivity of porous, electro sprayed calcium phosphate coatings. <i>Biomaterials</i> , <b>2006</b> , 27, 3368-78	15.6	84
1	A histological evaluation of TiO <sub>2</sub> -gritblasted and Ca-P magnetron sputter coated implants placed into the trabecular bone of the goat: Part 2. <i>Clinical Oral Implants Research</i> , <b>2000</b> , 11, 314-24	4.8	78