

# Xian-Bing Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8656449/publications.pdf>

Version: 2024-02-01

58  
papers

2,835  
citations

257450

24  
h-index

182427

51  
g-index

62  
all docs

62  
docs citations

62  
times ranked

2516  
citing authors

#	ARTICLE	IF	CITATIONS
1	A cytorhabdovirus-based expression vector in <i>Nilaparvata lugens</i> , <i>Laodelphax striatellus</i> , and <i>Sogatella furcifera</i> . <i>Insect Biochemistry and Molecular Biology</i> , 2022, 140, 103703.	2.7	3
2	Developing reverse genetics systems of northern cereal mosaic virus to reveal superinfection exclusion of two cytorhabdoviruses in barley plants. <i>Molecular Plant Pathology</i> , 2022, 23, 749-756.	4.2	11
3	A Versatile Expression Platform in Insects and Cereals Based on a Cytorhabdovirus. <i>Methods in Molecular Biology</i> , 2022, 2400, 163-170.	0.9	2
4	Host casein kinase 1-mediated phosphorylation modulates phase separation of a rhabdovirus phosphoprotein and virus infection. <i>ELife</i> , 2022, 11, .	6.0	21
5	Barley stripe mosaic virus $\hat{\text{I}}^{\text{3b}}$ protein targets thioredoxin h-type 1 to dampen salicylic acid-mediated defenses. <i>Plant Physiology</i> , 2022, 189, 1715-1727.	4.8	7
6	RNA In Situ Hybridization of Detecting Cucumber Mosaic Virus in Shoots of <i>Nicotiana benthamiana</i> Plants. <i>Methods in Molecular Biology</i> , 2022, 2400, 283-296.	0.9	0
7	MAPKs trigger antiviral immunity by directly phosphorylating a rhabdovirus nucleoprotein in plants and insect vectors. <i>Plant Cell</i> , 2022, 34, 3110-3127.	6.6	11
8	Palmitoylation of $\hat{\text{I}}^{\text{3b}}$ protein directs a dynamic switch between <i>Barley stripe mosaic virus</i> replication and movement. <i>EMBO Journal</i> , 2022, 41, .	7.8	3
9	A rhabdovirus accessory protein inhibits jasmonic acid signaling in plants to attract insect vectors. <i>Plant Physiology</i> , 2022, 190, 1349-1364.	4.8	6
10	Tobacco Necrosis Virus-A <sup>C</sup> Single Coat Protein Amino Acid Substitutions Determine Host-Specific Systemic Infections of <i>Nicotiana benthamiana</i> and Soybean. <i>Molecular Plant-Microbe Interactions</i> , 2021, 34, 49-61.	2.6	11
11	Three-dimensional reconstruction and comparison of vacuolar membranes in response to viral infection. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 353-364.	8.5	14
12	The serine/threonine/tyrosine kinase STY46 defends against hordeivirus infection by phosphorylating $\hat{\text{I}}^{\text{3b}}$ protein. <i>Plant Physiology</i> , 2021, 186, 715-730.	4.8	19
13	A small peptide inhibits siRNA amplification in plants by mediating autophagic degradation of SGS3/RDR6 bodies. <i>EMBO Journal</i> , 2021, 40, e108050.	7.8	30
14	<i>Barley stripe mosaic virus</i> $\hat{\text{I}}^{\text{3b}}$ protein disrupts chloroplast antioxidant defenses to optimize viral replication. <i>EMBO Journal</i> , 2021, 40, e107660.	7.8	27
15	A putative nuclear copper chaperone promotes plant immunity in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2020, 71, 6684-6696.	4.8	11
16	Reverse genetics systems of plant negative-strand RNA viruses are difficult to be developed but powerful for virus-host interaction studies and virus-based vector applications. <i>Phytopathology Research</i> , 2020, 2, .	2.4	18
17	Genome-Wide microRNA Profiling Using Oligonucleotide Microarray Reveals Regulatory Networks of microRNAs in <i>Nicotiana benthamiana</i> During Beet Necrotic Yellow Vein Virus Infection. <i>Viruses</i> , 2020, 12, 310.	3.3	18
18	Casein Kinase 1 Regulates Cytorhabdovirus Replication and Transcription by Phosphorylating a Phosphoprotein Serine-Rich Motif. <i>Plant Cell</i> , 2020, 32, 2878-2897.	6.6	17

#	ARTICLE	IF	CITATIONS
19	SMALL LEAF AND BUSHY1 controls organ size and lateral branching by modulating the stability of BIC SEEDS1 in <i>Medicago truncatula</i> . <i>New Phytologist</i> , 2020, 226, 1399-1412.	7.3	24
20	CCR4, a RNA decay factor, is hijacked by a plant cytorhabdovirus phosphoprotein to facilitate virus replication. <i>ELife</i> , 2020, 9, .	6.0	20
21	Interaction between Brassica yellows virus silencing suppressor P0 and plant SKP1 facilitates stability of P0 <i>in vivo</i> against degradation by proteasome and autophagy pathways. <i>New Phytologist</i> , 2019, 222, 1458-1473.	7.3	41
22	A Sensitized Genetic Screen to Identify Novel Components and Regulators of the Host Antiviral RNA Interference Pathway. <i>Methods in Molecular Biology</i> , 2019, 2028, 215-229.	0.9	5
23	Rescue of a plant cytorhabdovirus as versatile expression platforms for planthopper and cereal genomic studies. <i>New Phytologist</i> , 2019, 223, 2120-2133.	7.3	83
24	A cytorhabdovirus phosphoprotein forms mobile inclusions trafficked on the actin/ER network for viral RNA synthesis. <i>Journal of Experimental Botany</i> , 2019, 70, 4049-4062.	4.8	25
25	Genetic analysis of a Piezo-like protein suppressing systemic movement of plant viruses in <i>Arabidopsis thaliana</i> . <i>Scientific Reports</i> , 2019, 9, 3187.	3.3	42
26	Brassica yellows virus P0 protein impairs the antiviral activity of NbRAF2 in <i>Nicotiana benthamiana</i> . <i>Journal of Experimental Botany</i> , 2018, 69, 3127-3139.	4.8	22
27	<i>Barley stripe mosaic virus</i> infection requires PKA-mediated phosphorylation of $\beta$ for suppression of both RNA silencing and the host cell death response. <i>New Phytologist</i> , 2018, 218, 1570-1585.	7.3	40
28	Barley Stripe Mosaic Virus $\beta$ Interacts with Glycolate Oxidase and Inhibits Peroxisomal ROS Production to Facilitate Virus Infection. <i>Molecular Plant</i> , 2018, 11, 338-341.	8.3	46
29	Hijacking of the nucleolar protein fibrillarin by TGB1 is required for cell-to-cell movement of <i>Barley stripe mosaic virus</i> . <i>Molecular Plant Pathology</i> , 2018, 19, 1222-1237.	4.2	41
30	Identification of a New Host Factor Required for Antiviral RNAi and Amplification of Viral siRNAs. <i>Plant Physiology</i> , 2018, 176, 1587-1597.	4.8	37
31	Brassica yellows virus movement protein upregulates anthocyanin accumulation, leading to the development of purple leaf symptoms on <i>Arabidopsis thaliana</i> . <i>Scientific Reports</i> , 2018, 8, 16273.	3.3	19
32	<i>Barley stripe mosaic virus</i> $\beta$ Protein Subverts Autophagy to Promote Viral Infection by Disrupting the ATG7-ATG8 Interaction. <i>Plant Cell</i> , 2018, 30, 1582-1595.	6.6	114
33	Transmission Characteristics of Barley Yellow Striate Mosaic Virus in Its Planthopper Vector <i>Laodelphax striatellus</i> . <i>Frontiers in Microbiology</i> , 2018, 9, 1419.	3.5	29
34	Functional Specialization of Duplicated AGAMOUS Homologs in Regulating Floral Organ Development of <i>Medicago truncatula</i> . <i>Frontiers in Plant Science</i> , 2018, 9, 854.	3.6	18
35	Viral effector protein manipulates host hormone signaling to attract insect vectors. <i>Cell Research</i> , 2017, 27, 402-415.	12.0	115
36	Lipid flippases promote antiviral silencing and the biogenesis of viral and host siRNAs in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 1377-1382.	7.1	52

#	ARTICLE	IF	CITATIONS
37	The Barley stripe mosaic virus $\Omega^3b$ protein promotes chloroplast-targeted replication by enhancing unwinding of RNA duplexes. <i>PLoS Pathogens</i> , 2017, 13, e1006319.	4.7	65
38	Rice black streaked dwarf virus P7-2 forms a SCF complex through binding to <i>Oryza sativa</i> SKP1-like proteins, and interacts with GID2 involved in the gibberellin pathway. <i>PLoS ONE</i> , 2017, 12, e0177518.	2.5	28
39	Cucumber mosaic virus coat protein modulates the accumulation of 2b protein and antiviral silencing that causes symptom recovery in planta. <i>PLoS Pathogens</i> , 2017, 13, e1006522.	4.7	59
40	Improved Pathogenicity of a Beet Black Scorch Virus Variant by Low Temperature and Co-infection with Its Satellite RNA. <i>Frontiers in Microbiology</i> , 2016, 7, 1771.	3.5	13
41	Two amino acids near the N-terminus of <i>Cucumber mosaic virus</i> 2b play critical roles in the suppression of RNA silencing and viral infectivity. <i>Molecular Plant Pathology</i> , 2016, 17, 173-183.	4.2	33
42	Phosphorylation of Beet black scorch virus coat protein by PKA is required for assembly and stability of virus particles. <i>Scientific Reports</i> , 2015, 5, 11585.	3.3	26
43	Transcriptome Analysis of Beta macrocarpa and Identification of Differentially Expressed Transcripts in Response to Beet Necrotic Yellow Vein Virus Infection. <i>PLoS ONE</i> , 2015, 10, e0132277.	2.5	11
44	Characterization of the complete genome of Barley yellow striate mosaic virus reveals a nested gene encoding a small hydrophobic protein. <i>Virology</i> , 2015, 478, 112-122.	2.4	64
45	Phosphorylation of TGB1 by protein kinase CK2 promotes barley stripe mosaic virus movement in monocots and dicots. <i>Journal of Experimental Botany</i> , 2015, 66, 4733-4747.	4.8	44
46	Morphogenesis of Endoplasmic Reticulum Membrane-Invaginated Vesicles during Beet Black Scorch Virus Infection: Role of Auxiliary Replication Protein and New Implications of Three-Dimensional Architecture. <i>Journal of Virology</i> , 2015, 89, 6184-6195.	3.4	56
47	Deep Sequencing-Based Transcriptome Profiling Reveals Comprehensive Insights into the Responses of <i>Nicotiana benthamiana</i> to Beet necrotic yellow vein virus Infections Containing or Lacking RNA4. <i>PLoS ONE</i> , 2014, 9, e85284.	2.5	26
48	Virus infection triggers widespread silencing of host genes by a distinct class of endogenous siRNAs in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 14613-14618.	7.1	189
49	Infection of Beet necrotic yellow vein virus with RNA4-encoded P31 specifically up-regulates pathogenesis-related protein 10 in <i>Nicotiana benthamiana</i> . <i>Virology Journal</i> , 2014, 11, 118.	3.4	19
50	Selection of reference genes for gene expression studies in virus-infected monocots using quantitative real-time PCR. <i>Journal of Biotechnology</i> , 2013, 168, 7-14.	3.8	33
51	Oomycete pathogens encode RNA silencing suppressors. <i>Nature Genetics</i> , 2013, 45, 330-333.	21.4	238
52	Enhanced Virus Resistance in Transgenic Maize Expressing a dsRNA-Specific Endoribonuclease Gene from <i>E. coli</i> . <i>PLoS ONE</i> , 2013, 8, e60829.	2.5	17
53	Two distinct sites are essential for virulent infection and support of variant satellite RNA replication in spontaneous beet black scorch virus variants. <i>Journal of General Virology</i> , 2012, 93, 2718-2728.	2.9	10
54	The 21-Nucleotide, but Not 22-Nucleotide, Viral Secondary Small Interfering RNAs Direct Potent Antiviral Defense by Two Cooperative Argonautes in <i>Arabidopsis thaliana</i> . <i>Plant Cell</i> , 2011, 23, 1625-1638.	6.6	354

#	ARTICLE	IF	CITATIONS
55	RNAi-mediated viral immunity requires amplification of virus-derived siRNAs in <i>Arabidopsis thaliana</i> . Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 484-489.	7.1	385
56	Viral Suppressors of RNA-Based Viral Immunity: Host Targets. Cell Host and Microbe, 2010, 8, 12-15.	11.0	138
57	Identification of two RNA silencing suppressors from banana bunchy top virus. Archives of Virology, 2009, 154, 1775-1783.	2.1	24
58	Identification of Alfalfa dwarf virus in Xinjiang Province, China. Plant Disease, 0, , .	1.4	1