

Esteban Fullana Torregrosa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8656609/esteban-fullana-torregrosa-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

614
papers

23,241
citations

72
h-index

117
g-index

635
ext. papers

26,913
ext. citations

4.7
avg, IF

5.33
L-index

#	Paper	IF	Citations
614	Performance of the ATLAS Level-1 topological trigger in Run2. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
613	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
612	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
611	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb ⁻¹ of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
610	AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022 , 6, 1	6	0
609	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \tau^{\pm} \rightarrow \pi^{\pm} \nu_{\tau} \nu_{\tau}$ events in Run2 data. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
608	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	
607	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	1
606	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using ($\sqrt{s} = 13$ TeV) proton-proton collision data. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
605	Measurement of the $t(\bar{t})t(\bar{t})$ production cross section in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
604	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
603	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at ($\sqrt{s} = 13$, {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
602	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb ⁻¹ of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
601	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
600	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
599	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
598	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5

597	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
596	Search for heavy resonances decaying into a pair of Z bosons in the $(e^+e^-e^+e^-)$ and $(e^+e^-e^+\nu_{\bar{\nu}})$ final states using 139 fb^{-1} of proton-proton collisions at $(\sqrt{s} = 13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	8
595	Search for new phenomena in final states with b-jets and missing transverse momentum in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
594	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the (e^+e^-bb) and (e^+e^-WW) final states in pp collisions at $(\sqrt{s}=13)$ (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
593	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
592	Measurements of $W+W$ jet production cross-sections in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
591	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
590	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $(\sqrt{s}=13,\text{text {TeV}})$. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	0
589	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a lepton in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
588	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
587	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
586	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
585	A search for the decays of stopped long-lived particles at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
584	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $(\sqrt{s}=13)$ TeV. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	13
583	Measurement of hadronic event shapes in high-pT multijet final states at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
582	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $(\sqrt{s}) = 13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
581	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5
580	Measurements of WH and ZH production in the $(H \rightarrow b\bar{b})$ decay channel in pp collisions at $(13,\text{text {Te}}\text{text {V}})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7

579	Search for dark matter in association with an energetic photon in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
578	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	0
577	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $(\sqrt{s} = 8, \text{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
576	Jet energy scale and resolution measured in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	11
575	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $(\sqrt{s} = 13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
574	Search for dark matter produced in association with a single top quark in $(\sqrt{s}=13)$ TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	4
573	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $(\sqrt{s}) = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
572	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
571	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
570	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
569	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
568	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
567	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
566	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
565	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $(\sqrt{s}) = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
564	Higgs boson production cross-section measurements and their EFT interpretation in the (4ℓ) decay channel at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	12
563	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
562	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8

561	Search for dijet resonances in events with an isolated charged lepton using (\sqrt{s}) = 13 TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
560	Top quark mass measurement in radiative events at electron-positron colliders. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 804, 135353	4.2	3
559	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	30
558	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in (\sqrt{s})=13 (text {TeV}) pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	50
557	Search for top squarks in events with a Higgs or Z boson using 139 fb ^{-1} of pp collision data at (\sqrt{s})=13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	1
556	Evidence for ($t\bar{t}$) production in the multilepton final state in proton-proton collisions at (\sqrt{s})=13 (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
555	Search for heavy diboson resonances in semileptonic final states in pp collisions at (\sqrt{s})=13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
554	Search for a scalar partner of the top quark in the all-hadronic ($t\bar{t}$) plus missing transverse momentum final state at (\sqrt{s})=13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	17
553	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
552	Search for (\overline{t}) resonances in fully hadronic final states in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
551	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
550	Searches for lepton-flavour-violating decays of the Higgs boson in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135069	4.2	13
549	Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb ⁻¹ of pp collisions at $s=13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135082	4.2	6
548	Combination of searches for Higgs boson pairs in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135103	4.2	24
547	Measurements of inclusive and differential cross-sections of combined ($\overline{t}\gamma$) and tW production in the $e\tau$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
546	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
545	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
544	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4(\ell\ell)$ decay channel at (\sqrt{s}) = 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	9

543	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at (\sqrt{s})=13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
542	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
541	Search for the HH \rightarrow $b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
540	Observation of the associated production of a top quark and a Z boson in pp collisions at (\sqrt{s})= 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
539	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
538	Measurements of top-quark pair spin correlations in the (emu) channel at (\sqrt{s}) = 13 TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
537	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at (\sqrt{s})=8~text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	11
536	Properties of jet fragmentation using charged particles measured with the ATLAS detector in pp collisions at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	2
535	Observation of Electroweak Production of a Same-Sign W Boson Pair in Association with Two Jets in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2019 , 123, 161801	7.4	26
534	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
533	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at (\sqrt{s}) = 13 (text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	37
532	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2
531	Evidence for the production of three massive vector bosons with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134913	4.2	5
530	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+jet events in proton-proton collisions at a centre-of-mass energy of (\sqrt{s}) = 13 TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	15
529	Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 347-370	4.2	7
528	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 444-471	4.2	14
527	Observation of electroweak $W\bar{W}Z$ boson pair production in association with two jets in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 469-492	4.2	22
526	Modelling radiation damage to pixel sensors in the ATLAS detector. <i>Journal of Instrumentation</i> , 2019 , 14, P06012-P06012	1	5

525	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 499-519	4.2	21
524	Search for single production of vector-like quarks decaying into Wb in pp collisions at $(\sqrt{s}) = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
523	Combinations of single-top-quark production cross-section measurements and $ f_{LVVtb} $ determinations at $(\sqrt{s}) = 7$ and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
522	Search for top-quark decays $t \rightarrow Wq$ with 36 fb^{-1} of pp collision data at $(\sqrt{s}) = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
521	Measurement of VH , $(\text{mathrm{H}}\text{to}\text{mathrm{b}}\overline{\text{mathrm{b}}})$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
520	. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
519	. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
518	. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
517	Search for heavy long-lived multicharged particles in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	7
516	Properties of $g\text{-}\text{b}\text{b}$ at small opening angles in pp collisions with the ATLAS detector at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review D</i> , 2019 , 99,	4.9	2
515	Cross-section measurements of the Higgs boson decaying into a pair of leptons in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	29
514	Measurements of W and Z boson production in pp collisions at $(\sqrt{s}=5.02)\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	12
513	Study of the rare decays of B_s^0 and B^0 mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019,	5.4	25
512	Performance of top-quark and $(\text{varvec{W}})$ -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	19
511	Measurements of inclusive and differential fiducial cross-sections of $(\text{tbar}\{\text{t}\}\gamma)$ production in leptonic final states at $(\sqrt{s}=13\text{ TeV})$ in ATLAS. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
510	Search for long-lived particles produced in pp collisions at $\sqrt{s}=13\text{ TeV}$ that decay into displaced hadronic jets in the ATLAS muon spectrometer. <i>Physical Review D</i> , 2019 , 99,	4.9	24
509	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review Letters</i> , 2019 , 122, 151801	7.4	5
508	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P03017-P03017	1	25

507	Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	4
506	Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 595-614	4.2	7
505	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 58	4.2	20
504	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
503	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
502	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	26
501	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at (\sqrt{s}) = 13 and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
500	Measurement of the top quark mass in the ($t\bar{t} \rightarrow \ell\ell$) lepton+jets channel from ($\sqrt{s}=8$) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	24
499	Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at $s_{NN}=5.02$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 108-128	4.2	44
498	Constraints on mediator-based dark matter and scalar dark energy models using (\sqrt{s}) = 13 TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31
497	Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from pp and Pb+Pb Collisions in ATLAS. <i>Physical Review Letters</i> , 2019 , 123, 042001	7.4	12
496	Search for high-mass dilepton resonances using 139 fb ⁻¹ of pp collision data collected at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 68-87	4.2	82
495	Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 100,	4.9	10
494	Search for long-lived neutral particles in pp collisions at (\sqrt{s}) = 13 TeV that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	18
493	Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	12
492	Search for heavy charged long-lived particles in the ATLAS detector in 36.1 fb ⁻¹ of proton-proton collision data at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	35
491	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
490	Observation of Light-by-Light Scattering in Ultraperipheral Pb+Pb Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2019 , 123, 052001	7.4	41

489	Measurement of prompt photon production in $\sqrt{s}=8.16$ TeV p + Pb collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 230-252	4.2	5
488	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
487	Measurement of $(W^{\pm}Z)$ production cross sections and gauge boson polarisation in pp collisions at $(\sqrt{s} = 13\text{-text \{TeV\}})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	20
486	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. <i>Physical Review Letters</i> , 2019 , 122, 231801	7.4	45
485	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ cross sections in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	14
484	Searches for third-generation scalar leptoquarks in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
483	Search for scalar resonances decaying into $\mu\bar{\mu}$ events with and without b-tagged jets produced in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
482	Search for low-mass resonances decaying into two jets and produced in association with a photon using pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 56-75	4.2	12
481	Measurement of the production cross section for a Higgs boson in association with a vector boson in the $H \rightarrow WW^* \rightarrow \mu\mu$ channel in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134949	4.2	7
480	Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in pp collisions with the ATLAS detector at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134942	4.2	14
479	Search for diboson resonances in hadronic final states in 139 fb ⁻¹ of pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
478	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13\text{-text \{TeV\}}$ with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019 , 79,	4.2	3
477	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV. <i>European Physical Journal C</i> , 2019 , 79,	4.2	11
476	Measurement of the inclusive isolated-photon cross section in pp collisions at $(\sqrt{s}) = 13$ TeV using 36 fb ⁻¹ of ATLAS data. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
475	Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow WW^* \rightarrow \mu\mu$ decay channel in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 508-529	4.2	27
474	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	14
473	Measurement of fiducial and differential (W^+W^-) production cross-sections at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
472	Measurement of ZZ production in the $\mu\mu$ final state with the ATLAS detector in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2

471	Measurement of (W^{\pm})-boson and Z-boson production cross-sections in pp collisions at ($\sqrt{s}=2.76$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2
470	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	4
469	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
468	Measurement of (W^{\pm}) boson production in Pb+Pb collisions at ($\sqrt{s_{\text{NN}}}=5.02$ -text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
467	ATLAS b-jet identification performance and efficiency measurement with ($t\bar{t}$) events in pp collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	43
466	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at ($\sqrt{s_{\text{NN}}}=5.02$ -hbox {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
465	Resolution of the ATLAS muon spectrometer monitored drift tubes in LHC Run 2. <i>Journal of Instrumentation</i> , 2019 , 14, P09011-P09011	1	3
464	Top-quark physics at the CLIC electron-positron linear collider. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
463	Dijet azimuthal correlations and conditional yields in pp and p+Pb collisions at $s_{\text{NN}}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2019 , 100,	2.7	7
462	Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 100,	4.9	7
461	Search for a heavy charged boson in events with a charged lepton and missing transverse momentum from pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 100,	4.9	12
460	Measurements of top-quark pair differential and double-differential cross-sections in the ($\ell\ell$)+jets channel with pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	13
459	Search for heavy charged long-lived particles in proton-proton collisions at $s=13$ TeV using an ionisation measurement with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 96-116	4.2	17
458	Search for Higgs boson decays into a pair of light bosons in the $b\bar{b}$ final state in pp collision at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 1-21	4.2	20
457	Measurement of photon-jet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 167-190	4.2	15
456	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at ($\sqrt{s}=13$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
455	Measurement of the W -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 110	4.2	59
454	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12

453	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 784, 173-191	4.2	118
452	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a\text{-}4b$ channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
451	Measurement of the ($Z\gamma$ to ν overline ν) γ) production cross section in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
450	Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 784	4.2	8
449	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 1007	4.2	21
448	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 211801	7.4	48
447	Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in Pb+Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 212301	7.4	18
446	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $b\bar{b}[\text{over } \gamma\gamma\{+\}\gamma\{-}]$ Decay Channel in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 191801	7.4	23
445	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
444	Search for Higgs boson pair production in the ($u\gamma$ $u\gamma$ b overline b) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
443	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	21
442	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 997	4.2	21
441	Search for pair and single production of vectorlike quarks in final states with at least one Z boson decaying into a pair of electrons or muons in pp collision data collected with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	22
440	Search for charged Higgs bosons decaying into top and bottom quarks at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39
439	Searches for exclusive Higgs and Z boson decays into $J/\psi(2S)$ ψ and $\psi(nS)$ ψ at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 134-155	4.2	14
438	Observation of $H\rightarrow b\bar{b}$ decays and VH production with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 59-86	4.2	87
437	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using 36 fb $^{-1}$ of proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	23
436	Constraints on off-shell Higgs boson production and the Higgs boson total width in $ZZ\rightarrow 4l$ and $ZZ\rightarrow 2l2\gamma$ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 223-244	4.2	28

435	Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau^\pm \nu_\tau$ in the $b\bar{b}$ jets and $\mu\bar{\mu}$ lepton final states with 36 fb ⁻¹ of pp collision data recorded at ($\sqrt{s}=13$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	33
434	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 152002	7.4	9
433	Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	14
432	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2018 , 98,	2.7	12
431	Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 11-31	4.2	23
430	Search for new resonances decaying to a W or Z boson and a Higgs boson in the $b\bar{b}b\bar{b}$, $b\bar{b}b$, and $b\bar{b}\bar{b}$ channels with pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 32-52	4.2	17
429	Measurement of W boson angular distributions in events with high transverse momentum jets at $s=8$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 132-153	4.2	8
428	Measurement of the $\sigma[\text{see text}]$ and $\sigma[\text{see text}]$ production cross sections in multilepton final states using 3.2 fb ⁻¹ $[\text{see text}]$ of $[\text{see text}]$ collisions at $[\text{see text}] = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 40	4.2	14
427	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 -collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 26	4.2	22
426	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
425	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 764, 11-30	4.2	16
424	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at $[\text{see text}]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 220	4.2	5
423	Measurement of the boson polarisation in $[\text{see text}]$ events from collisions at $[\text{see text}] = 8$ TeV in the lepton+ b jets channel with ATLAS. <i>European Physical Journal C</i> , 2017 , 77, 264	4.2	19
422	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017 , 77, 195	4.2	61
421	Measurements of top-quark pair differential cross-sections in the $[\text{see text}]$ channel in collisions at $[\text{see text}]$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 292	4.2	13
420	Performance of algorithms that reconstruct missing transverse momentum in $[\text{see text}] = 8$ TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 241	4.2	38
419	Measurement of the prompt $[\text{see text}]$ pair production cross-section in collisions at $[\text{see text}]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 76	4.2	47
418	Search for triboson $[\text{see text}]$ production in collisions at $[\text{see text}]$ $[\text{see text}]$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 141	4.2	13

417	Measurement of the $W+W$ production cross section in pp collisions at a centre-of-mass energy of $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 773, 354-374	4.2	7
416	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017 , 77, 490	4.2	177
415	Fiducial, total and differential cross-section measurements of γ -channel single top-quark production in collisions at $\sqrt{s}=8$ TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 531	4.2	27
414	Measurements of electroweak WZ production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 474	4.2	14
413	Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for pp collisions at $\sqrt{s}=5.02$ and 13 TeV and p+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2017 , 96,	2.7	34
412	Search for anomalous electroweak production of WW/WZ in association with a high-mass dijet system in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 95,	4.9	17
411	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017 , 77, 466	4.2	42
410	Measurement of W^+W^- vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector. <i>Physical Review D</i> , 2017 , 96,	4.9	13
409	Measurement of the $t\bar{t}$ production cross section in the W jets final state in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2017 , 95,	4.9	1
408	Measurement of the cross section for inclusive isolated-photon production in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 473-493	4.2	25
407	Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector. <i>Physical Review C</i> , 2017 , 95,	2.7	13
406	Evidence for light-by-light scattering in heavy-ion collisions with the ATLAS detector at the LHC. <i>Nature Physics</i> , 2017 , 13, 852-858	16.2	130
405	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6
404	Measurement of jet p_T correlations in Pb + Pb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 379-402	4.2	15
403	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in WZ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 144	4.2	8
402	Measurement of the ZZ production cross section in proton-proton collisions at $(\sqrt{s}=8)$ TeV using the ZZ $\rightarrow W^+W^-$ and $(ZZ \rightarrow \ell\ell^+\ell\ell^+\nu\bar{\nu})$ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
401	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
400	Measurements of $\chi(3512)$ and $X(3872) \rightarrow J/\psi \chi$ production in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15

399	Measurements of top-quark pair to Z-boson cross-section ratios at ($\sqrt{s}=13$), 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
398	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 70	4.2	52
397	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017 , 77, 317	4.2	272
396	Measurements of the production cross section of a [Formula: see text] boson in association with jets in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 361	4.2	26
395	Precision measurement and interpretation of inclusive, and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 367	4.2	56
394	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 379	4.2	35
393	Measurement of charged-particle distributions sensitive to the underlying event in ($\sqrt{s}=13$) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
392	Measurement of the inclusive jet cross-sections in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
391	Femtoscopia with identified charged pions in proton-lead collisions at $\sqrt{s_{NN}}=5.02$ TeV with ATLAS. <i>Physical Review C</i> , 2017 , 96,	2.7	1
390	Measurements of top quark spin observables in (\overline{t}) events using dilepton final states in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
389	Top-quark mass measurement in the all-hadronic (\overline{t}) decay channel at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6
388	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , 2017 , 12, P05002-P05002	1	7
387	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. <i>Journal of Instrumentation</i> , 2016 , 11, P11020-P11020	1	7
386	Search for scalar leptoquarks in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment. <i>New Journal of Physics</i> , 2016 , 18, 093016	2.9	51
385	Search for Higgs and Z Boson Decays to $\tau\tau$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2016 , 117, 111802	7.4	5
384	Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	30
383	Search for the electroweak production of supersymmetric particles in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	46
382	Measurement of jet charge in dijet events from $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	18

381	Centrality, rapidity, and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV measured with the ATLAS detector. <i>Physical Review C</i> , 2016 , 93,	2.7	26
380	Measurement of the correlation between the polar angles of leptons from top quark decays in the helicity basis at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	10
379	Search for magnetic monopoles and stable particles with high electric charges in 8 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	34
378	Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	16
377	Measurements of $W\mu Z$ production cross sections in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector and limits on anomalous gauge boson self-couplings. <i>Physical Review D</i> , 2016 , 93,	4.9	47
376	Search for the standard model Higgs boson produced in association with a vector boson and decaying into a tau pair in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	3
375	Measurements of $Z\nu$ and $Z\bar{\nu}$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	29
374	Search for metastable heavy charged particles with large ionization energy loss in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS experiment. <i>Physical Review D</i> , 2016 , 93,	4.9	31
373	Measurement of the ZZ Production Cross Section in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2016 , 116, 101801	7.4	25
372	Observation of Long-Range Elliptic Azimuthal Anisotropies in $\sqrt{s}=13$ and 2.76 TeV pp Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2016 , 116, 172301	7.4	140
371	Measurement of the $t\bar{t}$ production cross-section using $e\bar{\nu}$ events with b-tagged jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 136-157	4.2	47
370	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 295	4.2	28
369	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 581	4.2	148
368	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s}=13$ TeV with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , 2016 , 117, 182002	7.4	92
367	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	364
366	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 322	4.2	35
365	Measurement of jet activity in top quark events using the $e\bar{\nu}$ final state with two b-tagged jets in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4
364	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 291	4.2	63

363	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^* \rightarrow e\bar{e}$ with the ATLAS detector at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
362	Measurements of the charge asymmetry in top-quark pair production in the dilepton final state at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	4
361	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
360	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $(\sqrt{s}=8)$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
359	Identification of high transverse momentum top quarks in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
358	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2016 , 18, 073021	2.9	1
357	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016 , 11, P05013-P05013	1	8
356	Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $s=7$ and 8 TeV with ATLAS. <i>Physical Review D</i> , 2016 , 94,	4.9	13
355	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 538	4.2	48
354	Search for pair production of gluinos decaying via stop and sbottom in events with b-jets and large missing transverse momentum in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	24
353	Search for pair production of Higgs bosons in the $b\bar{b}\gamma\gamma$ final state using proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	35
352	Measurement of exclusive $BW+W$ production and search for exclusive Higgs boson production in pp collisions at $s=8$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	23
351	Measurement of the differential cross-sections of prompt and non-prompt production of $B\bar{B}$ and $B_s\bar{B}_s$ in collisions at $\sqrt{s}=8$ and 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 283	4.2	42
350	Luminosity determination in collisions at $\sqrt{s}=8$ TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 653	4.2	188
349	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 683	4.2	7
348	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
347	Searches for heavy diboson resonances in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
346	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $(\sqrt{s}=8)$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16

345	Search for the Standard Model Higgs boson decaying into ($\overline{b}b$) produced in association with top quarks decaying hadronically in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
344	Measurement of the CP-violating phase ϕ_s and the B^0_s meson decay width difference with $B^0_s \rightarrow J/\psi$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
343	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 392	4.2	53
342	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	24
341	A search for prompt lepton-jets in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	22
340	Search for new phenomena with photon+jet events in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
339	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 199	4.2	39
338	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
337	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
336	Search for strong gravity in multijet final states produced in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
335	Measurements of four-lepton production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 552-572	4.2	15
334	Measurement of the charge asymmetry in highly boosted top-quark pair production in $\sqrt{s}=8$ TeV pp collision data collected by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 756, 52-71	4.2	11
333	Measurement of the dependence of transverse energy production at large pseudorapidity on the hard-scattering kinematics of proton-proton collisions at $\sqrt{s}=2.76$ TeV with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 756, 10-28	4.2	9
332	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using $\sqrt{s}=13$ TeV proton-proton collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 334-355	4.2	21
331	Search for single production of a vector-like quark via a heavy gluon in the $4b$ final state with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 249-268	4.2	13
330	Search for new phenomena in dijet mass and angular distributions from pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 754, 302-322	4.2	104
329	Evidence for single top-quark production in the s-channel in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector using the Matrix Element Method. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 756, 228-246	4.2	25
328	Charged-particle distributions in $\sqrt{s}=13$ TeV pp interactions measured with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 67-88	4.2	44

327	Combination of searches for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 285-305	4.2	27
326	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at $\sqrt{s}=8$ TeV. <i>European Physical Journal C</i> , 2016 , 76, 154	4.2	44
325	Search for new phenomena in events with at least three photons collected in collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 210	4.2	53
324	Probing lepton flavour violation via neutrinoless $[B \rightarrow B' \ell \ell]$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 232	4.2	12
323	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 238	4.2	6
322	Search for supersymmetry at $\sqrt{s}=8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 259	4.2	48
321	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	45
320	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1-46	5.4	12
319	Searches for scalar leptoquarks in collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 5	4.2	68
318	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at $\sqrt{s}=8$ TeV and $\sqrt{s}=7$ TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 6	4.2	185
317	Measurements of fiducial cross-sections for $[B \rightarrow B' \ell \ell]$ production with one or two additional jets in collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 11	4.2	21
316	Study of the $[B \rightarrow B' \ell \ell]$ and $[B \rightarrow B' \ell \ell \ell]$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 4	4.2	13
315	Search for an additional, heavy Higgs boson in the $[B \rightarrow B' \ell \ell]$ decay channel at $\sqrt{s}=8$ TeV in $[B \rightarrow B' \ell \ell]$ collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 45	4.2	152
314	Search for single top-quark production via flavour-changing neutral currents at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 55	4.2	28
313	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{mathrm TeV})$ with the ATLAS detector 2016 , 76, 1		1
312	Performance of b-jet identification in the ATLAS experiment. <i>Journal of Instrumentation</i> , 2016 , 11, P04008-P04008		118
311	The Laser calibration of the ATLAS Tile Calorimeter during the LHC run 1. <i>Journal of Instrumentation</i> , 2016 , 11, T10005-T10005	1	13
310	Study of hard double-parton scattering in four-jet events in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21

309	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
308	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text][Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 375	4.2	5
307	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 403	4.2	19
306	Charged-particle distributions at low transverse momentum in [Formula: see text]TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 502	4.2	37
305	Search for bottom squark pair production in proton-proton collisions at [Formula: see text]TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 547	4.2	25
304	Search for minimal supersymmetric standard model Higgs Bosons \tilde{H} and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 585	4.2	28
303	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016 , 76, 666	4.2	53
302	Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text]TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 670	4.2	7
301	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016 , 76, 526	4.2	16
300	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text]TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 541	4.2	7
299	Search for the Higgs boson produced in association with a boson and decaying to four b -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 605	4.2	16
298	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13TeV. <i>European Physical Journal C</i> , 2016 , 76, 292	4.2	263
297	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 658	4.2	26
296	Measurement of total and differential $W + W \bar{\nu}$ production cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2016 , 2016,	5.4	30
295	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 565	4.2	20
294	Measurement of $W+W\bar{\nu}$ production in association with one jet in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 114-133	4.2	3
293	Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 251-268	4.2	23
292	Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in $\sqrt{s}=5.02$ TeV p+Pb collisions measured by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 313-336	4.2	29

291	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	126
290	Measurement of the inclusive isolated prompt photon cross section in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	25
289	Dijet production in $\sqrt{s}=7$ TeV pp collisions with large rapidity gaps at the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 754, 214-234	4.2	23
288	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	59
287	Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H \rightarrow \tau\tau$ decay channel at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 69-85	4.2	29
286	Measurement of D^*_{s1} , D^*_s and D_s^* meson production cross sections in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Nuclear Physics B</i> , 2016 , 907, 717-763	2.8	32
285	Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 12	4.2	16
284	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 87	4.2	18
283	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 81	4.2	7
282	Search for charged Higgs bosons in the $H \rightarrow \tau\tau$ decay channel in pp collisions at ($\sqrt{s}=8$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	33
281	Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb of proton-proton collision data at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 647-665	4.2	34
280	Measurement of W^{\pm} and Z-boson production cross sections in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 601-621	4.2	64
279	Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 520-537	4.2	11
278	Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 372-392	4.2	48
277	Search for new resonances in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 762, 334-352	4.2	12
276	Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 513	4.2	27
275	Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] $\sqrt{s}=13$ TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 517	4.2	17
274	Search for resonances in diphoton events at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	49

273	Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 229-246	4.2	17
272	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 158-178	4.2	72
271	Measurement of the $W\Xi Z$ boson pair-production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 762, 1-22	4.2	17
270	Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	41
269	Search for single production of vector-like quarks decaying into in collisions at \sqrt{s} TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 442	4.2	24
268	Measurement of the top quark mass in the $t\bar{t}$ -dilepton channel from $\sqrt{s}=8$ TeV ATLAS data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 350-371	4.2	42
267	Search for charged Higgs bosons produced in association with a top quark and decaying via $H\Xi \rightarrow \Xi$ using pp collision data recorded at $\sqrt{s}=13$ TeV by the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 555-574	4.2	44
266	Measurement of the relative width difference of the $(\overline{B}^0 \rightarrow \Xi^0)$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5
265	Search for the X_b and other hidden-beauty states in the $\Xi(1S)$ channel at ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 199-217	4.2	15
264	Search for pair-produced long-lived neutral particles decaying to jets in the ATLAS hadronic calorimeter in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 743, 15-34	4.2	44
263	Search for $W\Xi \rightarrow \Xi$ in the lepton plus jets final state in proton-proton collisions at a centre-of-mass energy of $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 743, 235-255	4.2	42
262	Search for a CP-odd Higgs boson decaying to Zh in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 744, 163-183	4.2	88
261	Search for Higgs and Z Boson Decays to J/ψ and $\Upsilon(nS)$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 114, 121801	7.4	33
260	Search for Higgs boson pair production in the $B\bar{B}$ final state using pp collision data at $\sqrt{s}=8$ TeV from the ATLAS detector. <i>Physical Review Letters</i> , 2015 , 114, 081802	7.4	90
259	Search for new phenomena in the dijet mass distribution using pp collision data at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	196
258	Measurements of the Nuclear Modification Factor for Jets in Pb+Pb Collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2015 , 114, 072302	7.4	99
257	Measurements of Higgs boson production and couplings in the four-lepton channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	125
256	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	62

255	Simultaneous measurements of the $t\bar{t}$, $W+W$ and Z/\bar{Z} production cross-sections in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	13
254	Search for Scalar Charm Quark Pair Production in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 114, 161801	7.4	20
253	Measurement of spin correlation in top-antitop quark events and search for top squark pair production in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>Physical Review Letters</i> , 2015 , 114, 142001	7.4	48
252	Measurement of the transverse polarization of Λ and $\bar{\Lambda}$ hyperons produced in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	13
251	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 17	4.2	194
250	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 79	4.2	21
249	Search for resonant diboson production in the $t\bar{t}$ final state in $t\bar{t}$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 69	4.2	62
248	Measurements of the $t\bar{t}$ production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 82	4.2	54
247	Search for dark matter in events with heavy quarks and missing transverse momentum in $t\bar{t}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 92	4.2	60
246	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
245	Measurement of the $WW+WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	12
244	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	29
243	Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated $(W/Z)H$ production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	64
242	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7)$ TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	27
241	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $(\sqrt{s}=8)$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	45
240	Search for charged Higgs bosons decaying via $H \rightarrow b\bar{b}$ in fully hadronic final states using pp collision data at $(\sqrt{s})=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	56
239	Search for production of $t\bar{t}$ resonances decaying to a lepton, neutrino and jets in $t\bar{t}$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 209	4.2	73
238	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2015 , 75, 120	4.2	51

237	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 337	4.2	27
236	Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 412	4.2	66
235	Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 231	4.2	15
234	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 299	4.2	202
233	Search for a new resonance decaying to a or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 263	4.2	46
232	Measurement of three-jet production cross-sections in [Formula: see text] collisions at 7 [Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 228	4.2	18
231	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 335	4.2	56
230	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text] [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 303	4.2	49
229	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 476	4.2	104
228	Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 229	4.2	38
227	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 349	4.2	94
226	Search for the associated production of the Higgs boson with a top quark pair in multilepton final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 519-541	4.2	51
225	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 318	4.2	44
224	Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 362	4.2	22
223	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 466	4.2	28
222	Measurement of the top quark mass in the [Formula: see text] and [Formula: see text] channels using [Formula: see text] [Formula: see text] ATLAS data. <i>European Physical Journal C</i> , 2015 , 75, 330	4.2	32
221	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , 2015 , 75, 510	4.2	109
220	Measurement of the correlation between flow harmonics of different order in lead-lead collisions at sNN=2.76 TeV with the ATLAS detector. <i>Physical Review C</i> , 2015 , 92,	2.7	59

219	Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	29
218	Observation and measurement of Higgs boson decays to WW^* with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	86
217	Search for massive, long-lived particles using multitrack displaced vertices or displaced lepton pairs in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	75
216	Measurements of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	5
215	Measurements of the Total and Differential Higgs Boson Production Cross Sections Combining the H \rightarrow bb and H \rightarrow ZZ $^{(*)}$ 4 ℓ Decay Channels at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 115, 091801	7.4	32
214	Measurement of differential J/ψ production cross sections and forward-backward ratios in p + Pb collisions with the ATLAS detector. <i>Physical Review C</i> , 2015 , 92,	2.7	19
213	Observation of top-quark pair production in association with a photon and measurement of the $t\bar{t}\gamma$ production cross section in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	18
212	Search for vectorlike B quarks in events with one isolated lepton, missing transverse momentum, and jets at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	44
211	Measurement of the top pair production cross section in 8 TeV proton-proton collisions using kinematic information in the lepton+jets final state with ATLAS. <i>Physical Review D</i> , 2015 , 91,	4.9	20
210	Search for long-lived, weakly interacting particles that decay to displaced hadronic jets in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	52
209	Search for type-III seesaw heavy leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	17
208	Search for high-mass diphoton resonances in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	85
207	Search for Higgs bosons decaying to aa in the ll final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS experiment. <i>Physical Review D</i> , 2015 , 92,	4.9	40
206	Search for photonic signatures of gauge-mediated supersymmetry in 8 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	16
205	Search for new light gauge bosons in Higgs boson decays to four-lepton final states in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector at the LHC. <i>Physical Review D</i> , 2015 , 92,	4.9	22
204	Searches for Higgs boson pair production in the $hh\rightarrow b\bar{b}ll$, WW^* , $\bar{b}b$, $bbbb$ channels with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	87
203	Search for pair production of a new heavy quark that decays into a W boson and a light quark in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	40
202	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s}=8$ TeV Measured with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 114, 221802	7.4	18

201	Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay $H(\pm) \rightarrow W(\pm)Z$ using pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Experiment. <i>Physical Review Letters</i> , 2015 , 114, 231801	7.4	36
200	Search for a Heavy Neutral Particle Decaying to $e\bar{e}$ or $\mu\bar{\mu}$ in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 115, 031801	7.4	18
199	Evidence of $W\bar{W}$ Production in pp Collisions at $\sqrt{s}=8$ TeV and Limits on Anomalous Quartic Gauge Couplings with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 115, 031802	7.4	20
198	Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 115, 131801	7.4	32
197	Determination of the Ratio of b-Quark Fragmentation Fractions $f(s)/f(d)$ in pp Collisions at $\sqrt{s}=7$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 115, 262001	7.4	15
196	Modelling $Z \rightarrow \tau\bar{\tau}$ processes in ATLAS with τ -embedded $Z \rightarrow \tau\bar{\tau}$ data. <i>Journal of Instrumentation</i> , 2015 , 10, P09018-P09018	1	16
195	Measurement of the production of neighbouring jets in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 751, 376-395	4.2	14
194	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	2
193	A search for high-mass resonances decaying to $\mu\bar{\mu}$ in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
192	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	42
191	Search for lepton-flavour-violating $H \rightarrow \tau\mu$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	46
190	Measurement of four-jet differential cross sections in ($\sqrt{s}=8$) TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-76	5.4	5
189	Measurement of transverse energy-energy correlations in multi-jet events in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector and determination of the strong coupling constant $\alpha_s(m_Z)$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 427-447	4.2	19
188	Measurement of colour flow with the jet pull angle in $t\bar{t}$ events using the ATLAS detector at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 475-493	4.2	14
187	Measurement of exclusive $\mu\bar{\mu}$ production in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 242-261	4.2	29
186	A search for (\overline{t}) resonances using lepton-plus-jets events in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	57
185	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
184	Measurement of charged-particle spectra in Pb+Pb collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	49

183	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	26
182	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	91
181	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-39	5-4	66
180	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ($\sqrt{s}=7$) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	31
179	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	65
178	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	54
177	Search for new phenomena in events with three or more charged leptons in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	16
176	Summary of the searches for squarks and gluinos using ($\sqrt{s}=8$) TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	55
175	Determination of the top-quark pole mass using (\overline{t}) + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	15
174	Measurement of the ($\overline{t}W$) and ($\overline{t}Z$) production cross sections in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	16
173	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-65	5-4	18
172	Centrality and rapidity dependence of inclusive jet production in $\sqrt{s}=5.02$ TeV proton-lead collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 392-413	4-2	77
171	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	22
170	Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015 , 114, 191803	7-4	709
169	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	37
168	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	74
167	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	16
166	Search for [Formula: see text] decays in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 165	4-2	25

165	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 158	4.2	8
164	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 208	4.2	50
163	Study of (W/Z)H production and Higgs boson couplings using H → W W * decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
162	Measurement of the branching ratio $(\mathcal{B}(B \rightarrow \mu^+ \mu^-)) / (\mathcal{B}(B \rightarrow \mu^+ \tau^-))$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 751, 63-80	4.2	9
161	Search for metastable heavy charged particles with large ionisation energy loss in collisions at [Formula: see text] TeV using the ATLAS experiment. <i>European Physical Journal C</i> , 2015 , 75, 407	4.2	18
160	Search for H → b produced in association with top quarks and constraints on the Yukawa coupling between the top quark and the Higgs boson using data taken at 7 TeV and 8 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 222-242	4.2	55
159	Search for s-channel single top-quark production in proton-proton collisions at s=8 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 118-136	4.2	16
158	Measurement of the production and lepton charge asymmetry of [Formula: see text] bosons in Pb+Pb collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 23	4.2	31
157	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector 2015 , 75, 1		3
156	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider 2015 , 75, 1		3
155	Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb ⁻¹ of data with the ATLAS detector 2015 , 2015, 1		3
154	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at (\sqrt{s}) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24
153	Measurement of the mass difference between top and anti-top quarks in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 728, 363-379	4.2	8
152	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	29
151	The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7 TeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2895	4.2	12
150	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 2941	4.2	160
149	Measurement of the underlying event in jet events from 7 (text {TeV}) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	18
148	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2982	4.2	18

147	Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3023	4.2	46
146	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $(\sqrt{s}) = 8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	14
145	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $(\sqrt{s}) = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	76
144	Measurement of the production cross section of prompt J/ψ mesons in association with a W boson in pp collisions at $(\sqrt{s}) = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24
143	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	17
142	Measurement of the production of a W boson in association with a charm quark in pp collisions at $(\sqrt{s}) = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37
141	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	120
140	Search for supersymmetry at $(\sqrt{s}) = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	39
139	Measurement of the low-mass Drell-Yan differential cross section at $(\sqrt{s}) = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18
138	Search for direct top-squark pair production in final states with two leptons in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	52
137	Measurement of τ_1 and τ_2 production with $(\sqrt{s}) = 7$ TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26
136	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	6
135	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	40
134	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2883	4.2	41
133	Operation and performance of the ATLAS semiconductor tracker. <i>Journal of Instrumentation</i> , 2014 , 9, P08009-P08009	1	12
132	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	67
131	Measurement of the total cross section from elastic scattering in pp collisions at $s=7$ TeV with the ATLAS detector. <i>Nuclear Physics B</i> , 2014 , 889, 486-548	2.8	105
130	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 3130	4.2	166

129	Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. <i>Physical Review D</i> , 2014 , 90,	4.9	175
128	Comprehensive measurements of t-channel single top-quark production cross sections at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2014 , 90,	4.9	47
127	Measurements of spin correlation in top-antitop quark events from proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2014 , 90,	4.9	27
126	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3117	4.2	17
125	A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3168	4.2	16
124	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at ($\sqrt{s}=8$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	30
123	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb ⁻¹ of (\sqrt{s}) = 8 TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	9
122	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using ($\sqrt{s}=8$) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	108
121	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3109	4.2	107
120	Search for WZ resonances in the fully leptonic channel using pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 737, 223-243	4.2	52
119	Fiducial and differential cross sections of Higgs boson production measured in the four-lepton decay channel in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 738, 234-253	4.2	55
118	Flavor tagged time-dependent angular analysis of the $B_{s0} \rightarrow \mu^+ \mu^-$ decay and extraction of β and the weak phase γ_s in ATLAS. <i>Physical Review D</i> , 2014 , 90,	4.9	21
117	Search for Invisible Decays of a Higgs Boson Produced in Association with a Z Boson in ATLAS. <i>Physical Review Letters</i> , 2014 , 112,	7.4	113
116	Measurement of the inclusive isolated prompt photons cross section in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector using 4.6 fb ⁻¹ . <i>Physical Review D</i> , 2014 , 89,	4.9	39
115	Measurement of the parity-violating asymmetry parameter A_{FB}^b and the helicity amplitudes for the decay $B^0 \rightarrow \mu^+ \mu^-$ with the ATLAS detector. <i>Physical Review D</i> , 2014 , 89,	4.9	17
114	Measurement of the Higgs boson mass from the $H \rightarrow \mu\mu$ and $H \rightarrow ZZ^* \rightarrow 4\mu$ channels in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. <i>Physical Review D</i> , 2014 , 90,	4.9	151
113	Measurement of long-range pseudorapidity correlations and azimuthal harmonics in $\sqrt{s_{NN}}=5.02$ TeV proton-lead collisions with the ATLAS detector. <i>Physical Review C</i> , 2014 , 90,	2.7	87
112	Observation of an excited $B_c(\Theta)$ meson state with the ATLAS detector. <i>Physical Review Letters</i> , 2014 , 113, 212004	7.4	52

111	Measurement of event-plane correlations in $\sqrt{s_{NN}}=2.76$ TeV lead-lead collisions with the ATLAS detector. <i>Physical Review C</i> , 2014 , 90,	2.7	109
110	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $(\sqrt{s}) = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	54
109	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7$ TeV in 2010. <i>European Physical Journal C</i> , 2014 , 74, 3034	4.2	45
108	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	160
107	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3134	4.2	31
106	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3157	4.2	52
105	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $\sqrt{s}=7$ TeV collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3195	4.2	21
104	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	36
103	Measurement of the production cross-section of $Z(\rightarrow \ell\bar{\ell}) + \text{jet}$ in pp collisions at $(\sqrt{s}) = 7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	16
102	Measurement of the Z boson transverse momentum distribution in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	79
101	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $(\sqrt{s}) = 8$ TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	31
100	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26
99	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38
98	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	29
97	Search for Higgs boson decays to a photon and a Z boson in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 732, 8-27	4.2	66
96	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	50
95	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	34
94	Search for third generation scalar leptoquarks in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	30

93	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	124
92	Measurement of ZZ production in pp collisions at ($\sqrt{s}=7$) TeV and limits on anomalous ZZZ and ZZ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	45
91	Search for charged Higgs bosons through the violation of lepton universality in ($\overline{t}t$) events using pp collision data at ($\sqrt{s}=7$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
90	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	47
89	Measurement of splitting scales in γ -events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2432	4.2	8
88	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2465	4.2	76
87	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	92
86	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ($\sqrt{s}=8$) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	64
85	Measurement of the differential cross-section of B + meson production in pp collisions at ($\sqrt{s}=7$) TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	24
84	Performance of jet substructure techniques for large-R jets in proton-proton collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
83	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2518	4.2	276
82	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2509	4.2	71
81	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2362	4.2	25
80	Jet energy measurement with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	209
79	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2676	4.2	18
78	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ($\sqrt{s_{NN}}=2.76$ TeV) with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	143
77	Measurement of the top quark charge in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
76	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	72

75	Measurement of isolated-photon pair production in pp collisions at ($\sqrt{s}=7\text{TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	44
74	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	55
73	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at ($\sqrt{s}=7\text{TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
72	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	55
71	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	44
70	Measurement of the flavour composition of dijet events in pp collisions at ($\sqrt{s}=7 \text{ TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	12
69	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	41
68	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2306	4.2	153
67	Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2328	4.2	30
66	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2013 , 15, 043009	2.9	15
65	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	14
64	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$) with the ATLAS experiment. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	31
63	Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2039	4.2	78
62	Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , 2012 , 72, 2040	4.2	10
61	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , 2012 , 72, 2046	4.2	42
60	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2056	4.2	78
59	Measurement of polarization in τ -decays with the ATLAS detector in collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2062	4.2	17
58	Measurement of the cross section for top-quark pair production in pp collisions at ($\sqrt{s} = 7, \text{TeV}$) with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	43

57	Jet mass and substructure of inclusive jets in ($\sqrt{s} = 7; \text{TeV}$) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	67
56	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	10
55	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb ⁻¹ of ($\sqrt{s} = 7; \text{TeV}$) proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	48
54	A search for (\overline{t}) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	39
53	Search for the Standard Model Higgs boson in the $H \rightarrow \mu\mu$ decay mode in ($\sqrt{s} = 7; \text{TeV}$) pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	37
52	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	31
51	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at ($\sqrt{s} = 7$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	11
50	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	53
49	Search for high-mass resonances decaying to dilepton final states in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	49
48	Search for anomalous production of prompt like-sign lepton pairs at ($\sqrt{s} = 7; \text{TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	16
47	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ($\sqrt{s} = 7; \text{TeV}$) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	45
46	Search for R-parity-violating supersymmetry in events with four or more leptons in ($\sqrt{s} = 7; \text{TeV}$) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	13
45	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	199
44	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at ($\sqrt{s} = 7$ mbox{TeV}). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	70
43	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	13
42	Measurement of [Formula: see text] production with a veto on additional central jet activity in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2043	4-2	82
41	A search for [Formula: see text] resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2083	4-2	14
40	Search for second generation scalar leptoquarks in pp collisions at ($\sqrt{s} = 7; \text{TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	35

39	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	13
38	Measurement of $W \mp Z$ production in proton-proton collisions at ($\sqrt{s}=7\text{ TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	54
37	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	24
36	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at ($\sqrt{\mathbf{s}}=7\text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	18
35	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
34	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ($\sqrt{s}=7\text{ TeV}$) proton-proton collisions. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	31
33	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ($\sqrt{s} = 7\text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	34
32	Search for doubly charged Higgs bosons in like-sign dilepton final states at ($\sqrt{s} = 7\text{ TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	104
31	Performance of missing transverse momentum reconstruction in proton-proton collisions at ($\sqrt{s} = 7\text{ TeV}$) with ATLAS. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	217
30	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	232
29	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at ($\sqrt{s} = 7\text{ TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	34
28	Search for charged Higgs bosons decaying via $H \mp \rightarrow n$ (\overline{t}) events using pp collision data at ($\sqrt{s} = 7\text{ TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	112
27	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	52
26	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	23
25	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	103
24	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at ($\sqrt{s}=7$) TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	138
23	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	16
22	Luminosity determination in pp collisions at ($\sqrt{s} = 7$) TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	167

21	Measurements of underlying-event properties using neutral and charged particles in pp collisions at ($\sqrt{s}=900$) GeV and ($\sqrt{s}=7$) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	30
20	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in ($\sqrt{s}=7$) TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	18
19	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in ($\sqrt{s}=7\sim\text{mbox{TeV}}$) proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	41
18	Limits on the production of the standard model Higgs boson in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37
17	Search for diphoton events with large missing transverse energy with 36 pb ⁻¹ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	15
16	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	44
15	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	51
14	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb ⁻¹ of ATLAS data. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	13
13	Search for massive colored scalars in four-jet final states in ($\sqrt{s}=7\sim\text{mbox{TeV}}$) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37
12	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at ($\sqrt{s}=7\text{mbox{\sim}TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	53
11	Measurement of W and Z production in proton-proton collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	11
10	Inclusive search for same-sign dilepton signatures in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	31
9	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ($\sqrt{s} = 7$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	60
8	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010 , 70, 723-753	4.2	41
7	The ATLAS Inner Detector commissioning and calibration. <i>European Physical Journal C</i> , 2010 , 70, 787-821	4.2	70
6	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , 2010 , 70, 755-785	4.2	12
5	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. <i>European Physical Journal C</i> , 2010 , 70, 875-916	4.2	14
4	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , 2010 , 70, 823-874	4.2	817

- 3 Readiness of the ATLAS Tile Calorimeter for LHC collisions. *European Physical Journal C*, **2010**, 70, 1193-1236 82
- 2 Performance of the ATLAS detector using first collision data. *Journal of High Energy Physics*, **2010**, 2010, 1 5-4 14
- 1 Measurement of the W and Z/ γ production cross sections in proton-proton collisions at ($\sqrt{s} = 7; \text{TeV}$) with the ATLAS detector. *Journal of High Energy Physics*, **2010**, 2010, 1 5-4 58