
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8656834/publications.pdf Version: 2024-02-01



ACHED RACHIDI

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A proposed prognostic prediction tool for a live birth among women with recurrent pregnancy loss. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 3736-3742. | 0.7 | 5 |
| 2 | False Interpretation of Scientific Data Leads to Biased Conclusions About the Association Between Cesarean Deliveries Under General Anesthesia and Risk of Autism Spectrum Disorder. Journal of Autism and Developmental Disorders, 2020, 50, 2283-2286. | 1.7 | 0 |
| 3 | Exposure to General Anesthesia May Contribute to the Association between Cesarean Delivery and Autism Spectrum Disorder. Journal of Autism and Developmental Disorders, 2019, 49, 3127-3135. | 1.7 | 38 |
| 4 | Pregnancy outcomes among patients with recurrent pregnancy loss and chromosomal aberration (CA) without PGD. Journal of Perinatal Medicine, 2018, 46, 764-770. | 0.6 | 7 |
| 5 | Pregnancy outcomes among patients with recurrent pregnancy loss and uterine anatomic abnormalities. Journal of Perinatal Medicine, 2018, 46, 728-734. | 0.6 | 13 |
| 6 | Genetics of Recurrent Pregnancy Loss. , 2016, , 53-65. | | 2 |
| 7 | Implantation, Physiology of Placentation. , 2016, , 19-34. | | 2 |
| 8 | Recurrent Pregnancy Loss: Definitions, Epidemiology, and Prognosis. , 2016, , 3-18. | | 4 |
| 9 | Prevalence and trends of pelvic floor disorders in late pregnancy and after delivery in a cohort of Israeli women using the PFDI-20. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 200, 35-39. | 0.5 | 32 |
| 10 | The Health Caregiver's Perspective: The Importance of Emotional Support for Women with Recurrent RPL. , 2016, , 167-177. | | 2 |
| 11 | Bibliometrics: tracking research impact by selecting the appropriate metrics. Asian Journal of Andrology, 2016, 18, 296. | 0.8 | 320 |
| 12 | Lifestyle and RPL. , 2016, , 131-141. | | 1 |
| 13 | Anatomical Aspects in Recurrent Pregnancy Loss. , 2016, , 89-107. | | 0 |
| 14 | Endocrine Abnormalities in RPL. , 2016, , 37-51. | | 0 |
| 15 | Index pregnancy versus post-index pregnancy in patients with recurrent pregnancy loss. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 63-67. | 0.7 | 5 |
| 16 | Customized Fetal Growth Modeling and Monitoring—A Statistical Process Control Approach. Quality Engineering, 2014, 26, 290-310. | 0.7 | 3 |
| 17 | Pregnancy complicated by obesity induces global transcript expression alterations in visceral and subcutaneous fat. Molecular Genetics and Genomics, 2014, 289, 695-705. | 1.0 | 10 |
| 18 | Effect of interpregnancy interval on outcomes of pregnancy after recurrent pregnancy loss. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 1459-1464. | 0.7 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Thirdâ€Trimester Abnormal Uterine Artery Doppler Findings Are Associated With Adverse Pregnancy Outcomes. Journal of Ultrasound in Medicine, 2013, 32, 2107-2113. | 0.8 | 29 |
| 20 | Primary vs. secondary recurrent pregnancy loss – epidemiological characteristics, etiology, and next pregnancy outcome. Journal of Perinatal Medicine, 2012, 40, 389-396. | 0.6 | 46 |
| 21 | Two vs. three or more primary recurrent pregnancy losses – are there any differences in epidemiologic characteristics and index pregnancy outcome?. Journal of Perinatal Medicine, 2012, 40, 365-371. | 0.6 | 19 |
| 22 | Anxiety and deterioration of quality of life factors associated with recurrent miscarriage in an observational study. Journal of Perinatal Medicine, 2012, 40, 495-501. | 0.6 | 36 |
| 23 | Oligohydramnios associated with a long umbilical cord. International Journal of Case Reports and Images, 2011, 2, 15. | 0.0 | 1 |
| 24 | Independent risk factors for cesarean section among women with thrombophilia. Journal of Maternal-Fetal and Neonatal Medicine, 2009, 22, 770-775. | 0.7 | 0 |
| 25 | Nuchal Translucency Thickness in Euploid Fetuses: Is Two Millimeters Too Risky?. American Journal of Perinatology, 2009, 26, 303-307. | 0.6 | 4 |
| 26 | Three dimensional ultrasound diagnosis of caudal regression syndrome at 14 gestational weeks. Archives of Gynecology and Obstetrics, 2009, 280, 505-507. | 0.8 | 8 |
| 27 | Face and brow presentation: Independent risk factors. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 357-360. | 0.7 | 19 |
| 28 | Fetal Echogenic Bowel at 17 Weeks' Gestational Age as the Early and Only Sign of a Very Long Segment of Hirschsprung Disease. Journal of Ultrasound in Medicine, 2008, 27, 1125-1126. | 0.8 | 11 |
| 29 | Clinical significance of uterine scar dehiscence in women with previous cesarean delivery: prevalence and independent risk factors. Journal of reproductive medicine, The, 2008, 53, 8-14. | 0.2 | 7 |
| 30 | Chronic hypertension is an independent risk factor for preeclampsia and preterm delivery in women with rheumatologic diseases: A population-based study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2007, 133, 157-163. | 0.5 | 4 |
| 31 | Maternal and neonatal outcome following cerebrovascular accidents during pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2007, 20, 241-247. | 0.7 | 21 |
| 32 | Trial of labor and vaginal birth after cesarean section in patients with uterine Müllerian anomalies: a population-based study. American Journal of Obstetrics and Gynecology, 2007, 196, 537.e1-537.e11. | 0.7 | 36 |
| 33 | Positive placental staining for alkaline phosphatase corresponding with extreme elevation of serum alkaline phosphatase during pregnancy. Archives of Gynecology and Obstetrics, 2007, 275, 211-214. | 0.8 | 21 |
| 34 | Cerebral palsy and fetal inflammatory response syndrome: a review. Journal of Perinatal Medicine, 2006, 34, 5-12. | 0.6 | 132 |
| 35 | Is there a higher prevalence of pregnancy complications in a live-birth preceding the appearance of recurrent abortions?. Archives of Gynecology and Obstetrics, 2005, 271, 350-354. | 0.8 | 23 |
| 36 | Hydramnios and small for gestational age are independent risk factors for neonatal mortality and maternal morbidity. Archives of Gynecology and Obstetrics, 2005, 271, 296-301. | 0.8 | 12 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Pregnancy outcome of asthmatic patients: A population-based study. Journal of Maternal-Fetal and Neonatal Medicine, 2005, 18, 237-240. | 0.7 | 59 |
| 38 | Preterm Deliveries among Women with MacDonald Cerclage Performed due to Cervical Incompetence. Fetal Diagnosis and Therapy, 2004, 19, 361-365. | 0.6 | 7 |
| 39 | Qualified and trained sonographers in the US can perform early fetal anatomy scans between 11 and 14 weeks. American Journal of Obstetrics and Gynecology, 2004, 191, 1247-1252. | 0.7 | 59 |
| 40 | Two hundred ninety consecutive cases of multifetal pregnancy reduction: Comparison of the transabdominal versus the transvaginal approach. American Journal of Obstetrics and Gynecology, 2004, 191, 2085-2089. | 0.7 | 32 |
| 41 | Risk factors for recurrent preterm delivery. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2004, 113, 160-163. | 0.5 | 24 |
| 42 | Thalassemia intermedia and cavernous transformation of portal vein thrombosis in pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2003, 107, 101-104. | 0.5 | 6 |
| 43 | Maternal Hypertensive Disorders Are an Independent Risk Factor for the Development of Necrotizing Enterocolitis in Very Low Birth Weight Infants. Fetal Diagnosis and Therapy, 2003, 18, 404-407. | 0.6 | 40 |
| 44 | Twelve cases of placental chorioangioma. Archives of Gynecology and Obstetrics, 2002, 266, 53-55. | 0.8 | 29 |
| 45 | Indomethacin activity in the fetal vasculature of normal and meconium exposed human placentae. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 94, 230-233. | 0.5 | 9 |
| 46 | Remote prognosis of primiparous women with preeclampsia. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 96, 69-74. | 0.5 | 41 |
| 47 | Wilson's disease in pregnancy: five successful consecutive pregnancies of the same woman. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 96, 232-234. | 0.5 | 26 |
| 48 | Comparison study between induced and spontaneous term and preterm births of small-for-gestational-age neonates. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 97, 141-146. | 0.5 | 36 |
| 49 | Prevalence and clinical significance of postpartum endometritis and wound infection. , 2000, 8, 77-82. | | 140 |
| 50 | Differences in preterm delivery rates and outcomes in Jews and Bedouins in southern Israel. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2000, 93, 41-46. | 0.5 | 20 |
| 51 | Congenital anomalies are an independent risk factor for neonatal morbidity and perinatal mortality in preterm birth. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2000, 90, 43-49. | 0.5 | 57 |
| 52 | Clinical significance and outcome of preterm prelabor rupture of membranes: population-based study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2000, 92, 209-216. | 0.5 | 90 |
| 53 | Prevalence and clinical significance of postpartum endometritis and wound infection. , 2000, 8, 77. | | 2 |
| 54 | Prevalence and clinical significance of postpartum endometritis and wound infection. , 2000, 8, 77. | | 39 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Elevated concentrations of interleukin-6 in intra-amniotic infection with Ureaplasma urealyticum in asymptomatic women during. Acta Obstetricia Et Gynecologica Scandinavica, 1999, 78, 379-382. | 1.3 | 19 |
| 56 | Elevated concentrations of interleukin-6 in intra-amniotic infection with Ureaplasma urealyticum in asymptomatic women during. Acta Obstetricia Et Gynecologica Scandinavica, 1999, 78, 379-382. | 1.3 | 44 |
| 57 | Primary hepatoid carcinoma of ovary in pregnancy. American Journal of Obstetrics and Gynecology, 1998, 179, 820-822. | 0.7 | 15 |
| 58 | Chorioangioma of the placenta in association with early severe polyhydramnios and elevated maternal serum HCG: a case report. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1998, 79, 103-105. | 0.5 | 16 |
| 59 | Meconium stained amniotic fluid in preterm delivery is an independent risk factor for perinatal complications. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1998, 81, 9-13. | 0.5 | 34 |
| 60 | Cytokines in preterm parturition. Gynecological Endocrinology, 1998, 12, 421-427. | 0.7 | 16 |
| 61 | Maternal serum CA 125 is of prognostic value in patients with uterine bleeding in the detection of small-for-gestational-age neonates. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1996, 67, 143-147. | 0.5 | 4 |
| 62 | Hyperemesis gravidarum: epidemiologic features, complications and outcome. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1995, 63, 135-138. | 0.5 | 116 |