Christian Günster

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8658069/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	6-month mortality and readmissions of hospitalized COVID-19 patients: A nationwide cohort study of 8,679 patients in Germany. PLoS ONE, 2021, 16, e0255427.	1.1	65
2	Lower-extremity amputations in people with and without diabetes in Germany, 2008–2012 – an analysis of more than 30 million inhabitants. Clinical Epidemiology, 2018, Volume 10, 475-488.	1.5	60
3	Obesity Increases the Risk of Postoperative Complications and Revision Rates Following Primary Total Hip Arthroplasty: An Analysis of 131,576 Total Hip Arthroplasty Cases. Journal of Arthroplasty, 2018, 33, 2287-2292.e1.	1.5	58
4	Are TKAs Performed in High-volume Hospitals Less Likely to Undergo Revision Than TKAs Performed in Low-volume Hospitals?. Clinical Orthopaedics and Related Research, 2017, 475, 2669-2674.	0.7	57
5	Impact of oral anticoagulation on clinical outcomes of COVID-19: a nationwide cohort study of hospitalized patients in Germany. Clinical Research in Cardiology, 2021, 110, 1041-1050.	1.5	49
6	Health Service Use, Costs, and Adverse Events Associated with Potentially Inappropriate Medication in Old Age in Germany: Retrospective Matched Cohort Study. Drugs and Aging, 2017, 34, 289-301.	1.3	48
7	The Management of Thyroid Nodules. Deutsches Ärzteblatt International, 2013, 110, 827-34.	0.6	46
8	Five-Year Survival of 20,946 Unicondylar Knee Replacements and Patient Risk Factors for Failure. Journal of Bone and Joint Surgery - Series A, 2016, 98, 1691-1698.	1.4	45
9	Low Hospital Volume Increases Revision Rate and Mortality Following Revision Total Hip Arthroplasty: An Analysis of 17,773 Cases. Journal of Arthroplasty, 2019, 34, 2045-2050.	1.5	36
10	The demography and epidemiology of dementia. Geriatric Mental Health Care, 2013, 1, 29-33.	0.3	31
11	Cost-components of lung cancer care within the first three years after initial diagnosis in context of different treatment regimens. Lung Cancer, 2015, 90, 274-280.	0.9	30
12	Low Hospital Volume Increases Re-Revision Rate Following Aseptic Revision Total Knee Arthroplasty: An Analysis of 23,644 Cases. Journal of Arthroplasty, 2020, 35, 1054-1059.	1.5	30
13	Investigating the Additive Interaction of QT-Prolonging Drugs in Older People Using Claims Data. Drug Safety, 2017, 40, 133-144.	1.4	29
14	Mortality and Major Morbidity of Very-Low-Birth-Weight Infants in Germany 2008–2012: A Report Based on Administrative Data. Frontiers in Pediatrics, 2016, 4, 23.	0.9	28
15	Influence of COVID-19 confinement measures on appendectomies in Germany—a claims data analysis of 9797 patients. Langenbeck's Archives of Surgery, 2021, 406, 385-391.	0.8	27
16	The impact of potentially inappropriate medication on the development of health care costs and its moderation by the number of prescribed substances. Results of a retrospective matched cohort study. PLoS ONE, 2018, 13, e0198004.	1.1	20
17	National trends and differences in morbidity among surgical approaches for radical prostatectomy in Germany. World Journal of Urology, 2016, 34, 1515-1520.	1.2	19
18	Surgical Reintervention Rates after Invasive Treatment for Lower Urinary Tract Symptoms due to Benign Prostatic Syndrome: A Comparative Study of More than 43,000 Patients with Long-Term Followup, Journal of Urology, 2021, 205, 855-863.	0.2	18

Christian Günster

#	Article	IF	CITATIONS
19	Psychopharmacological Prescriptions in Children and Adolescents in Germany. Deutsches Ärzteblatt International, 2016, 113, 396-403.	0.6	17
20	Sex-related differences in treatment and outcome of chronic limb-threatening ischaemia: a real-world cohort. European Heart Journal, 2022, 43, 1759-1770.	1.0	16
21	Comparative evaluation of methods approximating drug prescription durations in claims data: modeling, simulation, and application to real data. Pharmacoepidemiology and Drug Safety, 2016, 25, 1434-1442.	0.9	14
22	Computed Tomography in Germany. Deutsches Ärzteblatt International, 2016, 113, 721-728.	0.6	14
23	Patient Characteristics as Indicator for Care Dependence after Hip Fracture: A Retrospective Cohort Study Using Health Insurance Claims Data From Germany. Journal of the American Medical Directors Association, 2019, 20, 451-455.e3.	1.2	12
24	Predictors of non-drug psychiatric/psychotherapeutic treatment in children and adolescents with mental or behavioural disorders. European Child and Adolescent Psychiatry, 2017, 26, 433-444.	2.8	11
25	Study protocol for a quasi-experimental claims-based study evaluating 10-year results of the population-based integrated healthcare model â€~Gesundes Kinzigtal' (Healthy Kinzigtal): the INTEGRAL study. BMJ Open, 2019, 9, e025945.	0.8	11
26	Mortality Following Myocardial Infarction in Women and Men. Deutsches Ärzteblatt International, 2008, 105, 279-85.	0.6	11
27	Revascularisation of patients with end-stage renal disease on chronic haemodialysis: bypass surgery versus PCI—analysis of routine statutory health insurance data. Open Heart, 2016, 3, e000464.	0.9	10
28	Blood transfusion and venous thromboembolism trends and risk factors in primary and aseptic revision total hip and knee arthroplasties: A nationwide investigation of 736,061 cases. Orthopaedics and Traumatology: Surgery and Research, 2022, 108, 102987.	0.9	10
29	Prediction of Drug-Related Risks Using Clinical Context Information in Longitudinal Claims Data. Value in Health, 2018, 21, 1390-1398.	0.1	8
30	Drug-eluting stents in clinical routine: a 1-year follow-up analysis based on German health insurance administrative data from 2008 to 2014. BMJ Open, 2017, 7, e017460.	0.8	3
31	Collateral effects and mortality of kidney transplant recipients during the COVID-19 pandemic. Kidney360, 2022, 3, 10.34067/KID.0006472021.	0.9	2
32	Prevalence and Infant Mortality of Major Congenital Malformations Stratified by Birthweight. Neonatology, 2022, 119, 41-59.	0.9	2
33	104â€Reducing unwarranted variations in frequency of coronary angiographies in germany by describing, understanding and modifying local practice. , 2018, , .		0
34	Mortality Following Myocardial Infarction in Women and Men: In Reply. Deutsches Ärzteblatt International, 2008, 105, 763.	0.6	0