
Xiaoyan Yang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8658300/publications.pdf

Version: 2024-02-01



XIAOVAN VANC

#	Article	IF	CITATIONS
1	Cotton-derived carbon fiber-supported Ni nanoparticles as nanoislands to anchor single-atom Pt for efficient catalytic reduction of 4-nitrophenol. Applied Catalysis A: General, 2022, 643, 118734.	4.3	11
2	Hollow β-Bi2O3@CeO2 heterostructure microsphere with controllable crystal phase for efficient photocatalysis. Chemical Engineering Journal, 2020, 387, 124100.	12.7	92
3	One-step hydrothermal synthesis of hierarchical nanosheet-assembled Bi ₂ O ₂ CO ₃ microflowers with a {001} dominant facet and their superior photocatalytic performance. Nanotechnology, 2020, 31, 375604.	2.6	15
4	Trace carbon-hybridized ZnS/ZnO hollow nanospheres with multi-enhanced visible-light photocatalytic performance. Journal of Alloys and Compounds, 2019, 775, 481-489.	5.5	58
5	pH modulations of fluorescence LaVO4:Eu3+ materials with different morphologies and structures for rapidly and sensitively detecting Fe3+ ions. Sensors and Actuators B: Chemical, 2018, 267, 608-616.	7.8	17
6	Diethylenediamine-assisted template-free synthesis of a hierarchical TiO2 sphere-in-sphere with enhanced photocatalytic performance. Dalton Transactions, 2018, 47, 16502-16508.	3.3	10
7	One-step hydrothermal fabrication of erythrocyte-like ZnS/ZnO composite with superior visible light photocatalytic performance. Materials Letters, 2018, 228, 305-308.	2.6	10
8	Photoinduced in Situ Deposition of Uniform and Well-Dispersed PtO ₂ Nanoparticles on ZnO Nanorods for Efficient Catalytic Reduction of 4-Nitrophenol. ACS Applied Materials & Interfaces, 2018, 10, 23154-23162.	8.0	60
9	One-step synthesis of flowerlike C/Fe2O3 nanosheet assembly with superior adsorption capacity and visible light photocatalytic performance for dye removal. Carbon, 2017, 116, 59-67.	10.3	43
10	Pt/ZnO@C Nanocable with Dual-Enhanced Photocatalytic Performance and Superior Photostability. Langmuir, 2017, 33, 4452-4460.	3.5	35
11	Diethylenetriamine-assisted in situ synthesis of TiO ₂ nanoparticles on carbon nanotubes with well-defined structure and enhanced photocatalytic performance. RSC Advances, 2017, 7, 50216-50224.	3.6	6
12	Magnetically recoverable hierarchical Pt/Fe2O3 microflower: Superior catalytic activity and stability for reduction of 4-nitrophenol. Catalysis Communications, 2017, 100, 214-218.	3.3	31
13	NaY(MoO4)2 microcrystals with controlled faceting and their tunable photoluminescence properties after doping with Eu3+. RSC Advances, 2014, 4, 13502.	3.6	16
14	Morphology controllable synthesis of NaLa(WO4)2: the morphology dependent photoluminescent properties and single-phased white light emission of NaLa(WO4)2: Eu3+/Tb3+/Tm3+. CrystEngComm, 2014, 16, 1268.	2.6	62
15	Self-degradable template synthesis of polyaniline nanotubes and their high performance in the detection of dopamine. Journal of Materials Chemistry A, 2013, 1, 9775.	10.3	48
16	LaCO3OH microstructures with tunable morphologies: EDTA-assisted hydrothermal synthesis, formation mechanism and adsorption properties. RSC Advances, 2013, 3, 3907.	3.6	25
17	Submicrometer-Sized Hierarchical Hollow Spheres of Heavy Lanthanide Orthovanadates: Sacrificial Template Synthesis, Formation Mechanism, and Luminescent Properties. Langmuir, 2013, 29, 15992-16001.	3.5	17
18	Surfactant-free sacrificial template synthesis of submicrometer-sized YVO4:Eu3+ hierarchical hollow spheres with tunable textual parameters and luminescent properties. Dalton Transactions, 2013, 42, 3986.	3.3	30

XIAOYAN YANG

#	Article	IF	CITATIONS
19	Synthesis of a graphene/polyaniline/MCM-41 nanocomposite and its application as a supercapacitor. New Journal of Chemistry, 2013, 37, 2203.	2.8	64
20	Self-assembled 3D architectures of NaCe(MoO4)2 and their application as absorbents. CrystEngComm, 2012, 14, 7330.	2.6	40
21	Nitrogen-doped mesoporous nanohybrids of TiO2 nanoparticles and HTiNbO5 nanosheets with a high visible-light photocatalytic activity and a good biocompatibility. Journal of Materials Chemistry, 2012, 22, 19122.	6.7	52
22	The synthesis of nitrogen-doped carbon nanotubes/gold composites and their application to the detection of thioridazine. Journal of Solid State Electrochemistry, 2012, 16, 2691-2698.	2.5	19
23	EDTA-mediated shape-selective synthesis of Bi2WO6 hierarchical self-assemblies with high visible-light-driven photocatalytic activities. CrystEngComm, 2011, 13, 7267.	2.6	77
24	EDTA-mediated hydrothermal synthesis of NaEu(MoO4)2 microrugbies with tunable size and enhanced luminescence properties. CrystEngComm, 2011, 13, 4921.	2.6	82
25	Thermostable nitrogen-doped HTiNbO5 nanosheets with a high visible-light photocatalytic activity. Nano Research, 2011, 4, 635-647.	10.4	61
26	Various self-assembled three-dimensional hierarchical architectures of La2(MoO4)3: controlled synthesis, growth mechanisms, luminescence properties and adsorption activities. Nanoscale, 2010, 2, 995.	5.6	96