

Kishalay Bhar

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8658549/kishalay-bhar-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55
papers

672
citations

16
h-index

21
g-index

57
ext. papers

737
ext. citations

3.1
avg, IF

3.55
L-index

#	Paper	IF	Citations
55	Crystallographic evidence for reversible symmetry breaking in a spin-crossover d7 cobalt(II) coordination polymer. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 2142-5	16.4	65
54	Syntheses, structures, and magnetic properties of terephthalato bridged dinuclear copper(II) and manganese(II) complexes with a tetradentate N-donor Schiff base. <i>Polyhedron</i> , 2013 , 55, 1-9	2.7	25
53	Synthesis, molecular and crystalline architectures, and properties of novel bis(bidentate) and bis(tridentate) Schiff base bridged dinuclear mercury(II)pseudohalides: Control of coordination numbers by varying denticities. <i>Polyhedron</i> , 2010 , 29, 1667-1675	2.7	25
52	Syntheses, structures and magnetic properties of 1,5 dicyanamide bridged coordination polymers of copper(II) and nickel(II) containing a tetradentate N-donor Schiff base. <i>Inorganica Chimica Acta</i> , 2011 , 370, 492-498	2.7	24
51	Syntheses, structures and luminescence behaviors of zinc(II) complexes containing a tetradentate Schiff base: Variation in nuclearity and geometry with the change of halide/pseudohalide/carboxylate and counter anion. <i>Journal of Molecular Structure</i> , 2013 , 1037, 160-169	3.4	23
50	Coordination complexes and polymers from the initial application of phenyl-2-pyridyl ketone azine in mercury chemistry. <i>Polyhedron</i> , 2015 , 85, 467-475	2.7	22
49	Syntheses, structures and luminescence behaviours of Group 12 metal(II) thiocyanate complexes with a tetradentate Schiff base: Variation in molecular and crystalline architectures with the change of congeneric metal ions. <i>Polyhedron</i> , 2012 , 38, 26-35	2.7	22
48	Syntheses, structures and luminescence behaviors of mono- and dinuclear complexes of type [M(L)(NCS) ₂] _n [M = Zn/Hg, n = 1; M = Cd, n = 2; L = (N,N-diethyl,N ⁺ -(pyridin-2-yl)benzylidene)ethane-1,2-diamine]: Variation of coordination matrices and nuclearities with the change of congeneric metal ions. <i>Polyhedron</i> , 2011 , 30, 387-396	2.7	20
47	Synthesis, structure and luminescence behaviour of heptacoordinated one-dimensional coordination polymers of the type [Cd(L)(dca)] _n (L = a pentadentate Schiff base; dca = dicyanamide; X = ClO ₄ ⁻ , PF ₆ ⁻). <i>Journal of Molecular Structure</i> , 2010 , 963, 35-40	3.4	20
46	Crystallographic Evidence for Reversible Symmetry Breaking in a Spin-Crossover d7 Cobalt(II) Coordination Polymer. <i>Angewandte Chemie</i> , 2012 , 124, 2184-2187	3.6	19
45	A new luminous hexacoordinated coordination polymer of cadmium(II) containing benzidine and dicyanamide as bridging units. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 632-635	3.1	19
44	Syntheses, characterizations and structures of complexes of the types mononuclear [MII(tren)(dca)]ClO ₄ [M = Cu and Zn; tren = tris(2-aminoethyl)amine; dca = dicyanamide] and dinuclear [CdII ₂ (tren) ₂ (dca)](ClO ₄) ₃ : Variation of nuclearities and architectures with metal-ion templates. <i>Inorganica Chimica Acta</i> , 2010 , 363, 784-792	2.7	19
43	Synthesis, structures, luminescence and magnetic properties of two dinuclear 1,5 dicyanamide bridged copper(II) complexes containing a tetradentate N-donor Schiff base. <i>Journal of Molecular Structure</i> , 2011 , 988, 128-135	3.4	18
42	Synthesis, molecular and crystalline architectures, and magnetic properties of neutral nickel(II)dicyanamide coordination polymers containing a symmetrical/unsymmetrical 1,2-diamine as an end-capping ligand. <i>Polyhedron</i> , 2010 , 29, 2041-2047	2.7	18
41	Counter anion dependent gradual spin transition in a 1D cobalt(ii) coordination polymer. <i>Dalton Transactions</i> , 2015 , 44, 7774-6	4.3	17
40	Synthesis, structure and magnetic property of an asymmetric chlorido bridged dinuclear copper(II) complex containing a didentate Schiff base. <i>Polyhedron</i> , 2015 , 89, 39-44	2.7	16
39	Classical tetradentate chelation and novel bis(bidentate) congregation motifs of a neutral N-donor Schiff base in dinuclear cadmium(II) complexes: Synthesis, structure and luminescence behaviour. <i>Inorganic Chemistry Communication</i> , 2010 , 13, 353-357	3.1	16

38	Design, synthesis, characterization and evaluation of the anticancer activity of water-soluble half-sandwich ruthenium(II) arene halido complexes. <i>New Journal of Chemistry</i> , 2020 , 44, 239-257	3.6	16
37	A set of new coordination compounds of cadmium(II)/mercury(II) halides/pseudohalides containing polyamines: Syntheses involving in situ metal-ligand reactions, crystal structures and molecular properties. <i>Inorganica Chimica Acta</i> , 2012 , 384, 37-46	2.7	14
36	Synthesis, molecular and crystalline architectures, and properties of mononuclear cobalt(II)thiocyanates containing a symmetrical tailored diimine/an unsymmetrical bidentate Schiff base. <i>Journal of Molecular Structure</i> , 2009 , 936, 104-111	3.4	14
35	Syntheses, structures and magnetic properties of μ_5 -dicyanamide bridged di- and polynuclear manganese(II) complexes containing neutral N-donor Schiff bases: Control of coordination number and nuclearity by varying denticity. <i>Inorganica Chimica Acta</i> , 2010 , 363, 3308-3315	2.7	14
34	Homo- and heteroleptic trimethoxy terpyridine-Cu(II) complexes: synthesis, characterization, DNA/BSA binding, DNA cleavage and cytotoxicity studies. <i>Dalton Transactions</i> , 2020 , 49, 4100-4113	4.3	13
33	Syntheses, structures and properties of homo- and heterobimetallic complexes of the type $[Zn(tren)NCS]_2[M(NCS)_4]$ [tren = tris(2-aminoethyl)amine; M = Zn, Cu]. <i>Journal of Molecular Structure</i> , 2010 , 967, 112-118	3.4	13
32	Syntheses, structures and magnetic properties of two one-dimensional coordination polymers of cobalt(II) and nickel(II) dicyanamide containing a tridentate N-donor Schiff base. <i>Journal of Molecular Structure</i> , 2013 , 1038, 78-85	3.4	12
31	Varied dicarboxylate bridges in dinuclear trigonal prismatic manganese(II) and octahedral nickel(II) compounds containing tetradentate N-donor Schiff bases: Syntheses, structures and magnetic behaviors. <i>Polyhedron</i> , 2014 , 74, 134-143	2.7	11
30	Syntheses, structures, and luminescence behavior of terephthalate bridged lead(II) complexes with tetradentate N-donor Schiff bases. <i>Journal of Molecular Structure</i> , 2013 , 1051, 328-335	3.4	11
29	Synthesis, characterization and magnetic property of a succinate bridged 1D coordination polymer of cobalt(II) containing benzidine as end-capping ligand. <i>Journal of Molecular Structure</i> , 2014 , 1061, 54-60	3.4	10
28	Heteronuclear complexes derived from the molecular ion $[Hg(SCN)_4]^{2-}$: Variance in bridging matrices, nuclearities and architectures with the change in complementary units. <i>Polyhedron</i> , 2012 , 39, 48-58	2.7	10
27	First examples of two ferromagnetic end-to-end cyanate bridged 1D linear coordination polymers of nickel(II) containing an unsymmetrical diamine. <i>Dalton Transactions</i> , 2012 , 41, 11551-4	4.3	10
26	Syntheses, molecular and crystalline architectures, and luminescence behaviours of two dinuclear cadmium(II) compounds containing a tetradentate N-donor di-Schiff base. <i>Journal of Molecular Structure</i> , 2010 , 982, 113-120	3.4	10
25	Syntheses, structures and magnetic properties of two neutral coordination polymers of cobalt(II) containing a tailored aromatic diamine and pseudohalides as bridging units: Control of dimensionality by varying pseudohalide. <i>Inorganica Chimica Acta</i> , 2013 , 398, 40-45	2.7	9
24	Phenoxy-bridged dicopper complexes: Syntheses, characterizations, crystal structures and catecholase activity. <i>Polyhedron</i> , 2019 , 161, 169-178	2.7	9
23	A new luminous end-to-end thiocyanato bridged heptacoordinated coordination polymer of lead(II) containing a tetradentate Schiff base. <i>Inorganic Chemistry Communication</i> , 2012 , 16, 21-24	3.1	8
22	Synthesis, structure and luminescence behaviour of a mononuclear cadmium(II) dicyanamide and a coordination polymer of mercury(II) dicyanamide containing 2,2'-dipyridylamine (dpaH) as end-capping ligand/anion of dpaH as binucleating bridge. Variance in coordination numbers, nuclearities and architectures with metal ion templates. <i>Inorganica Chimica Acta</i> , 2011 , 367, 199-206	2.7	8
21	Synthesis, structure and properties of hexacoordinated compounds of cadmium(II) halides/pseudohalides containing a pentadentate N-donor Schiff base. <i>Journal of Molecular Structure</i> , 2011 , 994, 306-312	3.4	8

20	Synthesis, structure and luminescence behaviour of bis(tridentate) Schiff base bridged dinuclear lead(II) pseudohalides. <i>Journal of Molecular Structure</i> , 2010 , 966, 102-106	3.4	8
19	Syntheses, structures and properties of two pentacoordinated $\beta,5$ bridged dinuclear metal(II)-dicyanamide (Mdca; M=Cu and Cd) compounds containing a tailored tetradentate bifunctional polyamine. <i>Journal of Molecular Structure</i> , 2011 , 1004, 138-145	3.4	7
18	Syntheses, structures, and properties of two mononuclear cobalt(III) azido complexes containing a tetradentate N-donor Schiff base as end-capping ligand. <i>Transition Metal Chemistry</i> , 2011 , 36, 99-106	2.1	7
17	Syntheses, structures and properties of β -carbonato bridged trinuclear zinc(II) complexes containing a tailored tetradentate amine. <i>Polyhedron</i> , 2012 , 32, 54-59	2.7	6
16	Syntheses, structures and properties of cadmium(II) carboxylates containing polyamine/Schiff base: Variation of coordination numbers, and molecular and crystalline architectures by changing ligands. <i>Journal of Molecular Structure</i> , 2013 , 1051, 41-48	3.4	6
15	Synthesis, molecular and crystalline architectures, and properties of a mononuclear complex [CoII(benzidine) 2 (NCS) 2 (OH 2) 2]. <i>Journal of Chemical Sciences</i> , 2013 , 125, 723-730	1.8	6
14	Nickel(II)dicyanamide complexes containing a diamine as end-capping ligand: Composition tailored architectures and magnetic properties. <i>Inorganica Chimica Acta</i> , 2010 , 363, 1513-1522	2.7	6
13	Syntheses, structures, and properties of two luminous mercury(II) halide compounds containing a tetradentate N-donor Schiff base. <i>Journal of Molecular Structure</i> , 2012 , 1030, 138-144	3.4	5
12	Syntheses, Structures and Properties of Two Luminous Mercury(II) Bromides Containing Tridentate N-Donor Schiff Bases: Control of Coordination Number and Nuclearity by Varying Ligand Matrices. <i>Journal of Chemical Crystallography</i> , 2012 , 42, 1060-1066	0.5	5
11	Phosphatase activity and DNA binding studies of dinuclear phenoxo-bridged zinc(II) complexes with an N,N,O-donor ligand and halide ions in a rare cis-configuration. <i>Polyhedron</i> , 2017 , 129, 82-91	2.7	4
10	Syntheses, X-ray structures, electrochemical properties and biological evaluation of mono- and dinuclear N2O2-donor ligand-Fe systems. <i>Transition Metal Chemistry</i> , 2019 , 44, 615-626	2.1	4
9	Syntheses, molecular and crystalline architectures, and luminescence behaviour of terephthalate bridged heptacoordinated dinuclear lead(II) complexes containing a pentadentate N-donor Schiff base. <i>Journal of Chemical Sciences</i> , 2013 , 125, 715-721	1.8	4
8	Syntheses, structures, and properties of two binuclear cadmium(II) iodides containing a bis(tridentate) Schiff base/tetradentate tripodal amine: control of coordination numbers by varying ligand matrices. <i>Structural Chemistry</i> , 2011 , 22, 605-613	1.8	4
7	Syntheses, structures and properties of two dinuclear mercury(II) iodide compounds containing tetradentate tripodal amine/pentadentate N-donor Schiff base: Control of molecular and crystalline architectures by varying ligand matrices. <i>Journal of Chemical Sciences</i> , 2014 , 126, 763-769	1.8	3
6	Synthesis, structure and solid-state electrical conductivity of bis(1,2-diphenylethylene-1,2-dithiolate)nickel(II). <i>Journal of Chemical Sciences</i> , 2019 , 131, 1	1.8	2
5	Development, evaluation and effect of anionic co-ligand on the biological activity of benzothiazole derived copper(II) complexes. <i>Journal of Inorganic Biochemistry</i> , 2020 , 210, 111174	4.2	2
4	Synthesis and characterization of phenoxo-bridged dinuclear zinc(II) halide complexes: Role of electron withdrawing group on phosphatase activity. <i>Journal of Chemical Sciences</i> , 2018 , 130, 1	1.8	2
3	Temperature induced spin crossover behaviour in mononuclear cobalt(II) bis terpyridine complexes. <i>MRS Advances</i> , 2019 , 4, 1597-1610	0.7	1

- 2 Hexa- and heptacoordinated manganese(II) dicyanamide complexes containing a tetradentate N-donor Schiff base: Syntheses, composition tailored architectures and magnetic properties. *Journal of Molecular Structure*, **2013**, 1051, 107-114 3.4 1
- 1 An anti-ferromagnetic terephthalate-bridged trigonal prismatic dinuclear manganese(II) complex: Synthon of rare anion? π -Interaction promoting dimensionality. *Journal of Chemical Sciences*, **2014**, 126, 1685-1694 1.8 1