

# Yan-Cheng Liu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8658741/yan-cheng-liu-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70  
papers

1,582  
citations

24  
h-index

37  
g-index

71  
ext. papers

1,849  
ext. citations

4.6  
avg, IF

4.53  
L-index

#	Paper	IF	Citations
70	A New Calcium(II)-Based Substitute for Enrofloxacin with Improved Medicinal Potential.. <i>Pharmaceutics</i> , <b>2022</b> , 14,	6.4	1
69	The copper(II) complex of dantron showed therapeutic effect on bacterial gill-rot disease in tilapia infected by <i>Flavobacterium columnar</i> .. <i>Journal of Inorganic Biochemistry</i> , <b>2022</b> , 232, 111841	4.2	
68	The first copper(I) complex of anthrahydrazone with potential ROS scavenging activity showed significant in vitro anticancer activity by inducing apoptosis and autophagy. <i>Journal of Inorganic Biochemistry</i> , <b>2021</b> , 218, 111390	4.2	2
67	A new magnesium(II) complex of marbofloxacin: Crystal structure, antibacterial activity and acute toxicity. <i>Inorganica Chimica Acta</i> , <b>2021</b> , 516, 120065	2.7	1
66	New cytotoxic zinc(II) and copper(II) complexes of Schiff base ligands derived from homopiperonylamine and halogenated salicylaldehyde. <i>Inorganica Chimica Acta</i> , <b>2021</b> , 516, 120171	2.7	3
65	A new calcium(II) complex of marbofloxacin showing much lower acute toxicity with retained antibacterial activity. <i>Journal of Inorganic Biochemistry</i> , <b>2020</b> , 203, 110905	4.2	5
64	Structural characterization and pharmacological assessment / of a new copper(II)-based derivative of enrofloxacin. <i>Metallomics</i> , <b>2020</b> , 12, 2145-2160	4.5	6
63	The copper(II) complexes of new anthrahydrazone ligands: In vitro and in vivo antitumor activity and structure-activity relationship. <i>Journal of Inorganic Biochemistry</i> , <b>2020</b> , 212, 111208	4.2	6
62	Discovery of a Copper-Based Mcl-1 Inhibitor as an Effective Antitumor Agent. <i>Journal of Medicinal Chemistry</i> , <b>2020</b> , 63, 9154-9167	8.3	13
61	A New Samarium(III) Complex of Liriodenine: Synthesis, Crystal Structure, Antitumor Activity, and DNA Binding Study. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2019</b> , 645, 570-579	1.3	5
60	Discovery of Carboline copper(II) complexes as Mcl-1 inhibitor and in vitro and in vivo activity in cancer models. <i>European Journal of Medicinal Chemistry</i> , <b>2019</b> , 181, 111567	6.8	15
59	New anthrahydrazone derivatives and their cisplatin-like complexes: synthesis, antitumor activity and structure-activity relationship. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 18685-18694	3.6	4
58	An aminophosphonate ester ligand-containing platinum(ii) complex induces potent immunogenic cell death in vitro and elicits effective anti-tumour immune responses in vivo. <i>Chemical Communications</i> , <b>2019</b> , 55, 13066-13069	5.8	26
57	A 9-chloro-5,6,7,8-tetrahydroacridine Pt(II) complex induces apoptosis of Hep-G2 cells via inhibiting telomerase activity and disrupting mitochondrial pathway. <i>Inorganic Chemistry Communication</i> , <b>2019</b> , 99, 77-81	3.1	4
56	Oriented Synthesis of Chair-Shaped Ln3 + Ln3 Clusters and Magnetic Properties. <i>Journal of Cluster Science</i> , <b>2019</b> , 30, 337-341	3	1
55	Synthesis of two platinum(II) complexes with 2-methyl-8-quinolinol derivatives as ligands and study of their antitumor activities. <i>European Journal of Medicinal Chemistry</i> , <b>2019</b> , 161, 334-342	6.8	39
54	3-(1H-benzoimidazol-2-yl)-chromen-2-ylideneamine platinum(II) and ruthenium(II) complexes exert their high in vitro antitumor activity by inducing S-phase arrest and disrupting mitochondrial functions in SK-OV-3/DDP tumor cells. <i>Polyhedron</i> , <b>2019</b> , 157, 219-224	2.7	6

53	In vitro and in vivo anti-tumor activity of two gold(III) complexes with isoquinoline derivatives as ligands. <i>European Journal of Medicinal Chemistry</i> , <b>2019</b> , 163, 333-343	6.8	15
52	Structure and Magnetic Properties of a 3d <sup>8</sup> f-Doped Hexagonal Heterometallic Cluster. <i>Journal of Cluster Science</i> , <b>2019</b> , 30, 25-30	3	2
51	Synthesis, characterization and biological evaluation of six highly cytotoxic ruthenium(II) complexes with 4-substituted-2,2',6',6'-terpyridine. <i>MedChemComm</i> , <b>2018</b> , 9, 525-533	5	13
50	Organometallic Gold(III) Complexes Similar to Tetrahydroisoquinoline Induce ER-Stress-Mediated Apoptosis and Pro-Death Autophagy in A549 Cancer Cells. <i>Journal of Medicinal Chemistry</i> , <b>2018</b> , 61, 3478-3490	8.3	56
49	Synthesis, crystal structure and biological evaluation of a new dasatinib copper(II) complex as telomerase inhibitor. <i>European Journal of Medicinal Chemistry</i> , <b>2018</b> , 143, 1597-1603	6.8	31
48	Synthesis and in vitro biological evaluation of three 4-(4-methoxyphenyl)-2,2',6',6'-terpyridine iridium(III) complexes as new telomerase inhibitors. <i>European Journal of Medicinal Chemistry</i> , <b>2018</b> , 143, 1387-1395	6.8	21
47	Tryptanthrin derivative copper(II) complexes with high antitumor activity by inhibiting telomerase activity, and inducing mitochondria-mediated apoptosis and S-phase arrest in BEL-7402. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 15479-15487	3.6	10
46	High in vitro anticancer activity of a dinuclear palladium(II) complex with a 2-phenylpyridine ligand. <i>Inorganic Chemistry Communication</i> , <b>2018</b> , 96, 106-110	3.1	12
45	Novel tacrine platinum(II) complexes display high anticancer activity via inhibition of telomerase activity, dysfunction of mitochondria, and activation of the p53 signaling pathway. <i>European Journal of Medicinal Chemistry</i> , <b>2018</b> , 158, 106-122	6.8	29
44	Synthesis and antitumor mechanism of a new iron(III) complex with 5,7-dichloro-2-methyl-8-quinolinol as ligands. <i>MedChemComm</i> , <b>2017</b> , 8, 633-639	5	17
43	Three novel transition metal complexes of 6-methyl-2-oxo-quinoline-3-carbaldehyde thiosemicarbazone: synthesis, crystal structure, cytotoxicity, and mechanism of action. <i>RSC Advances</i> , <b>2017</b> , 7, 17923-17933	3.7	20
42	Synthesis, Crystal Structure, Cytotoxicity, and Mechanism of Action of Zn(II), Mn(II), and Fe(III) Complexes with 6-Hydroxyoxoisoaporphine. <i>European Journal of Inorganic Chemistry</i> , <b>2017</b> , 2017, 1824-1834	2.3	16
41	Synthesis, crystal structure, cytotoxicity and action mechanism of a Rh(III) complex with 8-hydroxy-2-methylquinoline as a ligand. <i>MedChemComm</i> , <b>2017</b> , 8, 184-190	5	13
40	Synthesis, Structure Characterization and Antitumor Activity Study of a New Iron(III) Complex of 5-Nitro-8-hydroxyquinoline (HNOQ). <i>Chemical and Pharmaceutical Bulletin</i> , <b>2016</b> , 64, 1208-17	1.9	11
39	Water Soluble Copper(II) and Zinc(II) Complexes of Mangiferin: Synthesis, Antitumour Activity and DNA Binding Studies. <i>Journal of Chemical Research</i> , <b>2016</b> , 40, 659-663	0.6	3
38	Preparation of 4-([2,2',6',6'-terpyridin]-4-yl)-N,N-diethylaniline Ni(II) and Pt(II) complexes and exploration of their in vitro cytotoxic activities. <i>European Journal of Medicinal Chemistry</i> , <b>2016</b> , 108, 1-12	6.8	40
37	Evaluation of the effect of iodine substitution of 8-hydroxyquinoline on its platinum(II) complex: cytotoxicity, cell apoptosis and telomerase inhibition. <i>MedChemComm</i> , <b>2016</b> , 7, 1802-1811	5	33
36	Synthesis, characterization and biological evaluation of a cobalt(II) complex with 5-chloro-8-hydroxyquinoline as anticancer agent. <i>Applied Organometallic Chemistry</i> , <b>2016</b> , 30, 740-747	3.1	40

35	Preparation of 6/8/11-Amino/Chloro-Oxoisoaporphine and Group-10 Metal Complexes and Evaluation of Their in Vitro and in Vivo Antitumor Activity. <i>Scientific Reports</i> , <b>2016</b> , 6, 37644	4.9	13
34	Cobalt(II) 8-hydroxyquinoline complexes: structure, cytotoxicity and action mechanism. <i>MedChemComm</i> , <b>2016</b> , 7, 806-812	5	21
33	Studies on the structures, cytotoxicity and apoptosis mechanism of 8-hydroxyquinoline rhodium(III) complexes in T-24 cells. <i>New Journal of Chemistry</i> , <b>2016</b> , 40, 6005-6014	3.6	15
32	Synthesis, crystal structure, cytotoxicity and action mechanism of Zn(II) and Mn(II) complexes with 4-([2,2':6',2''-terpyridin]-4'-yl)-N,N-diethylaniline as a ligand. <i>MedChemComm</i> , <b>2016</b> , 7, 1132-1137	5	7
31	High in vivo antitumor activity of cobalt oxoisoaporphine complexes by targeting G-quadruplex DNA, telomerase and disrupting mitochondrial functions. <i>European Journal of Medicinal Chemistry</i> , <b>2016</b> , 124, 380-392	6.8	53
30	Synthesis and antitumor mechanisms of a copper(II) complex of anthracene-9-imidazole hydrazone (9-AIH). <i>Metallomics</i> , <b>2015</b> , 7, 1124-36	4.5	26
29	Dihydroisoquinoline copper(II) complexes: crystal structures, cytotoxicity, and action mechanism. <i>RSC Advances</i> , <b>2015</b> , 5, 81313-81323	3.7	12
28	Cytotoxicity, DNA binding and cell apoptosis induction of a zinc(II) complex of HBrQ. <i>MedChemComm</i> , <b>2015</b> , 6, 2224-2231	5	24
27	Synthesis of a platinum(II) complex with 2-(4-methoxy-phenyl)imidazo [4,5-f]-[1,10] phenanthroline and study of its antitumor activity. <i>European Journal of Medicinal Chemistry</i> , <b>2015</b> , 89, 77-87	6.8	24
26	Water-Soluble Ruthenium(II) Complexes with Chiral 4-(2,3-Dihydroxypropyl)-formamide Oxoaporphine (FOA): In Vitro and in Vivo Anticancer Activity by Stabilization of G-Quadruplex DNA, Inhibition of Telomerase Activity, and Induction of Tumor Cell Apoptosis. <i>Journal of Medicinal Chemistry</i> , <b>2015</b> , 58, 4771-89	8.3	90
25	Isoquinoline derivatives Zn(II)/Ni(II) complexes: Crystal structures, cytotoxicity, and their action mechanism. <i>European Journal of Medicinal Chemistry</i> , <b>2015</b> , 100, 68-76	6.8	18
24	Studies on antitumor mechanism of two planar platinum(II) complexes with 8-hydroxyquinoline: synthesis, characterization, cytotoxicity, cell cycle and apoptosis. <i>European Journal of Medicinal Chemistry</i> , <b>2015</b> , 92, 302-13	6.8	67
23	Stabilization of G-quadruplex DNA, inhibition of telomerase activity, and tumor cell apoptosis by organoplatinum(II) complexes with oxoisoaporphine. <i>Journal of Medicinal Chemistry</i> , <b>2015</b> , 58, 2159-79	8.3	118
22	Synthesis, Crystal Structure, and Cytotoxicity of a Copper(II) Complex With Matrine. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , <b>2014</b> , 44, 43-47		
21	Synthesis, crystal structure, cytotoxicity and cell apoptosis induction of a copper(II)-based Schiff base complex. <i>Inorganica Chimica Acta</i> , <b>2014</b> , 421, 260-266	2.7	6
20	Three platinum(II) complexes of 2-(methoxy-phenyl)-imidazo-[4,5-f]-[1,10] phenanthroline: cell apoptosis induction by sub-G1 phase cell cycle arrest and G-quadruplex binding properties. <i>Inorganic Chemistry Communication</i> , <b>2014</b> , 46, 176-179	3.1	13
19	High antitumor activity of 5,7-dihalo-8-quinolinolato cerium complexes. <i>European Journal of Medicinal Chemistry</i> , <b>2013</b> , 68, 454-62	6.8	35
18	Copper(II/I) complexes of 5-pyridin-2-yl-[1,3]dioxolo[4,5-g]isoquinoline: synthesis, crystal structure, antitumor activity and DNA interaction. <i>European Journal of Medicinal Chemistry</i> , <b>2013</b> , 70, 640-8	6.8	27

17	Synthesis, crystal structure, cytotoxicity and DNA interaction of 5,7-dibromo-8-quinolinolato-lanthanides. <i>European Journal of Medicinal Chemistry</i> , <b>2013</b> , 59, 168-75	6.8	36
16	The antitumor activity of zinc(II) and copper(II) complexes with 5,7-dihalo-substituted-8-quinolinoline. <i>European Journal of Medicinal Chemistry</i> , <b>2013</b> , 69, 554-63	6.8	72
15	Synthesis, crystal structure, cytotoxicity and DNA interaction of 5,7-dichloro-8-quinolinolato-lanthanides. <i>European Journal of Medicinal Chemistry</i> , <b>2013</b> , 59, 194-202	6.8	49
14	Platinum(II) complexes with mono-aminophosphonate ester targeting group that induce apoptosis through G1 cell-cycle arrest: synthesis, crystal structure and antitumour activity. <i>European Journal of Medicinal Chemistry</i> , <b>2013</b> , 63, 76-84	6.8	32
13	High antitumor activity of 5,7-dihalo-8-quinolinolato tin(IV) complexes. <i>European Journal of Medicinal Chemistry</i> , <b>2013</b> , 62, 51-8	6.8	25
12	Bis[4-chloro-2-(quinolin-8-yl-imino-meth-yl)phenolato- $\kappa$ (B) N,N\text{SO}]cobalt(III) trichlorido-methano-lcobaltate(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2013</b> , 69, m278-9		3
11	Alkaloid-metal based anticancer agents. <i>Current Topics in Medicinal Chemistry</i> , <b>2013</b> , 13, 2104-15	3	17
10	Synthesis, characterization, and in vitro antitumor properties of gold(III) compounds with the traditional Chinese medicine (TCM) active ingredient liriodenine. <i>Journal of Biological Inorganic Chemistry</i> , <b>2012</b> , 17, 247-61	3.7	24
9	TCM active ingredient oxoglucine metal complexes: crystal structure, cytotoxicity, and interaction with DNA. <i>Inorganic Chemistry</i> , <b>2012</b> , 51, 1998-2009	5.1	64
8	One-Dimensional Chain Copper(II) and Nickel(II) Coordination Polymers With N-Salicylidene-glycine Schiff Base Ligand. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , <b>2012</b> , 42, 1262-1266		2
7	Synthesis, crystal structure, DNA interaction and cytotoxicity of a dinuclear nickel(II) complex with 5,7-dichloro-8-hydroxyquinoline. <i>Inorganica Chimica Acta</i> , <b>2012</b> , 382, 52-58	2.7	22
6	High cytotoxicity of dihalo-substituted 8-quinolinolato-lanthanides. <i>Dalton Transactions</i> , <b>2011</b> , 40, 1684-23		35
5	Divalent later transition metal complexes of the traditional chinese medicine (TCM) liriodenine: coordination chemistry, cytotoxicity and DNA binding studies. <i>Dalton Transactions</i> , <b>2009</b> , 10813-23	4.3	47
4	Potential new inorganic antitumour agents from combining the anticancer traditional Chinese medicine (TCM) liriodenine with metal ions, and DNA binding studies. <i>Dalton Transactions</i> , <b>2009</b> , 262-72	4.3	52
3	Synthesis and crystal structures of lanthanide complexes with foliage growth regulator: phenoxyalkanoic acid. <i>Journal of Coordination Chemistry</i> , <b>2008</b> , 61, 2725-2734	1.6	14
2	Syntheses, crystal structures and fluorescent properties of four one-dimensional lanthanide coordination polymers with 3-cyanobenzoato. <i>Journal of Coordination Chemistry</i> , <b>2006</b> , 59, 2075-2081	1.6	
1	Synthesis and crystal structure of a novel three-dimensional inorganic open-framework: Cd <sub>8</sub> (OH) <sub>8</sub> (SO <sub>4</sub> ) <sub>4</sub> . <i>Journal of Coordination Chemistry</i> , <b>2006</b> , 59, 1379-1384	1.6	