

Henrik Vestergaard

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8660292/henrik-vestergaard-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94
papers

4,728
citations

28
h-index

68
g-index

102
ext. papers

6,526
ext. citations

11.2
avg, IF

4.71
L-index

#	Paper	IF	Citations
94	Four groups of type 2 diabetes contribute to the etiological and clinical heterogeneity in newly diagnosed individuals: An IMI DIRECT study.. <i>Cell Reports Medicine</i> , 2022 , 3, 100477	18	1
93	Impairment of gut microbial biotin metabolism and host biotin status in severe obesity: effect of biotin and prebiotic supplementation on improved metabolism.. <i>Gut</i> , 2022 ,	19.2	5
92	Microbiome and metabolome features of the cardiometabolic disease spectrum.. <i>Nature Medicine</i> , 2022 ,	50.5	4
91	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021 ,	50.4	24
90	Combinatorial, additive and dose-dependent drug-microbiome associations. <i>Nature</i> , 2021 ,	50.4	11
89	Effects of 18-months metformin versus placebo in combination with three insulin regimens on RNA and DNA oxidation in individuals with type 2 diabetes: A post-hoc analysis of a randomized clinical trial. <i>Free Radical Biology and Medicine</i> , 2021 , 178, 18-25	7.8	0
88	Processes Underlying Glycemic Deterioration in Type 2 Diabetes: An IMI DIRECT Study. <i>Diabetes Care</i> , 2021 , 44, 511-518	14.6	6
87	Genetic markers of abdominal obesity and weight loss after gastric bypass surgery. <i>PLoS ONE</i> , 2021 , 16, e0252525	3.7	0
86	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021 , 53, 840-860	36.3	44
85	Profiles of Glucose Metabolism in Different Prediabetes Phenotypes, Classified by Fasting Glycemia, 2-Hour OGTT, Glycated Hemoglobin, and 1-Hour OGTT: An IMI DIRECT Study. <i>Diabetes</i> , 2021 , 70, 2092-2106	0.9	4
84	Effect of metformin and insulin vs. placebo and insulin on whole body composition in overweight patients with type 2 diabetes: a randomized placebo-controlled trial. <i>Osteoporosis International</i> , 2021 , 32, 1837-1848	5.3	4
83	Once-weekly subcutaneous semaglutide treatment for persons with type 2 diabetes: Real-world data from a diabetes out-patient clinic. <i>Diabetic Medicine</i> , 2021 , 38, e14655	3.5	5
82	Statin therapy is associated with lower prevalence of gut microbiota dysbiosis. <i>Nature</i> , 2020 , 581, 310-315	50.4	100
81	Effect of Metformin vs. Placebo in Combination with Insulin Analogues on Bone Markers P1NP and CTX in Patients with Type 2 Diabetes Mellitus. <i>Calcified Tissue International</i> , 2020 , 107, 160-169	3.9	3
80	Predicting and elucidating the etiology of fatty liver disease: A machine learning modeling and validation study in the IMI DIRECT cohorts. <i>PLoS Medicine</i> , 2020 , 17, e1003149	11.6	18
79	Comparative Studies of the Gut Microbiota in the Offspring of Mothers With and Without Gestational Diabetes. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 536282	5.9	4
78	Imidazole propionate is increased in diabetes and associated with dietary patterns and altered microbial ecology. <i>Nature Communications</i> , 2020 , 11, 5881	17.4	29

77	Whole blood co-expression modules associate with metabolic traits and type 2 diabetes: an IMI-DIRECT study. <i>Genome Medicine</i> , 2020 , 12, 109	14.4	3
76	Prediction of carotid intima-media thickness and its relation to cardiovascular events in persons with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2020 , 34, 107681	3.2	0
75	The intestinal microbiome is a co-determinant of the postprandial plasma glucose response. <i>PLoS ONE</i> , 2020 , 15, e0238648	3.7	1
74	Data integration for prediction of weight loss in randomized controlled dietary trials. <i>Scientific Reports</i> , 2020 , 10, 20103	4.9	2
73	Predicting and elucidating the etiology of fatty liver disease: A machine learning modeling and validation study in the IMI DIRECT cohorts 2020 , 17, e1003149		
72	Predicting and elucidating the etiology of fatty liver disease: A machine learning modeling and validation study in the IMI DIRECT cohorts 2020 , 17, e1003149		
71	Predicting and elucidating the etiology of fatty liver disease: A machine learning modeling and validation study in the IMI DIRECT cohorts 2020 , 17, e1003149		
70	Predicting and elucidating the etiology of fatty liver disease: A machine learning modeling and validation study in the IMI DIRECT cohorts 2020 , 17, e1003149		
69	Predicting and elucidating the etiology of fatty liver disease: A machine learning modeling and validation study in the IMI DIRECT cohorts 2020 , 17, e1003149		
68	Discovery of biomarkers for glycaemic deterioration before and after the onset of type 2 diabetes: descriptive characteristics of the epidemiological studies within the IMI DIRECT Consortium. <i>Diabetologia</i> , 2019 , 62, 1601-1615	10.3	14
67	Genetic Determinants of Weight Loss After Bariatric Surgery. <i>Obesity Surgery</i> , 2019 , 29, 2554-2561	3.7	10
66	Haploinsufficiency of ARHGAP42 is associated with hypertension. <i>European Journal of Human Genetics</i> , 2019 , 27, 1296-1303	5.3	6
65	Metformin-induced changes of the gut microbiota in healthy young men: results of a non-blinded, one-armed intervention study. <i>Diabetologia</i> , 2019 , 62, 1024-1035	10.3	79
64	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , 2019 , 51, 452-469	36.3	44
63	Associations of Mitochondrial and Nuclear Mitochondrial Variants and Genes with Seven Metabolic Traits. <i>American Journal of Human Genetics</i> , 2019 , 104, 112-138	11	54
62	Whole grain-rich diet reduces body weight and systemic low-grade inflammation without inducing major changes of the gut microbiome: a randomised cross-over trial. <i>Gut</i> , 2019 , 68, 83-93	19.2	162
61	One-carbon metabolism markers are associated with cardiometabolic risk factors. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 402-410	4.5	17
60	Effect of metformin on plasma metabolite profile in the Copenhagen Insulin and Metformin Therapy (CIMT) trial. <i>Diabetic Medicine</i> , 2018 , 35, 944-953	3.5	14

59	Prospective Studies Exploring the Possible Impact of an ID3 Polymorphism on Changes in Obesity Measures. <i>Obesity</i> , 2018 , 26, 747-754	8	1
58	Aberrant intestinal microbiota in individuals with prediabetes. <i>Diabetologia</i> , 2018 , 61, 810-820	10.3	163
57	Bone turnover, calcium homeostasis, and vitamin D status in Danish vegans. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 1046-1054	5.2	17
56	In Vivo and Ex Vivo Inflammatory Markers of Common Metabolic Phenotypes in Humans. <i>Metabolic Syndrome and Related Disorders</i> , 2018 , 16, 29-39	2.6	1
55	Gestational diabetes is associated with change in the gut microbiota composition in third trimester of pregnancy and postpartum. <i>Microbiome</i> , 2018 , 6, 89	16.6	155
54	The effect of metformin versus placebo in combination with insulin analogues on bone mineral density and trabecular bone score in patients with type 2 diabetes mellitus: a randomized placebo-controlled trial. <i>Osteoporosis International</i> , 2018 , 29, 2517-2526	5.3	11
53	Common variants in the hERG (KCNH2) voltage-gated potassium channel are associated with altered fasting and glucose-stimulated plasma incretin and glucagon responses. <i>BMC Genetics</i> , 2018 , 19, 15	2.6	8
52	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 2018 , 3, 4	4.8	16
51	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2018 , 50, 26-41	36.3	186
50	Genetic risk scores for body fat distribution attenuate weight loss in women during dietary intervention. <i>International Journal of Obesity</i> , 2018 , 42, 370-375	5.5	12
49	Is abdominal obesity at baseline influencing weight changes in observational studies and during weight loss interventions?. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 913-921	7	2
48	A low-gluten diet induces changes in the intestinal microbiome of healthy Danish adults. <i>Nature Communications</i> , 2018 , 9, 4630	17.4	69
47	Bariatric surgery reduces CD36-bearing microvesicles of endothelial and monocyte origin. <i>Nutrition and Metabolism</i> , 2018 , 15, 76	4.6	6
46	Birth weight variants are associated with variable fetal intrauterine growth from 20 weeks of gestation. <i>Scientific Reports</i> , 2018 , 8, 8376	4.9	3
45	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , 2017 , 542, 186-190	50.4	412
44	Objective assessment of dietary patterns by use of metabolic phenotyping: a randomised, controlled, crossover trial. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 184-195	18.1	143
43	Homozygous carriers of the TCF7L2 rs7903146 T-allele show altered postprandial response in triglycerides and triglyceride-rich lipoproteins. <i>Scientific Reports</i> , 2017 , 7, 43128	4.9	9
42	Patients With Long-QT Syndrome Caused by Impaired -Encoded K11.1 Potassium Channel Have Exaggerated Endocrine Pancreatic and Incretin Function Associated With Reactive Hypoglycemia. <i>Circulation</i> , 2017 , 135, 1705-1719	16.7	20

41	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , 2017 , 8, 14977	17.4	105
40	Dietary Assessment in the MetaCardis Study: Development and Relative Validity of an Online Food Frequency Questionnaire. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2017 , 117, 878-888	3.9	18
39	Higher intake of fish and fat is associated with lower plasma s-adenosylhomocysteine: a cross-sectional study. <i>Nutrition Research</i> , 2017 , 46, 78-87	4	1
38	The influence of persistent organic pollutants in the traditional Inuit diet on markers of inflammation. <i>PLoS ONE</i> , 2017 , 12, e0177781	3.7	17
37	Numerous Brugada syndrome-associated genetic variants have no effect on J-point elevation, syncope susceptibility, malignant cardiac arrhythmia, and all-cause mortality. <i>Genetics in Medicine</i> , 2017 , 19, 521-528	8.1	20
36	Genome-wide physical activity interactions in adiposity - A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , 2017 , 13, e1006528	6	103
35	Plasma Alkylresorcinols Reflect Gluten Intake and Distinguish between Gluten-Rich and Gluten-Poor Diets in a Population at Risk of Metabolic Syndrome. <i>Journal of Nutrition</i> , 2016 , 146, 1991-1998	4.1	13
34	Weight loss and weight maintenance obtained with or without GLP-1 analogue treatment decrease branched chain amino acid levels. <i>Metabolomics</i> , 2016 , 12, 1	4.7	
33	Colonic transit time is related to bacterial metabolism and mucosal turnover in the gut. <i>Nature Microbiology</i> , 2016 , 1, 16093	26.6	204
32	An Improved Method for High Quality Metagenomics DNA Extraction from Human and Environmental Samples. <i>Scientific Reports</i> , 2016 , 6, 26775	4.9	101
31	Levels of the inflammation marker YKL-40 in young adults exposed to intrauterine hyperglycemia. <i>Diabetes Research and Clinical Practice</i> , 2016 , 114, 50-4	7.4	1
30	Genome-wide meta-analysis uncovers novel loci influencing circulating leptin levels. <i>Nature Communications</i> , 2016 , 7, 10494	17.4	107
29	Genetic risk scores link body fat distribution with specific cardiometabolic profiles. <i>Obesity</i> , 2016 , 24, 1778-85	8	2
28	Effects of biphasic, basal-bolus or basal insulin analogue treatments on carotid intima-media thickness in patients with type 2 diabetes mellitus: the randomised Copenhagen Insulin and Metformin Therapy (CIMT) trial. <i>BMJ Open</i> , 2016 , 6, e008377	3	9
27	Metformin versus placebo in combination with insulin analogues in patients with type 2 diabetes mellitus-the randomised, blinded Copenhagen Insulin and Metformin Therapy (CIMT) trial. <i>BMJ Open</i> , 2016 , 6, e008376	3	28
26	Oxyntomodulin Identified as a Marker of Type 2 Diabetes and Gastric Bypass Surgery by Mass-spectrometry Based Profiling of Human Plasma. <i>EBioMedicine</i> , 2016 , 7, 112-20	8.8	42
25	Disentangling type 2 diabetes and metformin treatment signatures in the human gut microbiota. <i>Nature</i> , 2015 , 528, 262-266	50.4	1107
24	Vitamin D-rich marine Inuit diet and markers of inflammation - a population-based survey in Greenland. <i>Journal of Nutritional Science</i> , 2015 , 4, e40	2.7	9

23	Intake of macro- and micronutrients in Danish vegans. <i>Nutrition Journal</i> , 2015 , 14, 115	4.3	64
22	A Splice Region Variant in LDLR Lowers Non-high Density Lipoprotein Cholesterol and Protects against Coronary Artery Disease. <i>PLoS Genetics</i> , 2015 , 11, e1005379	6	17
21	Associations of the Inflammatory Marker YKL-40 with Measures of Obesity and Dyslipidaemia in Individuals at High Risk of Type 2 Diabetes. <i>PLoS ONE</i> , 2015 , 10, e0133672	3.7	15
20	Impact of PTBP1 rs11085226 on glucose-stimulated insulin release in adult Danes. <i>BMC Medical Genetics</i> , 2015 , 16, 17	2.1	4
19	Severe hypoglycaemia during treatment with sulphonylureas in patients with type 2 diabetes in the Capital Region of Denmark. <i>Diabetes Research and Clinical Practice</i> , 2015 , 110, 202-7	7.4	8
18	No changes in serum tryptase after bariatric surgery. <i>Annals of Epidemiology</i> , 2015 , 25, 800-1	6.4	2
17	Identification of low-frequency and rare sequence variants associated with elevated or reduced risk of type 2 diabetes. <i>Nature Genetics</i> , 2014 , 46, 294-8	36.3	241
16	The potential role of inhibitor of differentiation-3 in human adipose tissue remodeling and metabolic health. <i>Molecular Genetics and Metabolism</i> , 2014 , 113, 149-54	3.7	3
15	Discovery of biomarkers for glycaemic deterioration before and after the onset of type 2 diabetes: rationale and design of the epidemiological studies within the IMI DIRECT Consortium. <i>Diabetologia</i> , 2014 , 57, 1132-42	10.3	39
14	Circulating sCD36 is associated with unhealthy fat distribution and elevated circulating triglycerides in morbidly obese individuals. <i>Nutrition and Diabetes</i> , 2014 , 4, e114	4.7	19
13	Effects of Roux-en-Y gastric bypass on fasting and postprandial levels of the inflammatory markers YKL-40 and MCP-1 in patients with type 2 diabetes and glucose tolerant subjects. <i>Journal of Obesity</i> , 2013 , 2013, 361781	3.7	11
12	The Association between genetic variations of CHI3L1, levels of the encoded glycoprotein YKL-40 and the lipid profile in a Danish population. <i>PLoS ONE</i> , 2012 , 7, e47094	3.7	18
11	Increased YKL-40 expression in patients with carotid atherosclerosis. <i>Atherosclerosis</i> , 2010 , 211, 589-95	3.1	66
10	YKL-40--an emerging biomarker in cardiovascular disease and diabetes. <i>Cardiovascular Diabetology</i> , 2009 , 8, 61	8.7	137
9	Study rationale and design of the CIMT trial: the Copenhagen Insulin and Metformin Therapy trial. <i>Diabetes, Obesity and Metabolism</i> , 2009 , 11, 315-22	6.7	24
8	YKL-40, a biomarker of inflammation, is elevated in patients with type 2 diabetes and is related to insulin resistance. <i>Inflammation Research</i> , 2006 , 55, 53-9	7.2	149
7	Normocalcemia and persistent elevated serum concentrations of 1-84 parathyroid hormone after operation for sporadic parathyroid adenoma: evidence of increased morbidity from cardiovascular disease. <i>World Journal of Surgery</i> , 2002 , 26, 657-60	3.3	20
6	Increments in insulin sensitivity during intensive treatment are closely correlated with decrements in glucocorticoid receptor mRNA in skeletal muscle from patients with Type II diabetes. <i>Clinical Science</i> , 2001 , 101, 533-40	6.5	12

5	Rosiglitazone treatment of patients with extreme insulin resistance and diabetes mellitus due to insulin receptor mutations has no effects on glucose and lipid metabolism. <i>Journal of Internal Medicine</i> , 2001 , 250, 406-14	10.8	19
4	Sequence of the Human Glycogen-Associated Regulatory Subunit of type 1 Protein Phosphatase and Analysis of Its Coding Region and mRNA Level in Muscle From Patients With NIDDM. <i>Diabetes</i> , 1994 , 43, 1234-1241	0.9	46
3	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 3, 4	4.8	6
2	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 3, 4	4.8	1
1	Protein-Coding Variants Implicate Novel Genes Related to Lipid Homeostasis Contributing to Body Fat Distribution		1