

# Maryam Tohidi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8660641/publications.pdf>

Version: 2024-02-01

124  
papers

2,629  
citations

186265

28  
h-index

265206

42  
g-index

127  
all docs

127  
docs citations

127  
times ranked

3625  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduced Sensitivity to Thyroid Hormone Is Associated with Diabetes and Hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 167-176.	3.6	37
2	Association of different lipid measures with incident bone fractures: Tehran lipid and glucose study. <i>Postgraduate Medicine</i> , 2022, , 1-7.	2.0	2
3	Determination of age and sex specific TSH and FT4 reference limits in overweight and obese individuals in an iodine-replete region: Tehran Thyroid Study (TTS). <i>Endocrine Research</i> , 2021, 46, 37-43.	1.2	3
4	Recurrence of a neuroendocrine tumor of adrenal origin: a case report with more than a decade follow-up. <i>BMC Endocrine Disorders</i> , 2021, 21, 9.	2.2	0
5	Incidence of Thyroid Dysfunction Facing Metabolic Syndrome: A Prospective Comparative Study with 9 Years of Follow-Up. <i>European Thyroid Journal</i> , 2021, 10, 390-398.	2.4	6
6	National trends in cardiovascular health metrics among Iranian adults using results of three cross-sectional STEPwise approaches to surveillance surveys. <i>Scientific Reports</i> , 2021, 11, 58.	3.3	21
7	Cumulative Effects of Thyroid Hormones Over 10 Years and Risk of General and Abdominal Obesity. <i>Hormone and Metabolic Research</i> , 2021, 53, 335-340.	1.5	0
8	Association Between Serum Nitric Oxide Level and Changes in Thyroid Function Test in a Population-based Study: Tehran Thyroid Study Participants (TTS). <i>International Journal of Endocrinology and Metabolism</i> , 2021, 19, e109214.	1.0	2
9	Iodine supplementation for pregnant women: a cross-sectional national interventional study. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 2307-2314.	3.3	8
10	Macrosomia is a risk factor for incident maternal chronic kidney disease. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 210.	2.4	0
11	Prevalence of Subclinical Hypothyroidism in Chronic Kidney Disease in a Population-based Study: Tehran Thyroid Study. <i>International Journal of Endocrinology and Metabolism</i> , 2021, 19, e103750.	1.0	2
12	Investigating the prevalence of primary thyroid dysfunction in obese and overweight individuals: Tehran thyroid study. <i>BMC Endocrine Disorders</i> , 2021, 21, 89.	2.2	20
13	Impact of educational level on incident chronic kidney disease during 13 years of follow-up: a prospective cohort study. <i>Public Health</i> , 2021, 195, 98-104.	2.9	0
14	Long-term glucose variability and incident cardiovascular diseases and all-cause mortality events in subjects with and without diabetes: Tehran Lipid and Glucose Study. <i>Diabetes Research and Clinical Practice</i> , 2021, 178, 108942.	2.8	8
15	High Incidence of Chronic Kidney Disease among Iranian Diabetic Adults: Using CKD-EPI and MDRD Equations for Estimated Glomerular Filtration Rate. <i>Diabetes and Metabolism Journal</i> , 2021, 45, 684-697.	4.7	15
16	Does the Anti-Mullerian Hormone Decline Rate Improve the Prediction of Age at Menopause?. <i>Frontiers in Endocrinology</i> , 2021, 12, 727229.	3.5	6
17	Urinary sodium-to-potassium ratio: a simple and useful indicator of diet quality in population-based studies. <i>European Journal of Medical Research</i> , 2021, 26, 3.	2.2	15
18	The role of different lipid measures for incident hypertension during more than 12 years follow-up: Tehran Lipid and Glucose Study. <i>British Journal of Nutrition</i> , 2021, , 1-32.	2.3	2

#	ARTICLE	IF	CITATIONS
19	Endogenous testosterone does not improve prediction of incident cardiovascular disease in a community-based cohort of adult men: results from the Tehran Lipid and Glucose Study. <i>Aging Male</i> , 2020, 23, 243-250.	1.9	5
20	Maternal Urinary Iodine Concentration and Pregnancy Outcomes: Tehran Thyroid and Pregnancy Study. <i>Biological Trace Element Research</i> , 2020, 194, 348-359.	3.5	14
21	Isolated Hypothyroxinemia in Iranian Pregnant Women, the Role of Iodine Deficiency: A Population-Based Cross-Sectional Study. <i>Thyroid</i> , 2020, 30, 262-269.	4.5	16
22	The impact of triglyceride-glucose index on incident cardiovascular events during 16 years of follow-up: Tehran Lipid and Glucose Study. <i>Cardiovascular Diabetology</i> , 2020, 19, 155.	6.8	92
23	Assessment of the simultaneous effect of hypothyroidism and thyroid autoimmunity with gestational diabetes on the incidence of type 2 diabetes. <i>BMC Endocrine Disorders</i> , 2020, 20, 150.	2.2	3
24	Nasopharyngeal B-cell lymphoma with pan-hypopituitarism and oculomotor nerve palsy: a case report and review of the literature. <i>BMC Endocrine Disorders</i> , 2020, 20, 163.	2.2	6
25	Parity and Incidence of Thyroid Autoimmunity: A Population-Based Tehran Thyroid Study. <i>Thyroid</i> , 2020, 30, 1186-1192.	4.5	3
26	Improving Prediction of Age at Menopause Using Multiple Anti-Müllerian Hormone Measurements: the Tehran Lipid-Glucose Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1589-1598.	3.6	20
27	All-cancer incidence in Tehranian adults: more than a decade of follow-up—results from the Tehran Lipid and Glucose Study. <i>Public Health</i> , 2020, 181, 189-195.	2.9	2
28	Abdominal Obesity Phenotypes and Incidence of Thyroid Autoimmunity: A 9-Year Follow-up. <i>Endocrine Research</i> , 2020, 45, 202-209.	1.2	12
29	Serum Thyroid Peroxidase Antibody Level and Incident Hypertension in Iranian Men: A Suggestion for the Role of Thyroid Autoimmunity. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2020, 20, 1711-1718.	1.2	4
30	Smoking status and changes in thyroid-stimulating hormone and free thyroxine levels during a decade of follow-up: The Tehran thyroid study. <i>Caspian Journal of Internal Medicine</i> , 2020, 11, 47-52.	0.2	2
31	Increased Remission Rates After Long-Term Methimazole Therapy in Patients with Graves' Disease: Results of a Randomized Clinical Trial. <i>Thyroid</i> , 2019, 29, 1192-1200.	4.5	69
32	Impact of 3-year changes in fasting insulin and insulin resistance indices on incident hypertension: Tehran lipid and glucose study. <i>Nutrition and Metabolism</i> , 2019, 16, 76.	3.0	9
33	Does a restricted energy low glycemic index diet have a different effect on overweight women with or without polycystic ovary syndrome?. <i>BMC Endocrine Disorders</i> , 2019, 19, 93.	2.2	34
34	Effect of phlebotomy versus oral contraceptives containing cyproterone acetate on the clinical and biochemical parameters in women with polycystic ovary syndrome: a randomized controlled trial. <i>Journal of Ovarian Research</i> , 2019, 12, 78.	3.0	8
35	Higher consumption of Allium vegetables may modulate insulin homeostasis: A longitudinal follow-up study. <i>Journal of Herbal Medicine</i> , 2019, 17-18, 100260.	2.0	2
36	The association between serum total testosterone and progression of hyperglycemia: a 15-year prospective cohort study. <i>Andrology</i> , 2019, 7, 148-155.	3.5	7

#	ARTICLE	IF	CITATIONS
37	Long-Term Variations of Antithyroperoxidase Antibodies and its Clinical Significance. <i>Hormone and Metabolic Research</i> , 2019, 51, 347-352.	1.5	4
38	Trend of lipid and thyroid function tests in adults without overt thyroid diseases: A cohort from Tehran thyroid study. <i>PLoS ONE</i> , 2019, 14, e0216389.	2.5	7
39	Overtime trend of thyroid hormones and thyroid autoimmunity and ovarian reserve: a longitudinal population study with a 12-year follow up. <i>BMC Endocrine Disorders</i> , 2019, 19, 47.	2.2	24
40	High prevalence of benign mammary tumors in a rat model of polycystic ovary syndrome during postmenopausal period. <i>Gynecological Endocrinology</i> , 2019, 35, 679-684.	1.7	5
41	Effect of long-term sodium nitrate administration on diabetes-induced anemia and glucose homeostasis in obese type 2 diabetic male rats. <i>Nitric Oxide - Biology and Chemistry</i> , 2019, 86, 21-30.	2.7	13
42	Association of circulating 25-hydroxyvitamin D and parathyroid hormone with carotid intima media thickness in children and adolescents with excess weight. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 188, 117-123.	2.5	4
43	Systemic Thyroid Hormone Status in Treated Gravesâ€™ Disease. <i>International Journal of Endocrinology and Metabolism</i> , 2019, 17, e95385.	1.0	10
44	Effect of Bedtime Melatonin Administration in Patients with Type 2 Diabetes: A Triple-Blind, Placebo-Controlled, Randomized Trial. <i>Iranian Journal of Pharmaceutical Research</i> , 2019, 18, 258-268.	0.5	5
45	Effects of Levothyroxine on Pregnant Women With Subclinical Hypothyroidism, Negative for Thyroid Peroxidase Antibodies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 926-935.	3.6	109
46	High dietary intake of branchedâ€”chain amino acids is associated with an increased risk of insulin resistance in adults. <i>Journal of Diabetes</i> , 2018, 10, 357-364.	1.8	62
47	Sexual function in women with polycystic ovary syndrome and their hormonal and clinical correlations. <i>International Journal of Impotence Research</i> , 2018, 30, 54-61.	1.8	15
48	Thyroid Dysfunction States and Incident Cardiovascular Events: The Tehran Thyroid Study. <i>Hormone and Metabolic Research</i> , 2018, 50, e1-e1.	1.5	8
49	Thyroid Dysfunction States and Incident Cardiovascular Events: The Tehran Thyroid Study. <i>Hormone and Metabolic Research</i> , 2018, 50, 37-43.	1.5	10
50	Insulin metabolism markers are predictors of subclinical atherosclerosis among overweight and obese children and adolescents. <i>BMC Pediatrics</i> , 2018, 18, 368.	1.7	11
51	Pomegranate Juice Increases Sirtuin1 Protein in Peripheral Blood Mononuclear Cell from Patients with Type 2 Diabetes: A Randomized Placebo Controlled Clinical Trial. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 446-451.	1.3	20
52	Fasting plasma glucose is a stronger predictor of diabetes than triglycerideâ€”glucose index, triglycerides/high-density lipoprotein cholesterol, and homeostasis model assessment of insulin resistance: Tehran Lipid and Glucose Study. <i>Acta Diabetologica</i> , 2018, 55, 1067-1074.	2.5	30
53	New modified Friedewald formulae for estimating low-density lipoprotein cholesterol according to triglyceride levels: extraction and validation. <i>Endocrine</i> , 2018, 62, 404-411.	2.3	11
54	Impact of 3-year changes in lipid parameters and their ratios on incident type 2 diabetes: Tehran lipid and glucose study. <i>Nutrition and Metabolism</i> , 2018, 15, 50.	3.0	9

#	ARTICLE	IF	CITATIONS
55	Serum Lipids During 20 Years in the Tehran Lipid and Glucose Study: Prevalence, Trends and Impact on Non-Communicable Diseases. <i>International Journal of Endocrinology and Metabolism</i> , 2018, 16, e84750.	1.0	15
56	Blood Pressure and Hypertension: Key Findings of the Tehran Lipid and Glucose Study (TLGS). <i>International Journal of Endocrinology and Metabolism</i> , 2018, In Press, e84769.	1.0	4
57	Diabetes Mellitus: Findings from 20 Years of the Tehran Lipid and Glucose Study. <i>International Journal of Endocrinology and Metabolism</i> , 2018, 16, e84784.	1.0	17
58	Effects of Parenteral Vitamin D on the Biomarkers of the Endothelial Function in Patients with Type 2 Diabetes and Ischemic Heart Disease: A Randomized Clinical Trial. <i>Iranian Journal of Pharmaceutical Research</i> , 2018, 17, 187-194.	0.5	3
59	Is the association between insulin resistance and diabetogenic haematopoietically expressed homeobox (HHEX) polymorphism (rs1111875) affected by polycystic ovary syndrome status?. <i>Reproduction, Fertility and Development</i> , 2017, 29, 670.	0.4	4
60	Are serum nitric oxide metabolites associated with fasting insulin among Iranian adults? (Tehran Lipid) <i>Tj ETQq0 0 0 rgBT /Overlock 10 T</i>	1.2	8
61	Sex-specific incidence rates and risk factors of insulin resistance and $\beta$ -cell dysfunction: a decade follow-up in a Middle Eastern population. <i>Diabetic Medicine</i> , 2017, 34, 245-252.	2.3	16
62	Natural Course of Euthyroidism and Clues for Early Diagnosis of Thyroid Dysfunction: Tehran Thyroid Study. <i>Thyroid</i> , 2017, 27, 616-625.	4.5	27
63	Role of androgen ratios in the prediction of the metabolic phenotype in polycystic ovary syndrome. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 137, 110-115.	2.3	3
64	Assay-dependent variability of serum insulin concentrations: a comparison of eight assays. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 122-129.	1.2	17
65	Variations in Serum Free Thyroxine Concentration Within the Reference Range Predicts the Incidence of Metabolic Syndrome in Non-Obese Adults: A Cohort Study. <i>Thyroid</i> , 2017, 27, 886-893.	4.5	31
66	The Association Between Normal Range TSH and Lipid Profile. <i>Hormone and Metabolic Research</i> , 2017, 49, 424-429.	1.5	6
67	Thyroid Function and Metabolic Syndrome: A Population-Based Thyroid Study. <i>Hormone and Metabolic Research</i> , 2017, 49, 192-200.	1.5	60
68	Longitudinal Associations of High-Fructose Diet with Cardiovascular Events and Potential Risk Factors: Tehran Lipid and Glucose Study. <i>Nutrients</i> , 2017, 9, 872.	4.1	18
69	Thyroid dysfunction in patients with impaired glucose metabolism: 11 year follow up from the Tehran Thyroid Study. <i>PLoS ONE</i> , 2017, 12, e0184808.	2.5	6
70	Predictors of early adulthood hypertension during adolescence: a population-based cohort study. <i>BMC Public Health</i> , 2017, 17, 915.	2.9	30
71	Application of survival tree analysis for exploration of potential interactions between predictors of incident chronic kidney disease: a 15-year follow-up study. <i>Journal of Translational Medicine</i> , 2017, 15, 240.	4.4	11
72	Adherence to the dietary approaches to stop hypertension trial (DASH) diet is inversely associated with incidence of insulin resistance in adults: the Tehran lipid and glucose study. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2017, 61, 123-129.	1.4	19

#	ARTICLE	IF	CITATIONS
73	The Prevalence, Incidence and Natural Course of Positive Antithyroperoxidase Antibodies in a Population-Based Study: Tehran Thyroid Study. <i>PLoS ONE</i> , 2017, 12, e0169283.	2.5	41
74	Inflammatory Properties of Diet and Glucose-Insulin Homeostasis in a Cohort of Iranian Adults. <i>Nutrients</i> , 2016, 8, 735.	4.1	29
75	Divergent pathway of lipid profile components for cardiovascular disease and mortality events: Results of over a decade follow-up among Iranian population. <i>Nutrition and Metabolism</i> , 2016, 13, 43.	3.0	17
76	Different glucose tolerance status and incident cardiovascular disease and all-cause mortality among elderly Iranians. <i>Geriatrics and Gerontology International</i> , 2016, 16, 1263-1271.	1.5	2
77	Change in fasting plasma glucose and incident type 2 diabetes mellitus: results from a prospective cohort study. <i>BMJ Open</i> , 2016, 6, e010889.	1.9	16
78	Association of serum intact fibroblast growth factor 23 with left ventricular mass and different echocardiographic findings in patients on hemodialysis. <i>Journal of Translational Internal Medicine</i> , 2016, 4, 135-141.	2.5	3
79	Association between urinary adiponectin level and renal involvement in systemic lupus erythematosus. <i>International Journal of Rheumatic Diseases</i> , 2016, 19, 678-684.	1.9	15
80	Association of dietary carotenoids and the incidence of insulin resistance in adults: Tehran lipid and glucose study. <i>Nutrition and Dietetics</i> , 2016, 73, 162-168.	1.8	6
81	Sex- and Age-Specific Reference Values and Cutoff Points for TPOAb: Tehran Thyroid Study. <i>Thyroid</i> , 2016, 26, 458-465.	4.5	21
82	Comparison of universal screening with targeted high-risk case finding for diagnosis of thyroid disorders. <i>European Journal of Endocrinology</i> , 2016, 174, 77-83.	3.7	19
83	The Association Between Blood Pressure and Normal Range Thyroid Function Tests in a Population Based Tehran Thyroid Study. <i>Hormone and Metabolic Research</i> , 2016, 48, 151-156.	1.5	13
84	Maternal Thyroid Function and Autoimmunity in 3 Trimesters of Pregnancy and their Offspring's Thyroid Function. <i>Hormone and Metabolic Research</i> , 2016, 48, 20-26.	1.5	16
85	Association between serum nitric oxide metabolites and thyroid hormones in a general population: Tehran Thyroid Study. <i>Endocrine Research</i> , 2016, 41, 193-199.	1.2	8
86	The effect of a single dose of vitamin D on glycemic status and C-reactive protein levels in type 2 diabetic patients with ischemic heart disease: a randomized clinical trial. <i>Acta Diabetologica</i> , 2016, 53, 575-582.	2.5	17
87	Association between Dietary Acid Load and Insulin Resistance: Tehran Lipid and Glucose Study. <i>Preventive Nutrition and Food Science</i> , 2016, 21, 104-109.	1.6	39
88	Thyroid and Pregnancy in Tehran, Iran: Objectives and Study Protocol. <i>International Journal of Endocrinology and Metabolism</i> , 2016, 14, e33477.	1.0	13
89	Dietary insulin load and insulin index are associated with the risk of insulin resistance: a prospective approach in tehran lipid and glucose study. <i>Journal of Diabetes and Metabolic Disorders</i> , 2015, 15, 23.	1.9	44
90	Pomegranate ( <i>Punicagranatum</i> ) juice decreases lipid peroxidation, but has no effect on plasma advanced glycated end-products in adults with type 2 diabetes: a randomized double-blind clinical trial. <i>Food and Nutrition Research</i> , 2015, 59, 28551.	2.6	43

#	ARTICLE	IF	CITATIONS
91	Which insulin resistance-based definition of metabolic syndrome has superior diagnostic value in detection of poor health-related quality of life? Cross-sectional findings from Tehran Lipid and Glucose Study. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 194.	2.4	4
92	Trend of Cardio-Metabolic Risk Factors in Polycystic Ovary Syndrome: A Population-Based Prospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0137609.	2.5	52
93	Hypothyroidism and Lipid Levels in a Community Based Study (TTS). <i>International Journal of Endocrinology and Metabolism</i> , 2015, 14, e22827.	1.0	17
94	Presence of hypertension modifies the impact of insulin resistance on incident cardiovascular disease in a Middle Eastern population: the Tehran Lipid and Glucose Study. <i>Diabetic Medicine</i> , 2015, 32, 1311-1318.	2.3	13
95	Association between thyroid hormones, thyroid antibodies and insulin resistance in euthyroid individuals: A population-based cohort. <i>Diabetes and Metabolism</i> , 2015, 41, 480-488.	2.9	22
96	Dietary phytochemical index and the risk of insulin resistance and $\beta$ -cell dysfunction: a prospective approach in Tehran lipid and glucose study. <i>International Journal of Food Sciences and Nutrition</i> , 2015, 66, 950-955.	2.8	37
97	Relationship of hyperinsulinaemia, insulin resistance and $\beta$ -cell dysfunction with incident diabetes and prediabetes: the Tehran Lipid and Glucose Study. <i>Diabetic Medicine</i> , 2015, 32, 24-32.	2.3	23
98	Obesity Paradox and Risk of Mortality Events in Chronic Kidney Disease Patients: A Decade of Follow-up in Tehran Lipid and Glucose Study. , 2015, 25, 345-350.		18
99	High-density lipoprotein cholesterol, a protective or a risk factor for developing coronary heart disease? Tehran Lipid and Glucose Study. <i>Journal of Clinical Lipidology</i> , 2015, 9, 553-558.	1.5	11
100	Cut-off points of homeostasis model assessment of insulin resistance, beta-cell function, and fasting serum insulin to identify future type 2 diabetes: Tehran Lipid and Glucose Study. <i>Acta Diabetologica</i> , 2015, 52, 905-915.	2.5	97
101	Sex-specific relations between fasting insulin, insulin resistance and incident hypertension: 8.9 years follow-up in a Middle-Eastern population. <i>Journal of Human Hypertension</i> , 2015, 29, 260-267.	2.2	33
102	Does Twice-weekly Cabergoline Improve Anthropometrical and Biochemical Profiles in Prediabetes? A Randomized Double-blind Clinical Trial Pilot Study. <i>Iranian Journal of Pharmaceutical Research</i> , 2015, 14, 77-86.	0.5	12
103	Trends in Cardiovascular Disease Risk Factors in People with and without Diabetes Mellitus: A Middle Eastern Cohort Study. <i>PLoS ONE</i> , 2014, 9, e112639.	2.5	42
104	Prevalence of Hypothyroidism in Patients with Dyslipidemia: Tehran Thyroid Study (TTS). <i>Hormone and Metabolic Research</i> , 2014, 46, 980-984.	1.5	7
105	Secular trends in serum lipid levels of a Middle Eastern adult population; 10 years follow up in Tehran lipid and glucose study. <i>Lipids in Health and Disease</i> , 2014, 13, 20.	3.0	30
106	Changes in lipid measures and incident coronary heart disease: Tehran Lipid & Glucose Study. <i>Clinical Biochemistry</i> , 2014, 47, 1239-1244.	1.9	31
107	Age- and sex-specific reference values for fasting serum insulin levels and insulin resistance/sensitivity indices in healthy Iranian adults: Tehran Lipid and Glucose Study. <i>Clinical Biochemistry</i> , 2014, 47, 432-438.	1.9	70
108	Predictors of the incident metabolic syndrome in healthy obese subjects: a decade of follow-up from the Tehran Lipid and Glucose Study. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 295-299.	2.9	12

#	ARTICLE	IF	CITATIONS
109	Lipid profiles and ovarian reserve status: a longitudinal study. <i>Human Reproduction</i> , 2014, 29, 2522-2529.	0.9	50
110	To what extent does the use of the Rotterdam criteria affect the prevalence of polycystic ovary syndrome? A community-based study from the Southwest of Iran. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 174, 100-105.	1.1	42
111	Effects of pomegranate juice consumption on inflammatory markers in patients with type 2 diabetes: A randomized, placebo-controlled trial. <i>Journal of Research in Medical Sciences</i> , 2014, 19, 215-20.	0.9	47
112	Subclinical hypothyroidism and insulin resistance in polycystic ovary syndrome: is there a relationship?. <i>Iranian Journal of Reproductive Medicine</i> , 2014, 12, 481-6.	0.8	24
113	Lipid profile components and incident cerebrovascular events versus coronary heart disease; the result of 9 years follow-up in Tehran Lipid and Glucose Study. <i>Clinical Biochemistry</i> , 2013, 46, 716-721.	1.9	17
114	Non-linear association between 25-hydroxyvitamin D and the incidence of Type 2 diabetes: a community-based nested case-control study. <i>Diabetic Medicine</i> , 2013, 30, 934-938.	2.3	17
115	Incidence of Metabolic Syndrome over 9 Years Follow-Up; the Importance of Sex Differences in the Role of Insulin Resistance and Other Risk Factors. <i>PLoS ONE</i> , 2013, 8, e76304.	2.5	53
116	Reference limit of thyrotropin (TSH) and free thyroxine (FT4) in thyroperoxidase positive and negative subjects: a population based study. <i>Journal of Endocrinological Investigation</i> , 2013, 36, 950-4.	3.3	28
117	Natural course of thyroid disease profile in a population in nutrition transition: Tehran Thyroid Study. <i>Archives of Iranian Medicine</i> , 2013, 16, 418-23.	0.6	23
118	Triglycerides and triglycerides to high-density lipoprotein cholesterol ratio are strong predictors of incident hypertension in Middle Eastern women. <i>Journal of Human Hypertension</i> , 2012, 26, 525-532.	2.2	76
119	Adolescent lipoprotein classifications according to National Health and Nutrition Examination Survey (NHANES) vs. National Cholesterol Education Program (NCEP) for predicting abnormal lipid levels in adulthood in a Middle East population. <i>Lipids in Health and Disease</i> , 2012, 11, 107.	3.0	8
120	Incidence of Chronic Kidney Disease and Its Risk Factors, Results of Over 10 Year Follow Up in an Iranian Cohort. <i>PLoS ONE</i> , 2012, 7, e45304.	2.5	112
121	Intra-erythrocyte Magnesium Is Associated with Gamma-Glutamyl Transferase in Obese Children and Adolescents. <i>Biological Trace Element Research</i> , 2011, 143, 835-843.	3.5	7
122	Lipid ratios and appropriate cut off values for prediction of diabetes: a cohort of Iranian men and women. <i>Lipids in Health and Disease</i> , 2010, 9, 85.	3.0	71
123	Lipid measures for prediction of incident cardiovascular disease in diabetic and non-diabetic adults: results of the 8.6 years follow-up of a population based cohort study. <i>Lipids in Health and Disease</i> , 2010, 9, 6.	3.0	39
124	Prevalence of metabolic syndrome by the Adult Treatment Panel III, International Diabetes Federation, and World Health Organization definitions and their association with coronary heart disease in an elderly Iranian population. <i>Annals of the Academy of Medicine, Singapore</i> , 2009, 38, 142-9.	0.4	20