

Christopher A Hunter

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8661201/christopher-a-hunter-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163
papers

17,363
citations

66
h-index

131
g-index

178
ext. papers

20,588
ext. citations

11.2
avg, IF

7.14
L-index

#	Paper	IF	Citations
163	A genetic screen identifies a protective type III interferon response to <i>Cryptosporidium</i> that requires TLR3 dependent recognition.. <i>PLoS Pathogens</i> , 2022 , 18, e1010003	7.6	2
162	Enterocyte-innate lymphoid cell crosstalk drives early IFN- γ -mediated control of <i>Cryptosporidium</i> . <i>Mucosal Immunology</i> , 2021 ,	9.2	5
161	DNA binding to TLR9 expressed by red blood cells promotes innate immune activation and anemia. <i>Science Translational Medicine</i> , 2021 , 13, eabj1008	17.5	22
160	Lessons from <i>Toxoplasma</i> : Host responses that mediate parasite control and the microbial effectors that subvert them. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	4
159	The intestinal parasite is controlled by an enterocyte intrinsic inflammasome that depends on NLRP6. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	14
158	IL-33 promotes innate lymphoid cell-dependent IFN- γ production required for innate immunity to. <i>ELife</i> , 2021 , 10,	8.9	10
157	Is IL-6 a key cytokine target for therapy in COVID-19?. <i>Nature Reviews Immunology</i> , 2021 , 21, 337-339	36.5	45
156	Limited Impact of the Inhibitory Receptor TIGIT on NK and T Cell Responses during Infection. <i>ImmunoHorizons</i> , 2021 , 5, 384-394	2.7	0
155	Long live the king: <i>Toxoplasma gondii</i> nucleomodulin inhibits necroptotic cell death. <i>Cell Host and Microbe</i> , 2021 , 29, 1165-1166	23.4	0
154	B cells promote CD8 T cell primary and memory responses to subunit vaccines. <i>Cell Reports</i> , 2021 , 36, 109591	10.6	2
153	Loss of IL-27R α Results in Enhanced Tubulointerstitial Fibrosis Associated with Elevated Th17 Responses. <i>Journal of Immunology</i> , 2020 , 205, 377-386	5.3	6
152	The role of macrophages in protective and pathological responses to <i>Toxoplasma gondii</i> . <i>Parasite Immunology</i> , 2020 , 42, e12712	2.2	11
151	COVID-19-associated Acute Respiratory Distress Syndrome Clarified: A Vascular Endotype?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 202, 750-753	10.2	25
150	Cytokine Storms: Understanding COVID-19. <i>Immunity</i> , 2020 , 53, 19-25	32.3	313
149	The <i>Toxoplasma gondii</i> virulence factor ROP16 acts in cis and trans, and suppresses T cell responses. <i>Journal of Experimental Medicine</i> , 2020 , 217,	16.6	22
148	Innate immunity to <i>Toxoplasma gondii</i> 2020 , 1075-1105		0
147	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , 2019 , 49, 1457-1973	6.1	485

146	Diet-induced remission in chronic enteropathy is associated with altered microbial community structure and synthesis of secondary bile acids. <i>Microbiome</i> , 2019 , 7, 126	16.6	41
145	Impact of Interleukin-27p28 on T and B Cell Responses during Toxoplasmosis. <i>Infection and Immunity</i> , 2019 , 87,	3.7	2
144	A Genetically Tractable, Natural Mouse Model of Cryptosporidiosis Offers Insights into Host Protective Immunity. <i>Cell Host and Microbe</i> , 2019 , 26, 135-146.e5	23.4	38
143	Infection-Induced Intestinal Dysbiosis Is Mediated by Macrophage Activation and Nitrate Production. <i>MBio</i> , 2019 , 10,	7.8	23
142	Caspase-8 promotes c-Rel-dependent inflammatory cytokine expression and resistance against. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 11926-11935	11.5	20
141	The Immunobiology of the Interleukin-12 Family: Room for Discovery. <i>Immunity</i> , 2019 , 50, 851-870	32.3	156
140	The evolving role of T-bet in resistance to infection. <i>Nature Reviews Immunology</i> , 2019 , 19, 398-410	36.5	28
139	βsynuclein at the "synapse" of encephalitis and neurodegeneration in multiple sclerosis?. <i>Immunology and Cell Biology</i> , 2019 , 97, 523-525	5	1
138	IL-27 and TCR Stimulation Promote T Cell Expression of Multiple Inhibitory Receptors. <i>ImmunoHorizons</i> , 2019 , 3, 13-25	2.7	33
137	Cytokine- and TCR-Mediated Regulation of T Cell Expression of Ly6C and Sca-1. <i>Journal of Immunology</i> , 2018 , 200, 1761-1770	5.3	29
136	Clonal expansion of vaccine-elicited T cells is independent of aerobic glycolysis. <i>Science Immunology</i> , 2018 , 3,	28	25
135	Pathogen interactions with endothelial cells and the induction of innate and adaptive immunity. <i>European Journal of Immunology</i> , 2018 , 48, 1607-1620	6.1	14
134	T Regulatory Cells Support Plasma Cell Populations in the Bone Marrow. <i>Cell Reports</i> , 2017 , 18, 1906-1916	16.6	69
133	CD11c-Expressing Cells Affect Regulatory T Cell Behavior in the Meninges during Central Nervous System Infection. <i>Journal of Immunology</i> , 2017 , 198, 4054-4061	5.3	15
132	Protective and Pathological Immunity during Central Nervous System Infections. <i>Immunity</i> , 2017 , 46, 891-909	32.3	81
131	Guidelines for the use of flow cytometry and cell sorting in immunological studies. <i>European Journal of Immunology</i> , 2017 , 47, 1584-1797	6.1	359
130	IL-27 Limits Type 2 Immunopathology Following Parainfluenza Virus Infection. <i>PLoS Pathogens</i> , 2017 , 13, e1006173	7.6	12
129	Leishmania major Infection-Induced VEGF-A/VEGFR-2 Signaling Promotes Lymphangiogenesis That Controls Disease. <i>Journal of Immunology</i> , 2016 , 197, 1823-31	5.3	18

128	Cutting Edge: IL-4, IL-21, and IFN- γ Interact To Govern T-bet and CD11c Expression in TLR-Activated B Cells. <i>Journal of Immunology</i> , 2016 , 197, 1023-8	5.3	108
127	Endothelial cells are a replicative niche for entry of <i>Toxoplasma gondii</i> to the central nervous system. <i>Nature Microbiology</i> , 2016 , 1, 16001	26.6	122
126	STAT1 Signaling in Astrocytes Is Essential for Control of Infection in the Central Nervous System. <i>MBio</i> , 2016 , 7,	7.8	40
125	<i>Toxoplasma gondii</i> : Immune Protection and Evasion 2016 , 125-132		
124	Spontaneous partial loss of the OT-I transgene. <i>Nature Immunology</i> , 2016 , 17, 471	19.1	3
123	Inflammatory triggers associated with exacerbations of COPD orchestrate plasticity of group 2 innate lymphoid cells in the lungs. <i>Nature Immunology</i> , 2016 , 17, 626-35	19.1	259
122	Immune-mediated viral clearance from the CNS without collateral damage. <i>Journal of Experimental Medicine</i> , 2015 , 212, 1141-2	16.6	3
121	IFN- γ signaling endows DCs with the capacity to control type I inflammation during parasitic infection through promoting T-bet+ regulatory T cells. <i>PLoS Pathogens</i> , 2015 , 11, e1004635	7.6	16
120	Heterogeneous CD8+ T cell migration in the lymph node in the absence of inflammation revealed by quantitative migration analysis. <i>PLoS Computational Biology</i> , 2015 , 11, e1004058	5	38
119	IL-6 as a keystone cytokine in health and disease. <i>Nature Immunology</i> , 2015 , 16, 448-57	19.1	1289
118	Asymmetric Action of STAT Transcription Factors Drives Transcriptional Outputs and Cytokine Specificity. <i>Immunity</i> , 2015 , 42, 877-89	32.3	87
117	The immunobiology of interleukin-27. <i>Annual Review of Immunology</i> , 2015 , 33, 417-43	34.7	239
116	Flt3 Ligand Is Essential for Survival and Protective Immune Responses during Toxoplasmosis. <i>Journal of Immunology</i> , 2015 , 195, 4369-77	5.3	11
115	IL-27 shakes up the establishment of ectopic lymphoid structures. <i>Journal of Experimental Medicine</i> , 2015 , 212, 1757	16.6	1
114	Simvastatin prevents and reverses depigmentation in a mouse model of vitiligo. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1080-1088	4.3	61
113	The Orphan Nuclear Receptor TLX Is an Enhancer of STAT1-Mediated Transcription and Immunity to <i>Toxoplasma gondii</i> . <i>PLoS Biology</i> , 2015 , 13, e1002200	9.7	20
112	The Group 3 Innate Lymphoid Cell Defect in Aryl Hydrocarbon Receptor Deficient Mice Is Associated with T Cell Hyperactivation during Intestinal Infection. <i>PLoS ONE</i> , 2015 , 10, e0128335	3.7	29
111	Diverse roles for T-bet in the effector responses required for resistance to infection. <i>Journal of Immunology</i> , 2015 , 194, 1131-40	5.3	32

110	Combination of Anti-CD123 and Anti-CD19 Chimeric Antigen Receptor T Cells for the Treatment and Prevention of Antigen-Loss Relapses Occurring after CD19-Targeted Immunotherapies. <i>Blood</i> , 2015 , 126, 2523-2523	2.2	5
109	Infection-induced changes in hematopoiesis. <i>Journal of Immunology</i> , 2014 , 192, 27-33	5.3	64
108	Contractile forces sustain and polarize hematopoiesis from stem and progenitor cells. <i>Cell Stem Cell</i> , 2014 , 14, 81-93	18	91
107	The aryl hydrocarbon receptor promotes IL-10 production by NK cells. <i>Journal of Immunology</i> , 2014 , 192, 1661-70	5.3	72
106	Use of transgenic parasites and host reporters to dissect events that promote interleukin-12 production during toxoplasmosis. <i>Infection and Immunity</i> , 2014 , 82, 4056-67	3.7	29
105	Differential induction of TLR3-dependent innate immune signaling by closely related parasite species. <i>PLoS ONE</i> , 2014 , 9, e88398	3.7	51
104	Innate Immunity to Parasitic Infections 2014 , 225-236		
103	Timed action of IL-27 protects from immunopathology while preserving defense in influenza. <i>PLoS Pathogens</i> , 2014 , 10, e1004110	7.6	46
102	Parasite fate and involvement of infected cells in the induction of CD4+ and CD8+ T cell responses to <i>Toxoplasma gondii</i> . <i>PLoS Pathogens</i> , 2014 , 10, e1004047	7.6	71
101	IL-30 (IL27p28) attenuates liver fibrosis through inducing NKG2D- <i>rae1</i> interaction between NKT and activated hepatic stellate cells in mice. <i>Hepatology</i> , 2014 , 60, 2027-39	11.2	74
100	Innate Immunity to <i>Toxoplasma gondii</i> 2014 , 797-817		
99	Disruption of TgPHIL1 alters specific parameters of <i>Toxoplasma gondii</i> motility measured in a quantitative, three-dimensional live motility assay. <i>PLoS ONE</i> , 2014 , 9, e85763	3.7	46
98	Immune Cell Trafficking in the Central Nervous System 2014 , 29-45		2
97	Replication and distribution of <i>Toxoplasma gondii</i> in the small intestine after oral infection with tissue cysts. <i>Infection and Immunity</i> , 2013 , 81, 1635-43	3.7	53
96	<i>Toxoplasma gondii</i> rhoptry 16 kinase promotes host resistance to oral infection and intestinal inflammation only in the context of the dense granule protein GRA15. <i>Infection and Immunity</i> , 2013 , 81, 2156-67	3.7	64
95	IL-27 receptor signalling restricts the formation of pathogenic, terminally differentiated Th1 cells during malaria infection by repressing IL-12 dependent signals. <i>PLoS Pathogens</i> , 2013 , 9, e1003293	7.6	40
94	IL-27 receptor signaling regulates CD4+ T cell chemotactic responses during infection. <i>Journal of Immunology</i> , 2013 , 190, 4553-61	5.3	21
93	IL-21 is required for optimal antibody production and T cell responses during chronic <i>Toxoplasma gondii</i> infection. <i>PLoS ONE</i> , 2013 , 8, e62889	3.7	23

92	Cutting edge: suppression of GM-CSF expression in murine and human T cells by IL-27. <i>Journal of Immunology</i> , 2012 , 189, 2079-83	5.3	38
91	Interleukin-27: balancing protective and pathological immunity. <i>Immunity</i> , 2012 , 37, 960-9	32.3	187
90	The cytokines interleukin 27 and interferon- γ promote distinct Treg cell populations required to limit infection-induced pathology. <i>Immunity</i> , 2012 , 37, 511-23	32.3	260
89	Immune response and immunopathology during toxoplasmosis. <i>Seminars in Immunopathology</i> , 2012 , 34, 793-813	12	204
88	Interleukin-27 priming of T cells controls IL-17 production in trans via induction of the ligand PD-L1. <i>Immunity</i> , 2012 , 36, 1017-30	32.3	195
87	New directions in the basic and translational biology of interleukin-27. <i>Trends in Immunology</i> , 2012 , 33, 91-7	14.4	91
86	The immunobiology of IL-27. <i>Advances in Immunology</i> , 2012 , 115, 1-44	5.6	93
85	Modulation of innate immunity by <i>Toxoplasma gondii</i> virulence effectors. <i>Nature Reviews Microbiology</i> , 2012 , 10, 766-78	22.2	333
84	The composition and signaling of the IL-35 receptor are unconventional. <i>Nature Immunology</i> , 2012 , 13, 290-9	19.1	309
83	Generalized L α walks and the role of chemokines in migration of effector CD8 $^{+}$ T cells. <i>Nature</i> , 2012 , 486, 545-8	50.4	364
82	<i>Toxoplasma</i> co-opts host cells it does not invade. <i>PLoS Pathogens</i> , 2012 , 8, e1002825	7.6	102
81	Infection with <i>Toxoplasma gondii</i> alters lymphotoxin expression associated with changes in splenic architecture. <i>Infection and Immunity</i> , 2012 , 80, 3602-10	3.7	30
80	Pivotal advance: peritoneal cavity B-1 B cells have phagocytic and microbicidal capacities and present phagocytosed antigen to CD4 $^{+}$ T cells. <i>Journal of Leukocyte Biology</i> , 2012 , 91, 525-36	6.5	135
79	<i>Toxoplasma</i> polymorphic effectors determine macrophage polarization and intestinal inflammation. <i>Cell Host and Microbe</i> , 2011 , 9, 472-83	23.4	159
78	A critical role for SOCS3 in innate resistance to <i>Toxoplasma gondii</i> . <i>Cell Host and Microbe</i> , 2011 , 10, 224-36	35.4	60
77	CXCL10 is required to maintain T-cell populations and to control parasite replication during chronic ocular toxoplasmosis 2011 , 52, 389-98		43
76	Subcellular antigen location influences T-cell activation during acute infection with <i>Toxoplasma gondii</i> . <i>PLoS ONE</i> , 2011 , 6, e22936	3.7	29
75	A role for IL-27 in limiting T regulatory cell populations. <i>Journal of Immunology</i> , 2011 , 187, 266-73	5.3	75

74	IL-6 mediates the susceptibility of glycoprotein 130 hypermorphs to <i>Toxoplasma gondii</i> . <i>Journal of Immunology</i> , 2011 , 187, 350-60	5.3	31
73	Analysis of behavior and trafficking of dendritic cells within the brain during toxoplasmic encephalitis. <i>PLoS Pathogens</i> , 2011 , 7, e1002246	7.6	51
72	A role for IL-27p28 as an antagonist of gp130-mediated signaling. <i>Nature Immunology</i> , 2010 , 11, 1119-26	19.1	139
71	Essential role for IL-27 receptor signaling in prevention of Th1-mediated immunopathology during malaria infection. <i>Journal of Immunology</i> , 2010 , 185, 2482-92	5.3	89
70	Role of the NF- κ B transcription factor c-Rel in the generation of CD8+ T-cell responses to <i>Toxoplasma gondii</i> . <i>International Immunology</i> , 2010 , 22, 851-61	4.9	11
69	Advances in imaging the innate and adaptive immune response to <i>Toxoplasma gondii</i> . <i>Future Microbiology</i> , 2010 , 5, 1321-8	2.9	13
68	Virulence of <i>Toxoplasma gondii</i> is associated with distinct dendritic cell responses and reduced numbers of activated CD8+ T cells. <i>Journal of Immunology</i> , 2010 , 185, 1502-12	5.3	41
67	gp130 at the nexus of inflammation, autoimmunity, and cancer. <i>Journal of Leukocyte Biology</i> , 2010 , 88, 1145-56	6.5	163
66	Regulation of CD8+ T cell responses to infection with parasitic protozoa. <i>Experimental Parasitology</i> , 2010 , 126, 318-25	2.1	51
65	Trafficking of immune cells in the central nervous system. <i>Journal of Clinical Investigation</i> , 2010 , 120, 1368-79	15.9	356
64	Advances in understanding immunity to <i>Toxoplasma gondii</i> . <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009 , 104, 201-10	2.6	30
63	IL-27 blocks ROR γ c expression to inhibit lineage commitment of Th17 cells. <i>Journal of Immunology</i> , 2009 , 182, 5748-56	5.3	265
62	Kinetics and phenotype of vaccine-induced CD8+ T-cell responses to <i>Toxoplasma gondii</i> . <i>Infection and Immunity</i> , 2009 , 77, 3894-901	3.7	45
61	Dynamic Imaging of CD8(+) T cells and dendritic cells during infection with <i>Toxoplasma gondii</i> . <i>PLoS Pathogens</i> , 2009 , 5, e1000505	7.6	93
60	IL-27 regulates homeostasis of the intestinal CD4+ effector T cell pool and limits intestinal inflammation in a murine model of colitis. <i>Journal of Immunology</i> , 2009 , 183, 2037-44	5.3	57
59	IL-27 regulates IL-10 and IL-17 from CD4+ cells in nonhealing <i>Leishmania major</i> infection. <i>Journal of Immunology</i> , 2009 , 183, 4619-27	5.3	107
58	Behavior of parasite-specific effector CD8+ T cells in the brain and visualization of a kinesis-associated system of reticular fibers. <i>Immunity</i> , 2009 , 30, 300-11	32.3	146
57	Decrease of Foxp3+ Treg cell number and acquisition of effector cell phenotype during lethal infection. <i>Immunity</i> , 2009 , 31, 772-86	32.3	460

56	Anomalous type 17 response to viral infection by CD8+ T cells lacking T-bet and eomesodermin. <i>Science</i> , 2008 , 321, 408-11	33.3	299
55	Immunology. Neutrophil soldiers or Trojan Horses?. <i>Science</i> , 2008 , 321, 917-8	33.3	40
54	Plasmacytoid dendritic cells are activated by <i>Toxoplasma gondii</i> to present antigen and produce cytokines. <i>Journal of Immunology</i> , 2008 , 180, 6229-36	5.3	80
53	Immunodominance and recognition of intracellular pathogens. <i>Journal of Infectious Diseases</i> , 2008 , 198, 1579-81	7	9
52	T cell expression of MyD88 is required for resistance to <i>Toxoplasma gondii</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 3855-60	11.5	85
51	IL-27R deficiency delays the onset of colitis and protects from helminth-induced pathology in a model of chronic IBD. <i>International Immunology</i> , 2008 , 20, 739-52	4.9	38
50	New paradigms in inflammation: where to next?. <i>Immunological Reviews</i> , 2008 , 226, 6-9	11.3	1
49	IL-27-IL-27R interactions regulate homeostasis of the TH17 pool and limit intestinal inflammation. <i>FASEB Journal</i> , 2008 , 22, 1069.7	0.9	
48	Interleukins 27 and 6 induce STAT3-mediated T cell production of interleukin 10. <i>Nature Immunology</i> , 2007 , 8, 1363-71	19.1	639
47	Presentation of <i>Toxoplasma gondii</i> antigens via the endogenous major histocompatibility complex class I pathway in nonprofessional and professional antigen-presenting cells. <i>Infection and Immunity</i> , 2007 , 75, 5200-9	3.7	65
46	Discovery and biology of IL-23 and IL-27: related but functionally distinct regulators of inflammation. <i>Annual Review of Immunology</i> , 2007 , 25, 221-42	34.7	627
45	IL-27 limits IL-2 production during Th1 differentiation. <i>Journal of Immunology</i> , 2006 , 176, 237-47	5.3	182
44	Interleukin-27R (WSX-1/T-cell cytokine receptor) gene-deficient mice display enhanced resistance to leishmania donovani infection but develop severe liver immunopathology. <i>American Journal of Pathology</i> , 2006 , 168, 158-69	5.8	115
43	Interleukin 27 negatively regulates the development of interleukin 17-producing T helper cells during chronic inflammation of the central nervous system. <i>Nature Immunology</i> , 2006 , 7, 937-45	19.1	774
42	New IL-12-family members: IL-23 and IL-27, cytokines with divergent functions. <i>Nature Reviews Immunology</i> , 2005 , 5, 521-31	36.5	658
41	A critical role for IL-10 in limiting inflammation during toxoplasmic encephalitis. <i>Journal of Neuroimmunology</i> , 2005 , 165, 63-74	3.5	157
40	Positive and negative regulation of the IL-27 receptor during lymphoid cell activation. <i>Journal of Immunology</i> , 2005 , 174, 7684-91	5.3	139
39	Initiation and termination of NF-kappaB signaling by the intracellular protozoan parasite <i>Toxoplasma gondii</i> . <i>Journal of Cell Science</i> , 2005 , 118, 3501-8	5.3	55

38	Interleukin-15-deficient mice develop protective immunity to <i>Toxoplasma gondii</i> . <i>Infection and Immunity</i> , 2004 , 72, 6729-32	3-7	31
37	Development of a system to study CD4+T-cell responses to transgenic ovalbumin-expressing <i>Toxoplasma gondii</i> during toxoplasmosis. <i>Infection and Immunity</i> , 2004 , 72, 7240-6	3-7	53
36	The IL-27 receptor (WSX-1) is an inhibitor of innate and adaptive elements of type 2 immunity. <i>Journal of Immunology</i> , 2004 , 173, 5626-34	5-3	196
35	Cutting edge: early IL-4 production governs the requirement for IL-27-WSX-1 signaling in the development of protective Th1 cytokine responses following <i>Leishmania major</i> infection. <i>Journal of Immunology</i> , 2004 , 172, 4672-5	5-3	92
34	IL-23 provides a limited mechanism of resistance to acute toxoplasmosis in the absence of IL-12. <i>Journal of Immunology</i> , 2004 , 173, 1887-93	5-3	135
33	STAT1 plays a critical role in the regulation of antimicrobial effector mechanisms, but not in the development of Th1-type responses during toxoplasmosis. <i>Journal of Immunology</i> , 2004 , 172, 457-63	5-3	110
32	TRAF6-dependent mitogen-activated protein kinase activation differentially regulates the production of interleukin-12 by macrophages in response to <i>Toxoplasma gondii</i> . <i>Infection and Immunity</i> , 2004 , 72, 5662-7	3-7	52
31	New lessons from old pathogens: what parasitic infections have taught us about the role of nuclear factor-kappaB in the regulation of immunity. <i>Immunological Reviews</i> , 2004 , 201, 48-56	11-3	47
30	The role of IL-27 in the development of T-cell responses during parasitic infections. <i>Immunological Reviews</i> , 2004 , 202, 106-14	11-3	47
29	The role of astrocytes in the immunopathogenesis of toxoplasmic encephalitis. <i>International Journal for Parasitology</i> , 2004 , 34, 543-8	4-3	68
28	Costimulation in resistance to infection and development of immune pathology: lessons from toxoplasma. <i>Immunologic Research</i> , 2003 , 27, 331-40	4-3	8
27	Understanding the role of the CD40-CD40L interaction in resistance to parasitic infections. <i>Parasite Immunology</i> , 2003 , 25, 179-83	2-2	6
26	The IL-27R (WSX-1) is required to suppress T cell hyperactivity during infection. <i>Immunity</i> , 2003 , 19, 645-55	5-3	388
25	IL-10 fails to inhibit the production of IL-18 in response to inflammatory stimuli. <i>Cytokine</i> , 2003 , 21, 84-90		8
24	Control of effector CD8+ T cell function by the transcription factor Eomesodermin. <i>Science</i> , 2003 , 302, 1041-3	33-3	750
23	An essential role of Th1 responses and interferon gamma in infection-mediated suppression of neoplastic growth. <i>Cancer Biology and Therapy</i> , 2003 , 2, 687-93	4-6	15
22	Regulatory pathways involved in the infection-induced production of IFN-gamma by NK cells. <i>Microbes and Infection</i> , 2002 , 4, 1531-8	9-3	68
21	Cutting edge: identification of c-Rel-dependent and -independent pathways of IL-12 production during infectious and inflammatory stimuli. <i>Journal of Immunology</i> , 2002 , 168, 2590-4	5-3	92

20	Susceptibility of interleukin-2-deficient mice to <i>Toxoplasma gondii</i> is associated with a defect in the production of gamma interferon. <i>Infection and Immunity</i> , 2002 , 70, 4757-61	3.7	28
19	NF-kappa B2 is required for optimal CD40-induced IL-12 production but dispensable for Th1 cell Differentiation. <i>Journal of Immunology</i> , 2002 , 168, 4406-13	5.3	45
18	Contribution of interleukin-12 (IL-12) and the CD28/B7 and CD40/CD40 ligand pathways to the development of a pathological T-cell response in IL-10-deficient mice. <i>Infection and Immunity</i> , 2002 , 70, 6940-7	3.7	16
17	A role for inducible costimulator protein in the CD28- independent mechanism of resistance to <i>Toxoplasma gondii</i> . <i>Journal of Immunology</i> , 2002 , 169, 937-43	5.3	52
16	The role of cytokines and their signaling pathways in the regulation of immunity to <i>Toxoplasma gondii</i> . <i>International Reviews of Immunology</i> , 2002 , 21, 373-403	4.6	60
15	Interleukin-10 does not contribute to the pathogenesis of a virulent strain of <i>Toxoplasma gondii</i> . <i>Parasite Immunology</i> , 2001 , 23, 291-6	2.2	27
14	A role for CD44 in the production of IFN-gamma and immunopathology during infection with <i>Toxoplasma gondii</i> . <i>Journal of Immunology</i> , 2001 , 166, 5726-32	5.3	32
13	Bystander activation of CD8+ T cells contributes to the rapid production of IFN-gamma in response to bacterial pathogens. <i>Journal of Immunology</i> , 2001 , 166, 1097-105	5.3	232
12	The CD40/CD40 ligand interaction is required for resistance to toxoplasmic encephalitis. <i>Infection and Immunity</i> , 2000 , 68, 1312-8	3.7	102
11	Identification of STAT4-dependent and independent mechanisms of resistance to <i>Toxoplasma gondii</i> . <i>Journal of Immunology</i> , 2000 , 165, 2619-27	5.3	76
10	Blockade of costimulation prevents infection-induced immunopathology in interleukin-10-deficient mice. <i>Infection and Immunity</i> , 2000 , 68, 2837-44	3.7	28
9	Interleukin-18 (IL-18) enhances innate IL-12-mediated resistance to <i>Toxoplasma gondii</i> . <i>Infection and Immunity</i> , 2000 , 68, 6932-8	3.7	94
8	IL-10 enhances NK cell proliferation, cytotoxicity and production of IFN-gamma when combined with IL-18. <i>European Journal of Immunology</i> , 1999 , 29, 2658-65	6.1	151
7	IL-10 enhances NK cell proliferation, cytotoxicity and production of IFN- γ when combined with IL-18 1999 , 29, 2658		4
6	Type I interferons enhance production of IFN-gamma by NK cells. <i>Immunology Letters</i> , 1997 , 59, 1-5	4.1	82
5	Comparison of the effects of interleukin-1 alpha, interleukin-1 beta and interferon-gamma-inducing factor on the production of interferon-gamma by natural killer. <i>European Journal of Immunology</i> , 1997 , 27, 2787-92	6.1	114
4	Transforming growth factor-beta inhibits interleukin-12-induced production of interferon-gamma by natural killer cells: a role for transforming growth factor-beta in the regulation of T cell-independent resistance to <i>Toxoplasma gondii</i> . <i>European Journal of Immunology</i> , 1995 , 25, 994-1000	6.1	126
3	BATF3-dependent induction of IL-27 in B cells bridges the innate and adaptive stages of the antibody response		1

2 cDC1 Coordinate Innate and Adaptive Responses in the Omentum required for T cell Priming and Memory 1

1 Innate Immunity to Parasitic Infections111-125 2