

Nobuyasu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8661721/publications.pdf>

Version: 2024-02-01

58
papers

1,489
citations

471477

17
h-index

315719

38
g-index

58
all docs

58
docs citations

58
times ranked

1485
citing authors

#	ARTICLE	IF	CITATIONS
1	A Survey of Perfluorooctane Sulfonate and Related Perfluorinated Organic Compounds in Water, Fish, Birds, and Humans from Japan. <i>Environmental Science & Technology</i> , 2003, 37, 2634-2639.	10.0	454
2	Occurrence of Polybrominated Biphenyls, Polybrominated Dibenzo-p-dioxins, and Polybrominated Dibenzofurans as Impurities in Commercial Polybrominated Diphenyl Ether Mixtures. <i>Environmental Science & Technology</i> , 2006, 40, 4400-4405.	10.0	163
3	Polychlorinated Dibenzo-p-dioxin and Dibenzofuran Concentration Profiles in Sediments and Flood-Plain Soils of the Tittabawassee River, Michigan. <i>Environmental Science & Technology</i> , 2003, 37, 468-474.	10.0	107
4	Isomer-specific analysis of chlorinated biphenyls, naphthalenes and dibenzofurans in Delor: polychlorinated biphenyl preparations from the former Czechoslovakia. <i>Environmental Pollution</i> , 2003, 126, 169-178.	7.5	75
5	Health risk assessment for polychlorinated biphenyls, polychlorinated dibenzo-p-dioxins and dibenzofurans, and polychlorinated naphthalenes in seafood from Guangzhou and Zhoushan, China. <i>Environmental Pollution</i> , 2007, 148, 31-39.	7.5	53
6	Polychlorinated biphenyls and -naphthalenes in pine needles and soil from Poland – Concentrations and patterns in view of long-term environmental monitoring. <i>Chemosphere</i> , 2007, 67, 1877-1886.	8.2	53
7	Preliminary health risk assessment for polybrominated diphenyl ethers and polybrominated dibenzo-p-dioxins/furans in seafood from Guangzhou and Zhoushan, China. <i>Marine Pollution Bulletin</i> , 2008, 57, 357-364.	5.0	49
8	Source determination of highly chlorinated biphenyl isomers in pine needles – Comparison to several PCB preparations. <i>Environmental Pollution</i> , 2006, 143, 46-59.	7.5	47
9	Dioxin-like compounds in pine needles around Tokyo Bay, Japan in 1999. <i>Journal of Environmental Monitoring</i> , 2004, 6, 305.	2.1	43
10	Mass balance method for purity assay of phthalic acid esters: development of primary reference materials as traceability sources in the Japan Calibration Service System. <i>Accreditation and Quality Assurance</i> , 2011, 16, 311-322.	0.8	39
11	Polychlorinated Dibenzo-p-dioxins, Dibenzofurans, Biphenyls, and Naphthalenes in Plasma of Workers Deployed at the World Trade Center after the Collapse. <i>Environmental Science & Technology</i> , 2010, 44, 5188-5194.	10.0	38
12	Dioxin-like compound compositional profiles of furnace bottom ashes from household combustion in Poland and their possible associations with contamination status of agricultural soil and pine needles. <i>Chemosphere</i> , 2009, 76, 255-263.	8.2	33
13	Airborne chloronaphthalenes in Scots pine needles of Poland. <i>Chemosphere</i> , 2009, 75, 1196-1205.	8.2	31
14	Development of Certified Reference Material for Quantification of Two Pesticides in Brown Rice. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 8208-8212.	5.2	28
15	Possible precursor of perylene in sediments of Lake Biwa elucidated by stable carbon isotope composition. <i>Geochemical Journal</i> , 2010, 44, 161-166.	1.0	28
16	Separation of closely eluting chloronaphthalene congeners by two-dimensional gas chromatography/quadrupole mass spectrometry: An advanced tool in the study and risk analysis of dioxin-like chloronaphthalenes. <i>Journal of Chromatography A</i> , 2013, 1301, 209-214.	3.7	27
17	Distribution of Persistent Organohalogen Compounds in Pine Needles from Selected Locations in Kentucky and Georgia, USA. <i>Archives of Environmental Contamination and Toxicology</i> , 2008, 54, 422-439.	4.1	20
18	Certification of water content in NMIJ CRM 4222-a, water standard solution 0.1 mg g ⁻¹ , by coulometric and volumetric Karl Fischer titration. <i>Analytical Methods</i> , 2014, 6, 2785-2790.	2.7	16

#	ARTICLE	IF	CITATIONS
19	Polychlorinated dibenzo- <i>p</i> -dioxins (PCDDs) and furans (PCDFs) in pine needles of Poland. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2007, 42, 1969-1978.	1.7	14
20	Comparison of terpenes in extracts from the resin and the bark of the resinous stem canker of <i>Chamaecyparis obtusa</i> and <i>Thujaopsis dolabrata</i> var. <i>hondae</i> . <i>Journal of Wood Science</i> , 2002, 48, 56-63.	1.9	13
21	Characterization of Certified Reference Material for the Quantification of Water in Bioethanol. <i>Analytical Sciences</i> , 2012, 28, 1089-1095.	1.6	13
22	Variation in concentration of perfluorooctanoic acid in methanol solutions during storage. <i>Chemosphere</i> , 2014, 94, 116-120.	8.2	9
23	Evaluation of supercritical fluid extraction for the determination of neonicotinoid pesticides in green onion. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2020, 55, 604-612.	1.5	9
24	Analysis of individual polychlorinated naphthalene congeners and dioxin-like compounds in a dated sediment core from Lake Kitaura, Japan.. <i>Bunseki Kagaku</i> , 2002, 51, 1009-1018.	0.2	8
25	Water content variation of p-n-heptylphenol reference material. <i>Accreditation and Quality Assurance</i> , 2010, 15, 673-679.	0.8	7
26	Characterization of water content in biodiesel fuel certified reference material (NMIJ CRM 8302-a). <i>Accreditation and Quality Assurance</i> , 2016, 21, 361-366.	0.8	7
27	Evaluation of the impact of matrix effects in LC/MS measurement on the accurate quantification of neonicotinoid pesticides in food by isotope-dilution mass spectrometry. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2019, 54, 467-474.	1.5	7
28	Photodegradation of polychlorinated naphthalene in mixtures. <i>Environmental Pollution</i> , 2020, 263, 114672.	7.5	7
29	Mixture Touch: A Web Platform for the Evaluation of Complex Chemical Mixtures. <i>ACS Omega</i> , 2020, 5, 8121-8126.	3.5	7
30	A new diterpene dimer from the bark of <i>Chamaecyparis obtusa</i> . <i>Journal of Wood Science</i> , 2001, 47, 36-40.	1.9	6
31	Optimization of Microwave-Assisted Extraction for the Determination of Organic Flame Retardants in Acrylonitrile Butadiene Styrene. <i>Analytical Letters</i> , 2015, 48, 2319-2328.	1.8	6
32	Proficiency testing by the National Metrology Institute of Japan for quantification of pesticide residues in grain samples from 2012 to 2018. <i>Journal of Pesticide Sciences</i> , 2019, 44, 192-199.	1.4	6
33	Certified calibration solution reference material for the determination of perfluorooctane sulfonate from the National Metrology Institute of Japan (NMIJ). <i>International Journal of Environmental Analytical Chemistry</i> , 2013, 93, 692-705.	3.3	5
34	Development of plastic disks containing flame retardants for elucidating changes in their concentrations due to simulated weathering and the application of these disks to weathering tests. <i>Environmental Monitoring and Assessment</i> , 2017, 189, 92.	2.7	5
35	Purity Evaluation of Alkylphenol Primary Standards Based on Japan Calibration Service System by Subtraction Method. <i>Bunseki Kagaku</i> , 2011, 60, 877-884.	0.2	4
36	Certification of reference materials for the determination of alkylphenols. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 3239-3247.	3.7	4

#	ARTICLE	IF	CITATIONS
37	Quantification of five neonicotinoids in human urine by modified QuEChERS with isotope dilution mass spectrometry: a preliminary study for the development of certified reference material. <i>International Journal of Environmental Analytical Chemistry</i> , 2018, 98, 1106-1117.	3.3	4
38	Elucidation of Affecting Factors in the Analysis of Short-chain Chlorinated Paraffins Using a Candidate Reference Material. <i>Bunseki Kagaku</i> , 2020, 69, 351-356.	0.2	4
39	Comparison of short-chain chlorinated paraffin concentrations and homolog profiles by interlaboratory trial using a candidate reference material. <i>Chemosphere</i> , 2022, 291, 132783.	8.2	4
40	Analysis of polychlorinated naphthalenes and dioxin-like compounds in pine needle leaf by high-resolution GC/high-resolution MS. <i>Bunseki Kagaku</i> , 2003, 52, 127-138.	0.2	3
41	Influence of desorption and sorption of water on the purity of perfluorooctanoic acid. <i>Accreditation and Quality Assurance</i> , 2013, 18, 137-142.	0.8	3
42	Evaluation of perfluorooctanoic acid purity based on potentiometric titration. <i>Analytical Methods</i> , 2014, 6, 3177-3182.	2.7	3
43	Evaluation of pressurized liquid extraction for the determination of neonicotinoid pesticides in green onion. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2019, 54, 640-646.	1.5	3
44	Characterization of water in methylcyclohexane as a certified reference material for determination of trace water content in liquids. <i>Metrologia</i> , 2019, 56, 034004.	1.2	3
45	Conventional and new traceability schemes of organic standards for safe water supply in Japan. <i>Metrologia</i> , 2019, 56, 034002.	1.2	3
46	Distinction of resin compounds between the healthy bark and the resinous stem canker of <i>Thujopsis dolabrata</i> var. <i>hondae</i> . <i>Journal of Wood Science</i> , 2003, 49, 548-552.	1.9	2
47	Mineral oil certified reference materials for the determination of polychlorinated biphenyls from the National Metrology Institute of Japan (NMIJ). <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 1985-1995.	3.7	2
48	Development of a certified reference material for the determination of perfluorooctanoic acid. <i>Accreditation and Quality Assurance</i> , 2014, 19, 391-396.	0.8	2
49	Pre-Feasibility Study on Environmental Pollution of Dechlorane Plus in Resins by Accelerated Weathering Tests. <i>Journal of Environmental Chemistry</i> , 2016, 26, 61-66.	0.2	2
50	Certified reference material for the determination of perfluorooctane sulfonate in acrylonitrile-butadiene-styrene resin (NMIJ CRM 8155-a). <i>International Journal of Environmental Analytical Chemistry</i> , 2018, 98, 56-66.	3.3	2
51	Development of a Certified Reference Material (NMIJ CRM 4228) for the Determination of Water Content in Liquids. <i>Bunseki Kagaku</i> , 2018, 67, 619-624.	0.2	2
52	Reliable Evaluation of the Lateral Resolution of a Confocal Raman Microscope by Using the Tungsten-dot Array Certified Reference Material. <i>Analytical Sciences</i> , 2020, 36, 1009-1013.	1.6	2
53	Source identification of polychlorinated naphthalenes, dioxins and related compounds in pine needles from Tokyo Bay, Japan and Poland. <i>Bunseki Kagaku</i> , 2004, 53, 1399-1409.	0.2	1
54	Effect of Long-time Heating for Elements from Flame Retardants in Acrylonitrile Butadiene Styrene and Polycarbonate Resin Disks. <i>Analytical Sciences</i> , 2018, 34, 1365-1371.	1.6	1

#	ARTICLE	IF	CITATIONS
55	Certified Reference Material for the Quantification of Phthalates in Polyvinyl Chloride Resin (NMIJ) Tj ETQq1 1 0.784314 rgBT ₁ /Overlo	1.8	1
56	A reference material (NMIJ RM 4076-a) for the determination of short-chain chlorinated paraffins. Environmental Science and Pollution Research, 2022, 29, 46273-46281.	5.3	1
57	Congener-Specific Determination of Brominated/Chlorinated Dioxins and Related Compounds by Two-Dimensional HPLC Cleanup System. Bunseki Kagaku, 2006, 55, 491-500.	0.2	0
58	Evaluation of flame retardancy and flexural property on prepared plastic disks containing known concentrations of flame retardants through simulated weathering tests. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2021, 56, 1287-1295.	1.7	0