Gregory Mahy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8662476/publications.pdf

Version: 2024-02-01

136950 144013 3,895 107 32 57 citations h-index g-index papers 114 114 114 5023 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Urban alien plants in temperate oceanic regions of Europe originate from warmer native ranges. Biological Invasions, 2021, 23, 1765-1779.	2.4	11
2	A shift from phenol to silicaâ€based leaf defences during longâ€term soil and ecosystem development. Ecology Letters, 2021, 24, 984-995.	6.4	27
3	Impact of ecosystem water balance and soil parent material on silicon dynamics: insights from three long-term chronosequences. Biogeochemistry, 2021, 156, 335-350.	3. 5	4
4	Plant community assembly along a natural metal gradient in central Africa: Functional and phylogenetic approach. Journal of Vegetation Science, 2020, 31, 151-161.	2.2	9
5	The success of rock translocation for populations of the chasmophytic Aeollanthus saxatilis (Lamiaceae). Journal for Nature Conservation, 2020, 53, 125777.	1.8	O
6	Ecological niche distribution along soil toxicity gradients: Bridging theoretical expectations and metallophyte conservation. Ecological Modelling, 2020, 415, 108861.	2.5	3
7	Loss of pollinator specialization revealed by historical opportunistic data: Insights from network-based analysis. PLoS ONE, 2020, 15, e0235890.	2.5	12
8	Floristic evidence for alternative biome states in tropical Africa. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 28183-28190.	7.1	41
9	Plants sustain the terrestrial silicon cycle during ecosystem retrogression. Science, 2020, 369, 1245-1248.	12.6	57
10	How Are Landscapes under Agroecological Transition Perceived and Appreciated? A Belgian Case Study. Sustainability, 2020, 12, 2480.	3.2	5
11	A framework to identify constraints to post-extinction recovery of plant speciesâ€"Application to the case of Bromus bromoideus. Journal for Nature Conservation, 2020, 54, 125802.	1.8	4
12	Topsoil translocation in extensively managed arable field margins promotes plant species richness and threatened arable plant species. Journal of Environmental Management, 2020, 260, 110126.	7.8	4
13	Interspecific trait integration increases with environmental harshness: A case study along a metal toxicity gradient. Functional Ecology, 2020, 34, 1428-1437.	3.6	15
14	Seed desiccation-tolerance is a common feature of threatened taxa in metalliferous tropical grasslands from southeastern DR Congo. Journal for Nature Conservation, 2020, 56, 125842.	1.8	4
15	The influence of ecological infrastructures adjacent to crops on their carabid assemblages in intensive agroecosystems. Peerl, 2020, 8, e8094.	2.0	11
16	Comment on "The global tree restoration potential― Science, 2019, 366, .	12.6	185
17	Management of Grassland-like Wildflower Strips Sown on Nutrient-rich Arable Soils: The Role of Grass Density and Mowing Regime. Environmental Management, 2019, 63, 647-657.	2.7	22
18	A sharp floristic discontinuity revealed by the biogeographic regionalization of African savannas. Journal of Biogeography, 2019, 46, 454-465.	3.0	17

#	Article	IF	Citations
19	Mobility of copper and cobalt in metalliferous ecosystems: Results of a lysimeter study in the Lubumbashi Region (Democratic Republic of Congo). Journal of Geochemical Exploration, 2019, 196, 208-218.	3.2	9
20	Comparison of mining spoils to determine the best substrate for rehabilitating limestone quarries by favoring native grassland species over invasive plants. Ecological Engineering, 2019, 127, 510-518.	3.6	9
21	Resilience and restoration of tropical and subtropical grasslands, savannas, and grassy woodlands. Biological Reviews, 2019, 94, 590-609.	10.4	205
22	Naturally recruited herbaceous vegetation in abandoned Belgian limestone quarries: towards habitats of conservation interest analogues?. Folia Geobotanica, 2018, 53, 147-158.	0.9	7
23	Towards a population approach for evaluating grassland restoration—a systematic review. Restoration Ecology, 2018, 26, 227-234.	2.9	10
24	Functional traits of a broad-niched metallophyte along a toxicity gradient: disentangling intra and inter-population variation. Environmental and Experimental Botany, 2018, 156, 240-247.	4.2	2
25	Using phytostabilisation to conserve threatened endemic species in southeastern Democratic Republic of the Congo. Ecological Research, 2018, 33, 789-798.	1.5	4
26	Drought stress inducing intraspecific variability in Potentilla tabernaemontani (Rosaceae), a calcareous grassland species. Plant Ecology and Evolution, 2018, 151, 153-158.	0.7	0
27	Specialized edaphic niches of threatened copper endemic plant species in the D.R. Congo: implications for ex situ conservation. Plant and Soil, 2017, 413, 261-273.	3.7	10
28	Copper and cobalt accumulation in plants: a critical assessment of the current state of knowledge. New Phytologist, 2017, 213, 537-551.	7.3	190
29	Increasing plant functional diversity is not the key for supporting pollinators in wildflower strips. Agriculture, Ecosystems and Environment, 2017, 249, 144-155.	5.3	31
30	Community variation in plant traits along copper and cobalt gradients. Journal of Vegetation Science, 2016, 27, 854-864.	2.2	20
31	Diaspore heteromorphism in the invasive Bromus tectorum L. (Poaceae): Sterile florets increase dispersal propensity and distance. Flora: Morphology, Distribution, Functional Ecology of Plants, 2016, 224, 7-13.	1.2	6
32	Edaphic niches of metallophytes from southeastern Democratic Republic of Congo: Implications for post-mining restoration. Journal for Nature Conservation, 2016, 33, 18-24.	1.8	7
33	Developing biodiversity indicators on a stakeholders' opinions basis: the gypsum industry Key Performance Indicators framework. Environmental Science and Pollution Research, 2016, 23, 13661-13671.	5.3	12
34	Effects of seed traits variation on seedling performance of the invasive weed, Ambrosia artemisiifolia L Acta Oecologica, 2016, 71, 39-46.	1.1	18
35	Performance variation of common ragweed (Ambrosia artemisiifolia L.) across invasion levels in Western Europe. Flora: Morphology, Distribution, Functional Ecology of Plants, 2016, 220, 134-141.	1.2	7
36	Implication of plant-soil relationships for conservation and restoration of copper-cobalt ecosystems. Plant and Soil, 2016, 403, 153-165.	3.7	26

#	Article	IF	Citations
37	Assessment of soil metal distribution and environmental impact of mining in Katanga (Democratic) Tj ETQq1	l 0.784314 r _§	gBŢ /Overloc
38	Potential of copper-tolerant grasses to implement phytostabilisation strategies on polluted soils in South D. R. Congo. Environmental Science and Pollution Research, 2016, 23, 13693-13705.	5.3	31
39	Comparison of translocation methods to conserve metallophyte communities in the Southeastern D.R. Congo. Environmental Science and Pollution Research, 2016, 23, 13681-13692.	5.3	22
40	Specialist plant species harbour higher reproductive performances in recently restored calcareous grasslands than in reference habitats. Plant Ecology and Evolution, 2015, 148, 181-190.	0.7	5
41	Where Tree Planting and Forest Expansion are Bad for Biodiversity and Ecosystem Services. BioScience, 2015, 65, 1011-1018.	4.9	298
42	Response of plant functional traits during the restoration of calcareous grasslands from forest stands. Ecological Indicators, 2015, 48, 408-416.	6.3	25
43	Tyranny of trees in grassy biomes. Science, 2015, 347, 484-485.	12.6	140
44	Vegetative Regeneration Capacities of Five Ornamental Plant Invaders After Shredding. Environmental Management, 2015, 55, 423-430.	2.7	2
45	Plant functional traits as a promising tool for the ecological restoration of degraded tropical metal-rich habitats and revegetation of metal-rich bare soils: A case study in copper vegetation of Katanga, DRC. Ecological Engineering, 2015, 82, 214-221.	3.6	46
46	Toward an oldâ€growth concept for grasslands, savannas, and woodlands. Frontiers in Ecology and the Environment, 2015, 13, 154-162.	4.0	349
47	Three years of phytostabilisation experiment of bare acidic soil extremely contaminated by copper smelting using plant biodiversity of metal-rich soils in tropical Africa (Katanga, DR Congo). Ecological Engineering, 2015, 82, 81-90.	3.6	34
48	The voluntary <scp>C</scp> ode of conduct on invasive alien plants in <scp>B</scp> elgium: results and lessons learned from the <scp>A</scp> lter <scp>IAS LIFE</scp> + project. EPPO Bulletin, 2014, 44, 212-222.	0.8	13
49	Prediction of the edaphic factors influence upon the copper and cobalt accumulation in two metallophytes using copper and cobalt speciation in soils. Plant and Soil, 2014, 379, 275-287.	3.7	44
50	Speciation slowing down in widespread and long-living tree taxa: insights from the tropical timber tree genus Milicia (Moraceae). Heredity, 2014, 113, 74-85.	2.6	24
51	Chemical soil factors influencing plant assemblages along copper-cobalt gradients: implications for conservation and restoration. Plant and Soil, 2013, 373, 455-469.	3.7	30
52	Why some species cannot colonise restored habitats? The effects of seed and microsite availability. Journal for Nature Conservation, 2013, 21, 189-197.	1.8	14
53	Germination capacity and seed storage behaviour of threatened metallophytes from the Katanga copper belt (D.R.Congo): implications for ex situ conservation. Plant Ecology and Evolution, 2013, 146, 183-192.	0.7	15
54	Small-scale diversity of plant communities and distribution of species niches on a copper rock outcrop in Upper Katanga, D.R.Congo. Plant Ecology and Evolution, 2013, 146, 173-182.	0.7	18

#	Article	IF	Citations
55	Rapid Plant Invasion in Distinct Climates Involves Different Sources of Phenotypic Variation. PLoS ONE, 2013, 8, e55627.	2.5	30
56	Conservation and Management of a Threatened Traditional Agroresource, Ylangâ€Ylang, in the Indian Ocean Islands. Crop Science, 2012, 52, 2606-2618.	1.8	1
57	Phenological patterns in a natural population of a tropical timber tree species, <i>Milicia excelsa</i> (Moraceae): Evidence of isolation by time and its interaction with feeding strategies of dispersers. American Journal of Botany, 2012, 99, 1453-1463.	1.7	26
58	Can Land Managers Control Japanese Knotweed? Lessons from Control Tests in Belgium. Environmental Management, 2012, 50, 1089-1097.	2.7	35
59	Copper tolerance and accumulation in two cuprophytes of South Central Africa: Crepidorhopalon perennis and C. tenuis (Linderniaceae). Environmental and Experimental Botany, 2012, 84, 11-16.	4.2	34
60	Comparative Chemical and Molecular Variability of Cananga odorata (Lam.) Hook.f. & Thomson forma genuina (Ylang-Ylang) in the Western Indian Ocean Islands: Implication for Valorization. Chemistry and Biodiversity, 2012, 9, 1389-1402.	2.1	15
61	Investigating the Vegetation–Soil Relationships on the Copper–Cobalt Rock Outcrops of Katanga (D. R.) Tj E	TQq1 1 0.	784314 rg8
62	Ecology and Hybridization Potential of Two Sympatric Metallophytes, the Narrow Endemic <i><scp>C</scp>repidorhopalon perennis</i> (<scp>L</scp> inderniaceae) and its More Widespread Congener <i><scp>C</scp>. tenuis</i> . Biotropica, 2012, 44, 454-462.	1.6	15
63	Variation of growth and functional traits of invasive knotweeds (Fallopia spp.) in Belgium. Plant Ecology, 2012, 213, 419-430.	1.6	15
64	Conservation of an endemic metallophyte species: Effect of population history and vegetative density on the reproductive success of Viola calaminaria. Journal for Nature Conservation, 2011, 19, 72-78.	1.8	4
65	Plant species extinction debt in a temperate biodiversity hotspot: Community, species and functional traits approaches. Biological Conservation, 2011, 144, 1619-1629.	4.1	53
66	Rapid restoration of a species-rich ecosystem assessed from soil and vegetation indicators: The case of calcareous grasslands restored from forest stands. Ecological Indicators, 2011, 11, 724-733.	6.3	47
67	Patterns of hybridization and hybrid survival in the invasive alien Fallopia complex (Polygonaceae). Plant Ecology and Evolution, 2011, 144, 12-18.	0.7	11
68	Gestion de <i>Crassula helmsii</i> en Belgique plus difficile qu'il n'y paraît?. EPPO Bulletin, 2011, 41, 226-231.	0.8	4
69	May Rare Metallophytes Benefit from Disturbed Soils Following Mining Activity? The Case of the <i>Crepidorhopalon tenuis</i> in Katanga (D. R. Congo). Restoration Ecology, 2011, 19, 333-343.	2.9	35
70	Testing coexistence of extinction debt and colonization credit in fragmented calcareous grasslands with complex historical dynamics. Landscape Ecology, 2011, 26, 823-836.	4.2	28
71	Perception and Understanding of Invasive Alien Species Issues by Nature Conservation and Horticulture Professionals in Belgium. Environmental Management, 2011, 47, 425-442.	2.7	35
72	Copper endemism in the Congolese flora: a database of copper affinity and conservational value of cuprophytes. Plant Ecology and Evolution, 2010, 143, 5-18.	0.7	49

#	Article	IF	CITATIONS
73	PERSPECTIVE: Linking concepts in the ecology and evolution of invasive plants: network analysis shows what has been most studied and identifies knowledge gaps. Evolutionary Applications, 2010, 3, 193-202.	3.1	11
74	Colonization Credit in Restored Wet Heathlands. Restoration Ecology, 2010, 18, 645-655.	2.9	43
75	Evolution of dispersal traits along an invasion route in the wind-dispersed Senecio inaequidens (Asteraceae). Oikos, 2010, 119, 1563-1570.	2.7	56
76	Forest refugia revisited: nSSRs and cpDNA sequences support historical isolation in a wide-spread African tree with high colonization capacity, Milicia excelsa (Moraceae). Molecular Ecology, 2010, 19, 4462-4477.	3.9	47
77	Colonisation credit in recent wet heathland butterfly communities. Insect Conservation and Diversity, 2010, 3, 83-91.	3.0	10
78	Taxa distribution and RAPD markers indicate different origin and regional differentiation of hybrids in the invasive Fallopia complex in central-western Europe. Plant Biology, 2010, 12, 215-223.	3.8	37
79	Mucilage and polysaccharides in the halophyte plant species Kosteletzkya virginica: Localization and composition in relation to salt stress. Journal of Plant Physiology, 2010, 167, 382-392.	3.5	105
80	Historical landscape structure affects plant species richness in wet heathlands with complex landscape dynamics. Landscape and Urban Planning, 2010, 98, 92-98.	7.5	23
81	Spider communities as evaluation tools for wet heathland restoration. Ecological Indicators, 2010, 10, 773-780.	6.3	29
82	Decline of endemic Oncocyclus irises (Iridaceae) of Lebanon: survey and conservation needs. Oryx, 2009, 43, 91.	1.0	7
83	Clinal differentiation during invasion: Senecio inaequidens (Asteraceae) along altitudinal gradients in Europe. Oecologia, 2009, 159, 305-315.	2.0	65
84	Soil influence on Cu and Co uptake and plant size in the cuprophytes Crepidorhopalon perennis and C. tenuis (Scrophulariaceae) in SC Africa. Plant and Soil, 2009, 317, 201-212.	3.7	43
85	Spatial genetic structure in <i>Milicia excelsa</i> (Moraceae) indicates extensive gene dispersal in a lowâ€density windâ€pollinated tropical tree. Molecular Ecology, 2009, 18, 4398-4408.	3.9	45
86	Molecular and morphological variation of rare endemic oncocyclus irises (Iridaceae) of Lebanon. Botanical Journal of the Linnean Society, 2009, 159, 123-135.	1.6	9
87	An explicit test for the contribution of environmental maternal effects to rapid clinal differentiation in an invasive plant. Journal of Evolutionary Biology, 2009, 22, 917-926.	1.7	25
88	Landscape dynamics and habitat selection by the alien invasive Fallopia (Polygonaceae) in Belgium. Biodiversity and Conservation, 2008, 17, 2357-2370.	2.6	32
89	Kosteletzkya virginica, an agroecoengineering halophytic species for alternative agricultural production in China's east coast: Ecological adaptation and benefits, seed yield, oil content, fatty acid and biodiesel properties. Ecological Engineering, 2008, 32, 320-328.	3.6	68
90	Fitness and genetic variation of <i>Viola calaminaria</i> , an endemic metallophyte: implications of population structure and history. Plant Biology, 2008, 10, 684-693.	3.8	24

#	Article	IF	Citations
91	Hybridization and Sexual Reproduction in the Invasive Alien Fallopia (Polygonaceae) Complex in Belgium. Annals of Botany, 2007, 99, 193-203.	2.9	64
92	Withinâ€population genetic structure and clonal diversity of a threatened endemic metallophyte, <i>Viola calaminaria ⟨i⟩ (Violaceae). American Journal of Botany, 2007, 94, 887-895.</i>	1.7	20
93	Hybridization and morphogenetic variation in the invasive alien <i>Fallopia</i> (Polygonaceae) complex in Belgium. American Journal of Botany, 2007, 94, 1900-1910.	1.7	65
94	Genetic structure of quinoa (Chenopodium quinoa Willd.) from the Bolivian altiplano as revealed by RAPD markers. Genetic Resources and Crop Evolution, 2007, 54, 897-905.	1.6	40
95	Bimodal pollination system in rare endemic Oncocyclus irises (Iridaceae) of Lebanon. Canadian Journal of Botany, 2006, 84, 1327-1338.	1.1	28
96	Vegetation and seed bank in a calcareous grassland restored from a Pinus forest. Applied Vegetation Science, 2005, 8, 167.	1.9	44
97	Vegetation and seed bank in a calcareous grassland restored from a <i>Pinus</i> forest. Applied Vegetation Science, 2005, 8, 167-174.	1.9	45
98	Allozyme variation and genetic structure of Calluna vulgaris (heather) populations in Scotland: the effect of postglacial recolonization. Heredity, 1999, 82, 654-660.	2.6	20
99	Patterns of allozymic variation within Calluna vulgaris populations at seed bank and adult stages. Heredity, 1999, 82, 432-440.	2.6	43
100	Early Inbreeding Depression and Pollen Competition inCalluna vulgaris(L.) Hull Annals of Botany, 1999, 83, 697-704.	2.9	33
101	The generalist pollination system and reproductive success of Calluna vulgaris in the Upper Ardenne. Canadian Journal of Botany, 1998, 76, 1843-1851.	1.1	21
102	Mating system of Calluna vulgaris: self-sterility and outcrossing estimations. Canadian Journal of Botany, 1998, 76, 37-42.	1.1	7
103	Mating system of <i>Calluna vulgaris</i> : self-sterility and outcrossing estimations. Canadian Journal of Botany, 1998, 76, 37-42.	1.1	13
104	The generalist pollination system and reproductive success of <i>Calluna vulgaris </i> in the Upper Ardenne. Canadian Journal of Botany, 1998, 76, 1843-1851.	1.1	31
105	Allozyme diversity and genetic structure in Southâ€Western populations of heather, Calluna vulgaris. New Phytologist, 1997, 137, 325-334.	7.3	32
106	Arboreta reveal the invasive potential of several conifer species in the temperate forests of western Europe. NeoBiota, 0, 64, 23-42.	1.0	10
107	EFFECTIVENESS OF GREEN ROOFS IN STRENGTHENING ECOLOGICAL NETWORK. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLVI-4/W1-2021, 51-54.	0.2	0