

# Shin-Seok Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/866293/publications.pdf>

Version: 2024-02-01

98  
papers

1,772  
citations

304602

22  
h-index

330025

37  
g-index

100  
all docs

100  
docs citations

100  
times ranked

3302  
citing authors

#	ARTICLE	IF	CITATIONS
1	Disentangling Diagnosis and Management of Fibromyalgia. <i>Journal of Rheumatic Diseases</i> , 2022, 29, 4-13.	0.4	7
2	Comparison of the efficacy and risk of discontinuation between non-TNF-targeted treatment and a second TNF inhibitor in patients with rheumatoid arthritis after first TNF inhibitor failure. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2022, 14, 1759720X2210914.	1.2	3
3	Non-adherence to methotrexate was associated with high disease activity and poor health-related outcomes during a 4-year follow-up of rheumatoid arthritis patients.. <i>Clinical and Experimental Rheumatology</i> , 2022, , .	0.4	0
4	Comparison of three different definitions of low disease activity in patients with systemic lupus erythematosus and their prognostic utilities. <i>Rheumatology</i> , 2021, 60, 762-766.	0.9	8
5	Increased adiponectin levels are associated with higher radiographic scores in the knee joint, but not in the hand joint. <i>Scientific Reports</i> , 2021, 11, 1842.	1.6	10
6	COVID-19 Vaccination in Patients with Autoimmune Inflammatory Rheumatic Diseases: Clinical Guidance of the Korean College of Rheumatology. <i>Journal of Korean Medical Science</i> , 2021, 36, e95.	1.1	40
7	Patient Perspectives and Preferences Regarding Gout and Gout Management: Impact on Adherence. <i>Journal of Korean Medical Science</i> , 2021, 36, e208.	1.1	8
8	A clinical comparison of an endothelin receptor antagonist and phosphodiesterase type 5 inhibitors for treating digital ulcers of systemic sclerosis. <i>Rheumatology</i> , 2021, 60, 5814-5819.	0.9	5
9	Comparison of the AAPT Fibromyalgia Diagnostic Criteria and Modified FAS Criteria with Existing ACR Criteria for Fibromyalgia in Korean Patients. <i>Rheumatology and Therapy</i> , 2021, 8, 1003-1014.	1.1	5
10	Impact of Infliximab Biosimilar CT-P13 Dose and Infusion Interval on Real-World Drug Survival and Effectiveness in Patients with Ankylosing Spondylitis. <i>Journal of Clinical Medicine</i> , 2021, 10, 4568.	1.0	0
11	KOBIO, the First Web-based Korean Biologics Registry Operated With a Unified Platform Among Distinct Disease Entities. <i>Journal of Rheumatic Diseases</i> , 2021, 28, 176-182.	0.4	19
12	Clinical influences of anticentromere antibody on primary Sjögren's syndrome in a prospective Korean cohort. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1492-1503.	0.7	5
13	Uric acid as a risk factor for progression to chronic kidney disease in patients with lupus nephritis: results from the KORNET registry. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 947-954.	0.4	0
14	Elevated resting heart rate is associated with increased radiographic severity of knee but not hand joints. <i>Scientific Reports</i> , 2021, 11, 23697.	1.6	1
15	Risk factors for thrombotic events in Korean patients with systemic lupus erythematosus. <i>Scientific Reports</i> , 2021, 11, 23529.	1.6	6
16	Effects of add-on transcranial direct current stimulation on pain in Korean patients with fibromyalgia. <i>Scientific Reports</i> , 2020, 10, 12114.	1.6	12
17	Frequency of peripheral diseases in Korean patients with ankylosing spondylitis and the effectiveness of adalimumab. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 1175-1183.	0.9	3
18	Obesity increases the incidence of new-onset lupus nephritis and organ damage during follow-up in patients with systemic lupus erythematosus. <i>Lupus</i> , 2020, 29, 578-586.	0.8	16

#	ARTICLE	IF	CITATIONS
19	Altered distribution and enhanced osteoclastogenesis of mucosal-associated invariant T cells in gouty arthritis. <i>Rheumatology</i> , 2020, 59, 2124-2134.	0.9	13
20	Basal metabolic rate and Charlson Comorbidity Index are independent predictors of metabolic syndrome in patients with rheumatoid arthritis. <i>Joint Bone Spine</i> , 2020, 87, 455-460.	0.8	3
21	A 5-year Retrospective Analysis of Drug Survival, Safety, and Effectiveness of the Infliximab Biosimilar CT-P13 in Patients with Rheumatoid Arthritis and Ankylosing Spondylitis. <i>Clinical Drug Investigation</i> , 2020, 40, 541-553.	1.1	18
22	Efficacy and Safety of Rituximab in Korean Patients with Refractory Inflammatory Myopathies. <i>Journal of Korean Medical Science</i> , 2020, 35, e335.	1.1	4
23	The Practice Guideline for Vaccinating Korean Patients with Autoimmune Inflammatory Rheumatic Disease. <i>Infection and Chemotherapy</i> , 2020, 52, 252.	1.0	14
24	Anti-Sm Antibody, Damage Index, and Corticosteroid Use are Associated with Cardiac Involvement in Systemic Lupus Erythematosus: Data from a Prospective Registry Study. <i>Journal of Korean Medical Science</i> , 2020, 35, e139.	1.1	7
25	Simplified disease activity changes in real-world practice: a nationwide observational study of seropositive rheumatoid arthritis patients with moderate-to-high disease activity. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 231-239.	0.7	1
26	The Practice Guideline for Vaccinating Korean Patients With Autoimmune Inflammatory Rheumatic Disease. <i>Journal of Rheumatic Diseases</i> , 2020, 27, 182-202.	0.4	2
27	The Effect of Mycophenolate Mofetil on Non-Renal Manifestations in Systemic Lupus Erythematosus: Results from Korean Lupus Network Registry. <i>Journal of Korean Medical Science</i> , 2019, 34, e185.	1.1	4
28	Performance of the revised 2016 fibromyalgia diagnostic criteria in Korean patients with fibromyalgia. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1734-1740.	0.9	14
29	Authors reply to "What is the significance of diagnostic criteria of fibromyalgia?". <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1946-1947.	0.9	0
30	Clinical outcomes of patients with active rheumatoid arthritis with normal acute phase reactant values. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 852-859.	0.9	0
31	Comparison of Renal Responses to Cyclophosphamide and Mycophenolate Mofetil used as Induction Therapies in Korean Patients with Lupus Nephritis. <i>Journal of Rheumatic Diseases</i> , 2019, 26, 57.	0.4	5
32	Prevalence and predictors for sustained remission in rheumatoid arthritis. <i>PLoS ONE</i> , 2019, 14, e0214981.	1.1	12
33	Amino acid signatures of HLA Class-I and II molecules are strongly associated with SLE susceptibility and autoantibody production in Eastern Asians. <i>PLoS Genetics</i> , 2019, 15, e1008092.	1.5	36
34	Protective role of anti-ribosomal P antibody in patients with lupus nephritis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 913-920.	0.9	6
35	AB0531...OBESITY INCREASES THE INCIDENCE OF NEW-ONSET LUPUS NEPHRITIS AND ORGAN DAMAGE DURING FOLLOW-UP IN PATIENTS WITH SYSTEMIC LUPUS ERYTHEMATOSUS. , 2019, , .		0
36	Efficacy and safety of mycophenolate mofetil and tacrolimus combination therapy in patients with lupus nephritis: a nationwide multicentre study. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 89-96.	0.4	9

#	ARTICLE	IF	CITATIONS
37	Chronicity index, especially glomerular sclerosis, is the most powerful predictor of renal response following immunosuppressive treatment in patients with lupus nephritis. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 458-467.	0.9	18
38	Comparison of heart rate variability and classic autonomic testing for detection of cardiac autonomic dysfunction in patients with fibromyalgia. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 804-812.	0.9	5
39	Factors associated with quality of life and functional disability among rheumatoid arthritis patients treated with disease-modifying anti-rheumatic drugs for at least 6 months. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1001-1009.	0.9	5
40	Effects of risk factors for and components of metabolic syndrome on the quality of life of patients with systemic lupus erythematosus: a structural equation modeling approach. <i>Quality of Life Research</i> , 2018, 27, 105-113.	1.5	9
41	The value of high-sensitivity C-reactive protein in hand and knee radiographic osteoarthritis: data from the Dong-gu Study. <i>Clinical Rheumatology</i> , 2018, 37, 1099-1106.	1.0	5
42	Treat-to-Target Strategy for Asian Patients with Early Rheumatoid Arthritis: Result of a Multicenter Trial in Korea. <i>Journal of Korean Medical Science</i> , 2018, 33, e346.	1.1	5
43	Association between brain-derived neurotrophic factor gene polymorphisms and fibromyalgia in a Korean population: a multicenter study. <i>Arthritis Research and Therapy</i> , 2018, 20, 220.	1.6	11
44	Performance of the 2016 ACR-EULAR classification criteria for primary Sjogren's syndrome in a Korean cohort. <i>Rheumatology International</i> , 2018, 38, 1651-1660.	1.5	10
45	Self-Reported Physical Activity Is Associated with Lupus Nephritis in Systemic Lupus Erythematosus: Data from KORean Lupus Network (KORNET) Registry. <i>Yonsei Medical Journal</i> , 2018, 59, 857.	0.9	9
46	Prevalence and Associated Factors for Non-adherence in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatic Diseases</i> , 2018, 25, 47.	0.4	9
47	Rapid onset of efficacy predicts response to therapy with certolizumab plus methotrexate in patients with active rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 1224-1233.	0.7	5
48	Association of depression with socioeconomic status, anticardiolipin antibodies, and organ damage in patients with systemic lupus erythematosus: results from the KORNET registry. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 627-635.	0.4	7
49	A phase III, multicentre, randomised, double-blind, active-controlled, parallel-group trial comparing safety and efficacy of HD203, with innovator etanercept, in combination with methotrexate, in patients with rheumatoid arthritis: the HERA study. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 65-71.	0.5	39
50	What factors affect discordance between physicians and patients in the global assessment of disease activity in rheumatoid arthritis?. <i>Modern Rheumatology</i> , 2017, 27, 35-41.	0.9	16
51	Switching profiles in a population-based cohort of rheumatoid arthritis receiving biologic therapy: results from the KOBIO registry. <i>Clinical Rheumatology</i> , 2017, 36, 1013-1022.	1.0	20
52	Comparison of clinical, serological, and prognostic differences among juvenile-, adult-, and late-onset lupus nephritis in Korean patients. <i>Clinical Rheumatology</i> , 2017, 36, 1289-1295.	1.0	11
53	HAQ score is an independent predictor of sustained remission in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2017, 37, 2027-2034.	1.5	15
54	Impact of interstitial lung disease on mortality of patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2017, 37, 1735-1745.	1.5	43

#	ARTICLE	IF	CITATIONS
55	In reply to the letter to the Editor, "HAQ score is an independent predictor of sustained remission in patients with rheumatoid arthritis". <i>Rheumatology International</i> , 2017, 37, 2127-2127.	1.5	1
56	Association between grip strength and hand and knee radiographic osteoarthritis in Korean adults: Data from the Dong-gu study. <i>PLoS ONE</i> , 2017, 12, e0185343.	1.1	15
57	New insights into the genetics of fibromyalgia. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 984-995.	0.7	38
58	Impact of early diagnosis on functional disability in rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 738-746.	0.7	15
59	Determinants of quality of life in patients with fibromyalgia: A structural equation modeling approach. <i>PLoS ONE</i> , 2017, 12, e0171186.	1.1	51
60	Predictive significance of CCL21 and CXCL13 levels in the minor salivary glands of patients with Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2017, 35, 234-240.	0.4	6
61	Anti-N-methyl-D-aspartate receptor antibodies are associated with fibromyalgia in patients with systemic lupus erythematosus: a case-control study. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 105, 54-60.	0.4	4
62	The relationships between bone mineral density and radiographic features of hand or knee osteoarthritis in older adults: data from the Dong-gu Study. <i>Rheumatology</i> , 2016, 55, kev377.	0.9	17
63	A Case of Sarcoidosis That Improved upon Discontinuation of Etanercept. <i>Journal of Rheumatic Diseases</i> , 2016, 23, 187.	0.4	0
64	Factors Contributing to Discordance between the 2011 ACR/EULAR Criteria and Physician Clinical Judgment for the Identification of Remission in Patients with Rheumatoid Arthritis. <i>Journal of Korean Medical Science</i> , 2016, 31, 1907.	1.1	7
65	Genetic Association for <i>P2X7R</i> rs3751142 and <i>CARD8</i> rs2043211 Polymorphisms for Susceptibility of Gout in Korean Men: Multi-Center Study. <i>Journal of Korean Medical Science</i> , 2016, 31, 1566.	1.1	19
66	The Significance of Ectopic Germinal Centers in the Minor Salivary Gland of Patients with Sjögren's Syndrome. <i>Journal of Korean Medical Science</i> , 2016, 31, 190.	1.1	16
67	Cross-cultural adaptation of the Revised Korean version of the Fibromyalgia Impact Questionnaire: its association with physical function and quality of life. <i>International Journal of Rheumatic Diseases</i> , 2016, 19, 459-464.	0.9	6
68	Mapping health assessment questionnaire disability index (HAQ-DI) score, pain visual analog scale (VAS), and disease activity score in 28 joints (DAS28) onto the EuroQol-5D (EQ-5D) utility score with the KOREan Observational study Network for Arthritis (KORONA) registry data. <i>Rheumatology International</i> , 2016, 36, 505-513.	1.5	18
69	Incidence and risk factors of fractures in patients with rheumatoid arthritis: an Asian prospective cohort study. <i>Rheumatology International</i> , 2016, 36, 1205-1214.	1.5	35
70	Polymorphisms of the <i>TRPV2</i> and <i>TRPV3</i> genes associated with fibromyalgia in a Korean population. <i>Rheumatology</i> , 2016, 55, 1518-1527.	0.9	27
71	Associations between body composition measurements of obesity and radiographic osteoarthritis in older adults: Data from the Dong-gu Study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 192.	0.8	12
72	High-density genotyping of immune-related loci identifies new SLE risk variants in individuals with Asian ancestry. <i>Nature Genetics</i> , 2016, 48, 323-330.	9.4	219

#	ARTICLE	IF	CITATIONS
73	Risk factors for treatment failure in osteoporotic patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2016, 26, 194-199.	0.9	7
74	Efficacy and safety of low-dose tacrolimus for active rheumatoid arthritis with an inadequate response to methotrexate. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 779-787.	0.7	13
75	Severity of fibromyalgia symptoms is associated with socioeconomic status and not obesity in Korean patients. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S83-8.	0.4	4
76	Predictors of a favourable outcome in patients with fibromyalgia: results of 1-year follow-up. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 521-6.	0.4	1
77	Anti-centromere antibody-positive Sjögren's syndrome: A distinct clinical subgroup?. <i>International Journal of Rheumatic Diseases</i> , 2015, 18, 776-782.	0.9	24
78	Predictors of Switching Anti-Tumor Necrosis Factor Therapy in Patients with Ankylosing Spondylitis. <i>PLoS ONE</i> , 2015, 10, e0131864.	1.1	15
79	Cost-Effectiveness Analysis of HLA-B*5801 Genotyping in the Treatment of Gout Patients With Chronic Renal Insufficiency in Korea. <i>Arthritis Care and Research</i> , 2015, 67, 280-287.	1.5	57
80	Drug Survival Rates of Tumor Necrosis Factor Inhibitors in Patients with Rheumatoid Arthritis and Ankylosing Spondylitis. <i>Journal of Korean Medical Science</i> , 2014, 29, 1205.	1.1	27
81	Study on Clinical Effectiveness of the Korean Version of Assessment of SpondyloArthritis International Society-Health Index. <i>Journal of Rheumatic Diseases</i> , 2014, 21, 187.	0.4	0
82	The Reliability and Validity of a Korean Translation of the ASAS Health Index and Environmental Factors in Korean Patients with Axial Spondyloarthritis. <i>Journal of Korean Medical Science</i> , 2014, 29, 334.	1.1	10
83	Prediction for TNF Inhibitor Users in RA Patients According to Reimbursement Criteria Based on DAS28. <i>Journal of Rheumatic Diseases</i> , 2014, 21, 64.	0.4	6
84	Mucosal-Associated Invariant T Cell Deficiency in Systemic Lupus Erythematosus. <i>Journal of Immunology</i> , 2014, 193, 3891-3901.	0.4	161
85	Smoking cessation advice by rheumatologists: results of an international survey. <i>Rheumatology</i> , 2014, 53, 1825-1829.	0.9	28
86	Effect of fibromyalgia syndrome on the health-related quality of life and economic burden in Korea. <i>Rheumatology</i> , 2013, 52, 311-320.	0.9	25
87	Association of Guanosine Triphosphate Cyclohydrolase 1 Gene Polymorphisms with Fibromyalgia Syndrome in a Korean Population. <i>Journal of Rheumatology</i> , 2013, 40, 316-322.	1.0	34
88	Cross-Cultural Adaptation of the Korean Version of the Boston Carpal Tunnel Questionnaire: Its Clinical Evaluation in Patients with Carpal Tunnel Syndrome Following Local Corticosteroid Injection. <i>Journal of Korean Medical Science</i> , 2013, 28, 1095.	1.1	25
89	Natural killer T cell deficiency in active adult-onset Still's disease: Correlation of deficiency of natural killer T cells with dysfunction of natural killer cells. <i>Arthritis and Rheumatism</i> , 2012, 64, 2868-2877.	6.7	50
90	Cross-cultural adaptation, validation, and responsiveness of the Korean version of the AUSCAN Osteoarthritis Index. <i>Rheumatology International</i> , 2012, 32, 3551-3557.	1.5	10

#	ARTICLE	IF	CITATIONS
91	Korean Observational Study Network for Arthritis (KORONA): Establishment of a Prospective Multicenter Cohort for Rheumatoid Arthritis in South Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2012, 41, 745-751.	1.6	54
92	Bone destruction by receptor activator of nuclear factor $\hat{\text{I}}^{\text{B}}$ ligand-expressing T cells in chronic gouty arthritis. <i>Arthritis Research and Therapy</i> , 2011, 13, R164.	1.6	63
93	The Clinical Usefulness of 18F-FDG PET/CT in Patients with Systemic Autoimmune Disease. <i>Nuclear Medicine and Molecular Imaging</i> , 2011, 45, 177-184.	0.6	14
94	Serum hyaluronic acid levels do not explain morning stiffness in patients with fibromyalgia. <i>Clinical Rheumatology</i> , 2010, 29, 535-539.	1.0	0
95	Prevalence of Human Papilloma Virus Infections and Cervical Cytological Abnormalities among Korean Women with Systemic Lupus Erythematosus. <i>Journal of Korean Medical Science</i> , 2010, 25, 1431.	1.1	37
96	Evaluating the Korean version of the Multidimensional Health Assessment Questionnaire in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2006, 25, 353-357.	1.0	20
97	Antipolymer antibody is not associated with fibromyalgia in Korean female patients. <i>Rheumatology International</i> , 2006, 27, 73-77.	1.5	5
98	Validation of a Korean Version of the Fibromyalgia Impact Questionnaire. <i>Journal of Korean Medical Science</i> , 2002, 17, 220.	1.1	38