

# Dan Li

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8663998/dan-li-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78  
papers

10,911  
citations

32  
h-index

80  
g-index

80  
ext. papers

12,751  
ext. citations

9.7  
avg, IF

6.5  
L-index

#	Paper	IF	Citations
78	Processable aqueous dispersions of graphene nanosheets. <i>Nature Nanotechnology</i> , <b>2008</b> , 3, 101-5	28.7	7729
77	An In-Depth Study of Zn Metal Surface Chemistry for Advanced Aqueous Zn-Ion Batteries. <i>Advanced Materials</i> , <b>2020</b> , 32, e2003021	24	286
76	Highly reversible and large lithium storage in mesoporous si/c nanocomposite anodes with silicon nanoparticles embedded in a carbon framework. <i>Advanced Materials</i> , <b>2014</b> , 26, 6749-55	24	234
75	Solvation Structure Design for Aqueous Zn Metal Batteries. <i>Journal of the American Chemical Society</i> , <b>2020</b> , 142, 21404-21409	16.4	215
74	Deeply understanding the Zn anode behaviour and corresponding improvement strategies in different aqueous Zn-based batteries. <i>Energy and Environmental Science</i> , <b>2020</b> , 13, 3917-3949	35.4	191
73	Fluorinated interphase enables reversible aqueous zinc battery chemistries. <i>Nature Nanotechnology</i> , <b>2021</b> , 16, 902-910	28.7	133
72	Germanium anode with excellent lithium storage performance in a germanium/lithium-cobalt oxide lithium-ion battery. <i>ACS Nano</i> , <b>2015</b> , 9, 1858-67	16.7	127
71	Hydrophobic Organic-Electrolyte-Protected Zinc Anodes for Aqueous Zinc Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 19292-19296	16.4	120
70	SnSb@carbon nanocable anchored on graphene sheets for sodium ion batteries. <i>Nano Research</i> , <b>2014</b> , 7, 1466-1476	10	98
69	A New Strategy for Achieving a High Performance Anode for Lithium Ion Batteries Encapsulating Germanium Nanoparticles in Carbon Nanoboxes. <i>Advanced Energy Materials</i> , <b>2016</b> , 6, 1501666	21.8	95
68	Unique Structural Design and Strategies for Germanium-Based Anode Materials Toward Enhanced Lithium Storage. <i>Advanced Energy Materials</i> , <b>2017</b> , 7, 1700488	21.8	82
67	Two-Dimensional NiSe/N-Rich Carbon Nanocomposites Derived from Ni-Hexamine Frameworks for Superb Na-Ion Storage. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 34193-34201	9.5	75
66	A unique sandwich-structured C/Ge/graphene nanocomposite as an anode material for high power lithium ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 14115	13	72
65	Design of a Solid Electrolyte Interphase for Aqueous Zn Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 13035-13041	16.4	66
64	3D free-standing nitrogen-doped reduced graphene oxide aerogel as anode material for sodium ion batteries with enhanced sodium storage. <i>Scientific Reports</i> , <b>2017</b> , 7, 4886	4.9	64
63	Fabrication of Novel Ternary Three-Dimensional RuO <sub>2</sub> /Graphitic-C <sub>3</sub> N <sub>4</sub> @reduced Graphene Oxide Aerogel Composites for Supercapacitors. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2017</b> , 5, 4982-4991	8.3	61
62	Tuning the Electrolyte Solvation Structure to Suppress Cathode Dissolution, Water Reactivity, and Zn Dendrite Growth in Zinc-Ion Batteries. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2104281	15.6	60

61	Hollow carbon spheres with encapsulated germanium as an anode material for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 978-981	13	59
60	SnS@C Hollow Nanospheres with Robust Structural Stability as High-Performance Anodes for Sodium Ion Batteries. <i>Nano-Micro Letters</i> , <b>2019</b> , 11, 14	19.5	58
59	Ultrathin Cobaltosic Oxide Nanosheets as an Effective Sulfur Encapsulation Matrix with Strong Affinity Toward Polysulfides. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 4320-4325	9.5	55
58	Carbon-coated Li <sub>3</sub> N nanofibers for advanced hydrogen storage. <i>Advanced Materials</i> , <b>2013</b> , 25, 6238-44	24	54
57	Achieving Ultrafast and Stable Na-Ion Storage in FeSe Nanorods/Graphene Anodes by Controlling the Surface Oxide. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 22841-22850	9.5	51
56	Coordination Polymers-Derived Three-Dimensional Hierarchical CoFeO Hollow Spheres as High-Performance Lithium Ion Storage. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 28679-28685	9.5	47
55	TiO <sub>2</sub> coated three-dimensional hierarchically ordered porous sulfur electrode for the lithium/sulfur rechargeable batteries. <i>Energy</i> , <b>2014</b> , 75, 597-602	7.9	46
54	Self-assembled 3D ZnSnO <sub>3</sub> hollow cubes@reduced graphene oxide aerogels as high capacity anode materials for lithium-ion batteries. <i>Electrochimica Acta</i> , <b>2016</b> , 203, 84-90	6.7	45
53	Graphene-Loaded BiSe: A Conversion-Alloying-type Anode Material for Ultrafast Gravimetric and Volumetric Na Storage. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 30379-30387	9.5	44
52	Enhanced rate performance of cobalt oxide/nitrogen doped graphene composite for lithium ion batteries. <i>RSC Advances</i> , <b>2013</b> , 3, 5003	3.7	42
51	Heterostructured SnS/TiO <sub>2</sub> @C hollow nanospheres for superior lithium and sodium storage. <i>Nanoscale</i> , <b>2019</b> , 11, 12846-12852	7.7	40
50	Heterogeneous Structured BiS/MoS <sub>2</sub> @NC Nanoclusters: Exploring the Superior Rate Performance in Sodium/Potassium Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 42902-42910	9.5	39
49	Highly Reversible Aqueous Zinc Batteries enabled by Zincophilic-Zincophobic Interfacial Layers and Interrupted Hydrogen-Bond Electrolytes. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 18845-18851	16.4	37
48	Uniformly distributed TiO <sub>2</sub> nanorods on reduced graphene oxide composites as anode material for high rate lithium ion batteries. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 771, 885-891	5.7	33
47	V <sub>2</sub> O <sub>5</sub> /Mesoporous Carbon Composite as a Cathode Material for Lithium-ion Batteries. <i>Electrochimica Acta</i> , <b>2015</b> , 173, 172-177	6.7	32
46	Enhanced electrochemical properties of LiFePO <sub>4</sub> by Mo-substitution and graphitic carbon-coating via a facile and fast microwave-assisted solid-state reaction. <i>Physical Chemistry Chemical Physics</i> , <b>2012</b> , 14, 3634-9	3.6	32
45	TiO <sub>2</sub> nanoparticles on nitrogen-doped graphene as anode material for lithium ion batteries. <i>Journal of Nanoparticle Research</i> , <b>2013</b> , 15, 1	2.3	29
44	Construction of 3D architectures with Ni(HCO) nanocubes wrapped by reduced graphene oxide for LIBs: ultrahigh capacity, ultrafast rate capability and ultralong cycle stability. <i>Chemical Science</i> , <b>2018</b> , 9, 8682-8691	9.4	26

43	Hierarchical flower-like structures composed of cross-shaped vanadium dioxide nanobelts as superior performance anode for lithium and sodium ions batteries. <i>Applied Surface Science</i> , <b>2019</b> , 480, 882-887	6.7	23
42	One-Step In Situ Preparation of Polymeric Selenium Sulfide Composite as a Cathode Material for Enhanced Sodium/Potassium Storage. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 29807-29813	9.5	23
41	Unique Urchin-like Ca <sub>2</sub> Ge <sub>7</sub> O <sub>16</sub> Hierarchical Hollow Microspheres as Anode Material for the Lithium Ion Battery. <i>Scientific Reports</i> , <b>2015</b> , 5, 11326	4.9	21
40	A self-assembled 3D urchin-like Ti <sub>0.8</sub> Sn <sub>0.2</sub> O <sub>2</sub> /rGO hybrid nanostructure as an anode material for high-rate and long cycle life Li-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 8087-8094	13	20
39	Capacitive behavior of glucose-derived porous activated carbon with different morphologies. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 805, 426-435	5.7	19
38	3D architectures with Co(OH)CO nanowires wrapped by reduced graphene oxide as superior rate anode materials for Li-ion batteries. <i>Nanoscale</i> , <b>2019</b> , 11, 21180-21187	7.7	19
37	Hollow ZnSnO <sub>3</sub> cubes@carbon/reduced graphene oxide ternary composite as anode of lithium ion batteries with enhanced electrochemical performance. <i>Ceramics International</i> , <b>2017</b> , 43, 11556-11562	5.1	18
36	Synthesis and electrochemical properties of nanosized carbon-coated Li <sub>1-x</sub> La <sub>x</sub> FePO <sub>4</sub> composites. <i>Journal of Solid State Electrochemistry</i> , <b>2010</b> , 14, 889-895	2.6	18
35	Sb <sub>2</sub> S <sub>3</sub> -Bi <sub>2</sub> S <sub>3</sub> microrods with the combined action of carbon encapsulation and rGO confinement for improving high cycle stability in sodium/potassium storage. <i>Chemical Engineering Journal</i> , <b>2021</b> , 414, 128787	14.7	18
34	Microwave-assisted Synthesis of Flower-like Structure $\gamma$ -MnO <sub>2</sub> as Cathode for Lithium Ion Batteries. <i>Journal of the Chinese Chemical Society</i> , <b>2012</b> , 59, 1211-1215	1.5	17
33	Construction of CoP@C embedded into N/S-co-doped porous carbon sheets for superior lithium and sodium storage. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 582, 969-976	9.3	17
32	A layered Bi <sub>2</sub> Te <sub>3</sub> nanoplates/graphene composite with high gravimetric and volumetric performance for Na-ion storage. <i>Sustainable Energy and Fuels</i> , <b>2019</b> , 3, 3163-3171	5.8	16
31	Engineering Unique Ball-In-Ball Structured (NiCo)S@C Nanospheres for Advanced Sodium Storage. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 27805-27812	9.5	16
30	Hydrophobic Organic-Electrolyte-Protected Zinc Anodes for Aqueous Zinc Batteries. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 19454-19458	3.6	13
29	Electrospinning preparation of a graphene oxide nanohybrid proton-exchange membrane for fuel cells. <i>Journal of Applied Polymer Science</i> , <b>2018</b> , 135, 46443	2.9	13
28	Hollow CoS <sub>2</sub> @C nanocubes for high-performance sodium storage. <i>Applied Surface Science</i> , <b>2020</b> , 519, 146268	6.7	12
27	Construction of uniform SnS <sub>2</sub> /ZnS heterostructure nanosheets embedded in graphene for advanced lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 820, 153147	5.7	11
26	Hierarchical porous LiMg(NH) <sub>2</sub> @C nanowires with long cycle life towards stable hydrogen storage. <i>Scientific Reports</i> , <b>2014</b> , 4, 6599	4.9	10

25	Exploring sodium storage mechanism of topological insulator Bi <sub>2</sub> Te <sub>3</sub> nanosheets encapsulated in conductive polymer. <i>Energy Storage Materials</i> , <b>2021</b> , 41, 255-263	19.4	10
24	Embedding ultrafine ZnSnO nanoparticles into reduced graphene oxide composites as high-performance electrodes for lithium ion batteries. <i>Nanotechnology</i> , <b>2018</b> , 29, 195401	3.4	9
23	Anchoring ternary CoNiSn alloys nanoparticles on hollow architected SnO <sub>2</sub> for exceptional lithium storage performance. <i>Journal of Power Sources</i> , <b>2020</b> , 450, 227626	8.9	9
22	Enhanced Electrochemical Performance of MoS <sub>2</sub> for Lithium Ion Batteries by Simple Chemical Lithiation. <i>Journal of the Chinese Chemical Society</i> , <b>2012</b> , 59, 1196-1200	1.5	8
21	A Coordination Strategy for Ti <sub>x</sub> Sn <sub>1-x</sub> O <sub>2</sub> Solid Solution Nanocubes Wrapped by Reduced Graphene Oxide as a Candidate for Lithium-Ion-Battery Anodes. <i>ChemElectroChem</i> , <b>2018</b> , 5, 3961-3967	4.3	8
20	Constructing Hollow Ni <sub>0.2</sub> Co <sub>0.8</sub> S@rGO Composites at Low Temperature Conditions as Anode Material for Lithium-Ion batteries. <i>ChemElectroChem</i> , <b>2019</b> , 6, 2331-2337	4.3	7
19	Ball-in-ball structured SnO <sub>2</sub> @FeOOH@C nanospheres toward advanced anode material for sodium ion batteries. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 838, 155394	5.7	7
18	Hierarchical Bimetallic Selenides CoSe <sub>2</sub> /MoSe <sub>2</sub> /rGO for Sodium/Potassium-Ion Batteries Anode: Insights into the Intercalation and Conversion Mechanism. <i>Energy and Environmental Materials</i> ,	13	7
17	Recent Developments in Alloying-type Anode Materials for Potassium-Ion Batteries. <i>Chemistry - an Asian Journal</i> , <b>2020</b> , 15, 1648-1659	4.5	7
16	Fabrication of Core-Shell Ni <sub>2</sub> P@N, Pt-Doped Carbon/Reduced Graphene Oxide Composite as Anode Material for Lithium- and Sodium-Ion Batteries. <i>ChemElectroChem</i> , <b>2019</b> , 6, 5492-5498	4.3	6
15	Preparation and characterization of Ag/C nanocables-modified nanosized C-LiFePO <sub>4</sub> . <i>Journal of Nanoparticle Research</i> , <b>2011</b> , 13, 4815-4820	2.3	6
14	Preparation and electrochemical performance of LiFePO <sub>4</sub> /F x /C nanorods by room-temperature solid-state reaction and microwave heating. <i>Journal of Nanoparticle Research</i> , <b>2012</b> , 14, 1	2.3	5
13	Advanced sodium storage properties of a porous nitrogen-doped carbon with a NiO/Cu/CuO hetero-interface derived from bimetal-organic frameworks. <i>Chemical Communications</i> , <b>2020</b> , 56, 818-821	5.8	5
12	Design of a Solid Electrolyte Interphase for Aqueous Zn Batteries. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 13145-13151	5.63	5
11	One-step in situ encapsulation of Ge nanoparticles into porous carbon network with enhanced electron/ion conductivity for lithium storage. <i>Rare Metals</i> , <b>2021</b> , 40, 2432-2439	5.5	4
10	Rational design heterostructured bimetallic selenides for high capacity and durability sodium/potassium-ion storage. <i>Chemical Engineering Journal</i> , <b>2021</b> , 133176	14.7	3
9	Highly Reversible Aqueous Zinc Batteries enabled by Zincophilic/Zincophobic Interfacial Layers and Interrupted Hydrogen-Bond Electrolytes. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 18993-18999	3.6	3
8	FeOOH derived urchin-like Fe <sub>2</sub> O <sub>3</sub> @C as superior anode for sodium ion storage. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 858, 157714	5.7	3

7	Heterojunction interfacial promotion of fast and prolonged alkali-ion storage of urchin-like Nb <sub>2</sub> O <sub>5</sub> @C nanospheres. <i>Journal of Materials Chemistry A</i> ,	13	3
6	Improved sodium storage properties of nickel sulfide nanoparticles decorated on reduced graphene oxide nanosheets as an advanced anode material. <i>Nanotechnology</i> , <b>2021</b> , 32, 195406	3.4	2
5	Carbon-Encapsulated Ni Se /CoSe Heterostructured Nanospheres: Sodium/Potassium-Ion Storage Anode with Prominent Electrochemical Properties.. <i>Small</i> , <b>2022</b> , e2107258	11	1
4	Minimal TiO Coupled with Conductive Polymer-Stimulated Synergistic Effect on Fast and Reversible Sodium-Ion Storage for Bismuth Sulfide. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 55051-55059	9.5	1
3	Exploration of amorphous hollow FeOOH@C nanosphere on energy storage for sodium ion batteries. <i>International Journal of Hydrogen Energy</i> , <b>2021</b> , 46, 26457-26465	6.7	1
2	Cobalt-molybdenum binary metal sulfide wrapped by reduced graphene oxide for advanced sodium ion anode material. <i>Chemical Physics</i> , <b>2021</b> , 547, 111191	2.3	0
1	Hierarchical carbon-coated FeP derived from FeOOH with enhanced sodium-storage performance. <i>Surface Innovations</i> , <b>2021</b> , 9, 285-292	1.9	0