

Alan V Smrcka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8664950/publications.pdf>

Version: 2024-02-01

113
papers

6,338
citations

57719

44
h-index

69214

77
g-index

122
all docs

122
docs citations

122
times ranked

6841
citing authors

#	ARTICLE	IF	CITATIONS
1	Roles of PLC-2 and -3 and PI3K in Chemoattractant-Mediated Signal Transduction. <i>Science</i> , 2000, 287, 1046-1049.	6.0	817
2	Positional cloning uncovers mutations in PLCE1 responsible for a nephrotic syndrome variant that may be reversible. <i>Nature Genetics</i> , 2006, 38, 1397-1405.	9.4	510
3	Directional Sensing Requires G β γ -Mediated PAK1 and PIX \pm -Dependent Activation of Cdc42. <i>Cell</i> , 2003, 114, 215-227.	13.5	362
4	Differential Targeting of G α -Subunit Signaling with Small Molecules. <i>Science</i> , 2006, 312, 443-446.	6.0	214
5	Regulation of phospholipase C by G proteins. <i>Trends in Biochemical Sciences</i> , 1992, 17, 502-506.	3.7	197
6	Epac and Phospholipase C μ Regulate Ca ²⁺ Release in the Heart by Activation of Protein Kinase C μ and Calcium-Calmodulin Kinase II. <i>Journal of Biological Chemistry</i> , 2009, 284, 1514-1522.	1.6	171
7	Epac-mediated Activation of Phospholipase C ϵ Plays a Critical Role in β -Adrenergic Receptor-dependent Enhancement of Ca ²⁺ Mobilization in Cardiac Myocytes. <i>Journal of Biological Chemistry</i> , 2007, 282, 5488-5495.	1.6	158
8	Phospholipase C μ Hydrolyzes Perinuclear Phosphatidylinositol 4-Phosphate to Regulate Cardiac Hypertrophy. <i>Cell</i> , 2013, 153, 216-227.	13.5	150
9	Role of phospholipase C μ in physiological phosphoinositide signaling networks. <i>Cellular Signalling</i> , 2012, 24, 1333-1343.	1.7	130
10	G Protein-Coupled Receptor-Mediated Activation of p110 β by G β γ Is Required for Cellular Transformation and Invasiveness. <i>Science Signaling</i> , 2012, 5, ra89.	1.6	127
11	Pertussis Toxin-sensitive Activation of Phospholipase C by the C5a and fMet-Leu-Phe Receptors. <i>Journal of Biological Chemistry</i> , 1996, 271, 13430-13434.	1.6	121
12	Targeting G protein-coupled receptor signalling by blocking G proteins. <i>Nature Reviews Drug Discovery</i> , 2018, 17, 789-803.	21.5	121
13	Phospholipase C μ Modulates β -Adrenergic Receptor-Dependent Cardiac Contraction and Inhibits Cardiac Hypertrophy. <i>Circulation Research</i> , 2005, 97, 1305-1313.	2.0	118
14	Small Molecule Disruption of G β γ Signaling Inhibits the Progression of Heart Failure. <i>Circulation Research</i> , 2010, 107, 532-539.	2.0	117
15	A Tyrosine Kinase Signaling Pathway Accounts for the Majority of Phosphatidylinositol 3,4,5-Trisphosphate Formation in Chemoattractant-stimulated Human Neutrophils. <i>Journal of Biological Chemistry</i> , 1996, 271, 25204-25207.	1.6	109
16	Hormonal regulation of phospholipase Cepsilon through distinct and overlapping pathways involving G12 and Ras family G-proteins. <i>Biochemical Journal</i> , 2004, 378, 129-139.	1.7	99
17	G β γ Activation of Src Induces Caveolae-mediated Endocytosis in Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 48055-48062.	1.6	86
18	Phospholipase C α Scaffolds to Muscle-specific A Kinase Anchoring Protein (mAKAP β) and Integrates Multiple Hypertrophic Stimuli in Cardiac Myocytes. <i>Journal of Biological Chemistry</i> , 2011, 286, 23012-23021.	1.6	86

#	ARTICLE	IF	CITATIONS
19	Golgi localized β 1-adrenergic receptors stimulate Golgi PI4P hydrolysis by PLC β to regulate cardiac hypertrophy. <i>ELife</i> , 2019, 8, .	2.8	79
20	G-protein-coupled Receptor Agonists Activate Endogenous Phospholipase β and Phospholipase γ 3 in a Temporally Distinct Manner. <i>Journal of Biological Chemistry</i> , 2006, 281, 2639-2648.	1.6	76
21	Structural and Molecular Characterization of a Preferred Protein Interaction Surface on G Protein β 3 Subunits. <i>Biochemistry</i> , 2005, 44, 10593-10604.	1.2	74
22	Identification of a Structural Element in Phospholipase C β 2 That Interacts with G Protein β 3 Subunits. <i>Journal of Biological Chemistry</i> , 1998, 273, 7148-7154.	1.6	72
23	Understanding Molecular Recognition by G protein β 3 Subunits on the Path to Pharmacological Targeting. <i>Molecular Pharmacology</i> , 2011, 80, 551-557.	1.0	71
24	Phospholipase β links G protein-coupled receptor activation to inflammatory astrocytic responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 3609-3614.	3.3	70
25	Phospholipase C β links Epac2 activation to the potentiation of glucose-stimulated insulin secretion from mouse islets of Langerhans. <i>Islets</i> , 2011, 3, 121-128.	0.9	68
26	Phospholipase β is a nexus for Rho and Rap-mediated G protein-coupled receptor-induced astrocyte proliferation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 15543-15548.	3.3	67
27	A Novel β -Subunit Inhibitor Selectively Modulates μ -Opioid-Dependent Antinociception and Attenuates Acute Morphine-Induced Antinociceptive Tolerance and Dependence. <i>Journal of Neuroscience</i> , 2008, 28, 12183-12189.	1.7	67
28	Identification of a receptor-independent activator of G protein signaling (AGS8) in ischemic heart and its interaction with G β . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 797-802.	3.3	66
29	Subunit Dissociation and Diffusion Determine the Subcellular Localization of Rod and Cone Transducins. <i>Journal of Neuroscience</i> , 2007, 27, 5484-5494.	1.7	66
30	Stimulation of Cellular Signaling and G Protein Subunit Dissociation by G Protein β 3 Subunit-binding Peptides. <i>Journal of Biological Chemistry</i> , 2003, 278, 19634-19641.	1.6	64
31	Epac2-dependent mobilization of intracellular Ca ²⁺ by glucagon-like peptide-1 receptor agonist exendin-4 is disrupted in β -cells of phospholipase C β knockout mice. <i>Journal of Physiology</i> , 2010, 588, 4871-4889.	1.3	61
32	Phospholipase C β 2 Association with Phospholipid Interfaces Assessed by Fluorescence Resonance Energy Transfer. <i>Journal of Biological Chemistry</i> , 1996, 271, 25071-25078.	1.6	60
33	Receptor- and Nucleotide Exchange-independent Mechanisms for Promoting G Protein Subunit Dissociation. <i>Journal of Biological Chemistry</i> , 2003, 278, 34747-34750.	1.6	59
34	Purification of Heterotrimeric G Protein β Subunits by GST-Ric-8 Association. <i>Journal of Biological Chemistry</i> , 2011, 286, 2625-2635.	1.6	59
35	Molecular targeting of β and β 3 subunits: a potential approach for cancer therapeutics. <i>Trends in Pharmacological Sciences</i> , 2013, 34, 290-298.	4.0	57
36	Regulation of Immature Dendritic Cell Migration by RhoA Guanine Nucleotide Exchange Factor Arhgef5. <i>Journal of Biological Chemistry</i> , 2009, 284, 28599-28606.	1.6	56

#	ARTICLE	IF	CITATIONS
37	Regulatory Interactions between the Amino Terminus of G-protein β Subunits and the Catalytic Domain of Phospholipase $C\beta$. <i>Journal of Biological Chemistry</i> , 2005, 280, 10174-10181.	1.6	54
38	PLC β , PKD1, and SSH1L Transduce RhoA Signaling to Protect Mitochondria from Oxidative Stress in the Heart. <i>Science Signaling</i> , 2013, 6, ra108.	1.6	54
39	Gedunin- and Khivorin-Derivatives Are Small-Molecule Partial Agonists for Adhesion G Protein-Coupled Receptors GPR56/ADGRG1 and GPR114/ADGRG5. <i>Molecular Pharmacology</i> , 2018, 93, 477-488.	1.0	54
40	Identification of Activators of ERK5 Transcriptional Activity by High-Throughput Screening and the Role of Endothelial ERK5 in Vasoprotective Effects Induced by Statins and Antimalarial Agents. <i>Journal of Immunology</i> , 2014, 193, 3803-3815.	0.4	51
41	A Docking Site for G Protein β Subunits on the Parathyroid Hormone 1 Receptor Supports Signaling through Multiple Pathways. <i>Molecular Endocrinology</i> , 2006, 20, 136-146.	3.7	50
42	Programming of Distinct Chemokine-Dependent and -Independent Search Strategies for Th1 and Th2 Cells Optimizes Function at Inflamed Sites. <i>Immunity</i> , 2019, 51, 298-309.e6.	6.6	50
43	G-protein β subunits as multi-functional scaffolds and transducers in G-protein-coupled receptor signaling. <i>Cellular and Molecular Life Sciences</i> , 2019, 76, 4447-4459.	2.4	50
44	Selective Role of G Protein β Subunits in Receptor Interaction. <i>Journal of Biological Chemistry</i> , 2000, 275, 38961-38964.	1.6	47
45	Dihydromunduletone Is a Small-Molecule Selective Adhesion G Protein-Coupled Receptor Antagonist. <i>Molecular Pharmacology</i> , 2016, 90, 214-224.	1.0	47
46	Simultaneous Adrenal and Cardiac G-Protein-Coupled Receptor-G β Inhibition Halts Heart Failure Progression. <i>Journal of the American College of Cardiology</i> , 2014, 63, 2549-2557.	1.2	46
47	G Protein β ; γ Subunits as Targets for Small Molecule Therapeutic Development. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2008, 11, 382-395.	0.6	42
48	A Chemical Biology Approach Demonstrates G Protein β Subunits Are Sufficient to Mediate Directional Neutrophil Chemotaxis. <i>Journal of Biological Chemistry</i> , 2014, 289, 17791-17801.	1.6	42
49	Targeted calcium influx boosts cytotoxic T lymphocyte function in the tumour microenvironment. <i>Nature Communications</i> , 2017, 8, 15365.	5.8	41
50	Signaling by a Non-dissociated Complex of G Protein β and γ Subunits Stimulated by a Receptor-independent Activator of G Protein Signaling, AGS8. <i>Journal of Biological Chemistry</i> , 2007, 282, 19938-19947.	1.6	38
51	Role of the β Subunit Prenyl Moiety in G Protein β Complex Interaction with Phospholipase $C\beta$. <i>Journal of Biological Chemistry</i> , 2001, 276, 41797-41802.	1.6	36
52	Supraspinal G β -dependent stimulation of PLC β originating from G inhibitory protein-coupled opioid receptor-coupling is necessary for morphine induced acute hyperalgesia. <i>Journal of Neurochemistry</i> , 2009, 111, 171-180.	2.1	35
53	Protease-activated receptor 1 (PAR1) coupling to Gq/11 but not to Gi/o or G12/13 is mediated by discrete amino acids within the receptor second intracellular loop. <i>Cellular Signalling</i> , 2012, 24, 1351-1360.	1.7	34
54	Ric-8 Enhances G Protein β -Dependent Signaling in Response to β -Binding Peptides in Intact Cells. <i>Molecular Pharmacology</i> , 2005, 68, 129-136.	1.0	33

#	ARTICLE	IF	CITATIONS
55	G protein $\beta\gamma$ subunits directly interact with and activate phospholipase C α . Journal of Biological Chemistry, 2018, 293, 6387-6397.	1.6	33
56	A universal allosteric mechanism for G protein activation. Molecular Cell, 2021, 81, 1384-1396.e6.	4.5	33
57	Phosphatidylinositol 4-phosphate is a major source of GPCR-stimulated phosphoinositide production. Science Signaling, 2018, 11, .	1.6	32
58	Adenylyl Cyclase 5 Regulation by G $\beta\gamma$ Involves Isoform-Specific Use of Multiple Interaction Sites. Molecular Pharmacology, 2015, 88, 758-767.	1.0	31
59	Taking the heart failure battle inside the cell: Small molecule targeting of G $\beta\gamma$ subunits. Journal of Molecular and Cellular Cardiology, 2011, 51, 462-467.	0.9	29
60	Dynamic regulation of neutrophil polarity and migration by the heterotrimeric G protein subunits G $\beta\gamma$ -GTP and G $\beta\gamma$. Science Signaling, 2016, 9, ra22.	1.6	29
61	Phospholipase C Epsilon (PLC ϵ) Induced TRPC6 Activation: A Common but Redundant Mechanism in Primary Podocytes. Journal of Cellular Physiology, 2015, 230, 1389-1399.	2.0	27
62	Phospholipase C- μ signaling mediates endothelial cell inflammation and barrier disruption in acute lung injury. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2016, 311, L517-L524.	1.3	27
63	NMR analysis of G-protein $\beta\gamma$ subunit complexes reveals a dynamic G $\beta\gamma$ subunit interface and multiple protein recognition modes. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 639-644.	3.3	25
64	The Epac-Phospholipase C μ Pathway Regulates Endocannabinoid Signaling and Cocaine-Induced Disinhibition of Ventral Tegmental Area Dopamine Neurons. Journal of Neuroscience, 2017, 37, 3030-3044.	1.7	25
65	Epac1 and Epac2 are differentially involved in inflammatory and remodeling processes induced by cigarette smoke. FASEB Journal, 2014, 28, 4617-4628.	0.2	24
66	Activation of Phospholipase C β by G $\beta\gamma$ and G $\beta\gamma$ Involves C-Terminal Rearrangement to Release Autoinhibition. Structure, 2020, 28, 810-819.e5.	1.6	23
67	Compartmentalized cyclic nucleotides have opposing effects on regulation of hypertrophic phospholipase C μ signaling in cardiac myocytes. Journal of Molecular and Cellular Cardiology, 2018, 121, 51-59.	0.9	21
68	WDR26 Functions as a Scaffolding Protein to Promote G $\beta\gamma$ -mediated Phospholipase C β 2 (PLC β 2) Activation in Leukocytes. Journal of Biological Chemistry, 2013, 288, 16715-16725.	1.6	20
69	Lysophosphatidic acid induces vasodilation mediated by LPA ₁ receptors, phospholipase C, and endothelial nitric oxide synthase. FASEB Journal, 2014, 28, 880-890.	0.2	20
70	PLC μ 1 regulates SDF-1 α -induced lymphocyte adhesion and migration to sites of inflammation. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 2693-2698.	3.3	20
71	Characterization of a Phospholipase C β 2-Binding Site Near the Amino-terminal Coiled-coil of G Protein $\beta\gamma$ Subunits. Journal of Biological Chemistry, 2001, 276, 11246-11251.	1.6	19
72	Purification and characterization of large and small subunits of ribulose 1,5-bisphosphate carboxylase expressed separately in Escherichia coli. Archives of Biochemistry and Biophysics, 1991, 286, 6-13.	1.4	18

#	ARTICLE	IF	CITATIONS
73	M3 Muscarinic Receptor Interaction with Phospholipase C β_3 Determines Its Signaling Efficiency. <i>Journal of Biological Chemistry</i> , 2014, 289, 11206-11218.	1.6	17
74	HPLC Separation and Indirect Ultraviolet Detection of Phosphorylated Sugars. <i>Plant Physiology</i> , 1988, 86, 615-618.	2.3	16
75	Identification and Characterization of Unique Proline-rich Peptides Binding to the Mitochondrial Fission Protein hFis1. <i>Journal of Biological Chemistry</i> , 2010, 285, 620-630.	1.6	16
76	Thrombin Promotes Sustained Signaling and Inflammatory Gene Expression through the CDC25 and Ras-associating Domains of Phospholipase C μ . <i>Journal of Biological Chemistry</i> , 2015, 290, 26776-26783.	1.6	16
77	Regulation of Phosphatidylinositol-specific Phospholipase C at the Nuclear Envelope in Cardiac Myocytes. <i>Journal of Cardiovascular Pharmacology</i> , 2015, 65, 203-210.	0.8	16
78	Evaluating Docking Methods for Prediction of Binding Affinities of Small Molecules to the G Protein β_3 Subunits. <i>Journal of Chemical Information and Modeling</i> , 2009, 49, 437-443.	2.5	13
79	Discovery of Small Molecules That Target the Phosphatidylinositol (3,4,5) Trisphosphate (PIP ₃)-Dependent Rac Exchanger 1 (P-Rex1) PIP ₃ -Binding Site and Inhibit P-Rex1-Dependent Functions in Neutrophils. <i>Molecular Pharmacology</i> , 2020, 97, 226-236.	1.0	13
80	Inhibition of G Protein β_3 Subunit Signaling Abrogates Nephritis in Lupus-Prone Mice. <i>Arthritis and Rheumatology</i> , 2016, 68, 2244-2256.	2.9	11
81	Activated heterotrimeric G protein β_1 subunits inhibit Rap-dependent cell adhesion and promote cell migration. <i>Journal of Biological Chemistry</i> , 2018, 293, 1570-1578.	1.6	10
82	Hypertension induces glomerulosclerosis in phospholipase C- β_1 deficiency. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, F1177-F1187.	1.3	9
83	Discovery of Ligands for β_3 Subunits from Phage-Displayed Peptide Libraries. <i>Methods in Enzymology</i> , 2002, 344, 557-576.	0.4	7
84	Analysis and Pharmacological Targeting of Phospholipase C β_2 Interactions with G Proteins. <i>Methods in Enzymology</i> , 2007, 434, 29-48.	0.4	7
85	Uveal melanoma-associated mutations in PLC β_4 are constitutively activating and promote melanocyte proliferation and tumorigenesis. <i>Science Signaling</i> , 2021, 14, eabj4243.	1.6	7
86	Purification of Phospholipase C β_2 and Phospholipase C β_1 from Sf9 Cells. , 2004, 237, 55-64.		6
87	A network of G β_1 signaling partners is revealed by proximity labeling proteomics analysis and includes PDZ-RhoGEF. <i>Science Signaling</i> , 2022, 15, eabi9869.	1.6	6
88	Fingerprinting G protein-coupled receptor signaling. <i>Science Signaling</i> , 2015, 8, fs20.	1.6	5
89	Phospholipase C μ Modulates Rap1 Activity and the Endothelial Barrier. <i>PLoS ONE</i> , 2016, 11, e0162338.	1.1	4
90	β_2 -arrestin mediates communication between plasma membrane and intracellular GPCRs to regulate signaling. <i>Communications Biology</i> , 2020, 3, 789.	2.0	4

#	ARTICLE	IF	CITATIONS
91	A naturally occurring membrane-anchored G α s variant, XL α s, activates phospholipase C β 24. Journal of Biological Chemistry, 2022, 298, 102134.	1.6	3
92	An Internal Pool of β 2-Adrenergic Receptors Activates PLC β -mediated PI4P Hydrolysis in Cardiac Myocytes. FASEB Journal, 2018, 32, 686.8.	0.2	1
93	Identification of PDZ β -RhoGEF (PRG) as a Novel G α i Target. FASEB Journal, 2021, 35, .	0.2	0
94	Golgi β -resident β 2-Adrenergic Receptor Signaling to Cardiac Hypertrophy in Cardiac Myocytes in Vitro and in Failing Hearts in Vivo. FASEB Journal, 2021, 35, .	0.2	0
95	Signaling Specificity of the G α β G Protein Subfamily8.5.5. FASEB Journal, 2021, 35, .	0.2	0
96	GPCR Independent Signaling by AGS8 Protein Through Formation of Quaternary Complex with G α 13, G α and PLC β 2. FASEB Journal, 2006, 20, A257.	0.2	0
97	PLC β Selectively Transduces Thrombin Versus LPA Signals to Astrocyte Proliferation Through Rap1 and Rho. FASEB Journal, 2008, 22, 805.11.	0.2	0
98	Analysis of direct binding of small molecules to G protein β 3 subunits: biophysical analysis and binding site mapping. FASEB Journal, 2008, 22, 907.3.	0.2	0
99	Redox Regulation of G protein β 3 Subunits. FASEB Journal, 2008, 22, 908.12.	0.2	0
100	Biophysical characterization of G α 13 β -hot spot β -binding small molecules: explaining G α 13 β -hot spot β -binding effector selectivity. FASEB Journal, 2009, 23, 583.3.	0.2	0
101	Phospholipase C β (PLC β) β -mediated activation of classical transient receptor potential 6 (TRPC6) increases barrier function of glomerular podocytes. FASEB Journal, 2009, 23, 804.12.	0.2	0
102	Regulation of the G protein β 3 subunits through the covalent modification of G α 2. FASEB Journal, 2009, 23, 583.4.	0.2	0
103	Two Distinct Sites on G α 13 are Required for Binding to the N-Terminus Versus the Activation Site on Adenylyl Cyclase. FASEB Journal, 2011, 25, .	0.2	0
104	Phospholipase C β Regulates Multiple Agonists β -Induced Cardiomyocyte Hypertrophy in Neonatal Rat Ventricular Myocytes By Binding To mAKAP (Muscle A β -Kinase Anchoring Protein) And Generating Local IP3 β -Dependent Nuclear Calcium Release. FASEB Journal, 2011, 25, 1012.1.	0.2	0
105	Direct Physical Scaffolding of Muscarinic M3 Receptor Signal Transduction Pathways. FASEB Journal, 2012, 26, 663.5.	0.2	0
106	Epac2 and PLC β contribute to the inflammatory response to cigarette smoke in vivo. FASEB Journal, 2013, 27, 1107.7.	0.2	0
107	Characterization of Small Molecule G α 13 Inhibitors in the Context of Inflammation. FASEB Journal, 2015, 29, 618.4.	0.2	0
108	PI4P Hydrolysis Represents a General Mechanism for DAG Generation and PKC/PKD Activation. FASEB Journal, 2015, 29, 618.6.	0.2	0

#	ARTICLE	IF	CITATIONS
109	Biasing μ Opioid Receptors with G Protein Inhibitors to Improve Opioid Analgesics. FASEB Journal, 2018, 32, 689.4.	0.2	0
110	Phospholipase C δ Regulation of Cardiac Fibroblasts. FASEB Journal, 2019, 33, 809.4.	0.2	0
111	The physiological hypertrophic agonist, norepinephrine, is able to induce PLC-mediated PI4P hydrolysis in cardiac myocytes via a pool of internal β -adrenergic receptors. FASEB Journal, 2019, 33, 810.2.	0.2	0
112	β 1 Adrenergic Receptors in the Golgi Apparatus are Activated by Cell Permeable Agonists and Stimulate PLC-mediated PI4P Hydrolysis in Cardiac Myocytes. FASEB Journal, 2019, 33, .	0.2	0
113	Identifying Novel Signaling Mechanisms Downstream of G _q -Coupled Receptors. FASEB Journal, 2022, 36, .	0.2	0