

# Sheela Singh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8665539/publications.pdf>

Version: 2024-02-01

20  
papers

471  
citations

840776

11  
h-index

794594

19  
g-index

20  
all docs

20  
docs citations

20  
times ranked

603  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhanced magnetisation with increased chromium concentration in FeCoCr <sub>x</sub> Ni <sub>2</sub> Al high-entropy alloy. <i>Materials Science and Technology</i> , 2022, 38, 12-18.	1.6	0
2	Effect of minute element addition on the oxidation resistance of FeCoCrNiAl and FeCoCrNi2Al high entropy alloy. <i>Advanced Powder Technology</i> , 2022, 33, 103410.	4.1	6
3	Thermal stability and thermal expansion behavior of FeCoCrNi2Al high entropy alloy. <i>Advanced Powder Technology</i> , 2021, 32, 378-384.	4.1	26
4	Isothermal and non-isothermal sintering characteristics of mechanically alloyed nonequiatomic Fe <sub>2</sub> CoCrMnNi high-entropy alloy powder. <i>Powder Metallurgy</i> , 2021, 64, 64-74.	1.7	1
5	Development of ethylene glycol-Cr <sub>2</sub> AlC nanofluid for thermal management in the automotive sector. <i>International Journal of Applied Ceramic Technology</i> , 2020, 17, 1071-1078.	2.1	4
6	Tribological Mechanical Properties of HVOF-Sprayed NiMoAl-Cr <sub>2</sub> AlC Composite Coatings. <i>Journal of Thermal Spray Technology</i> , 2020, 29, 1763-1783.	3.1	9
7	Tribological Behavior of NiMoAl-Based Self-Lubricating Composites. <i>ACS Omega</i> , 2020, 5, 14669-14678.	3.5	18
8	Influence of solid lubricants addition on the tribological properties of HVOF sprayed NiMoAl coating from 300°C to 400°C. <i>Materials Letters</i> , 2020, 266, 127494.	2.6	6
9	Effect of Cr <sub>2</sub> AlC nanolamella addition on tribological properties of 5W-30 engine oil. <i>Applied Surface Science</i> , 2019, 493, 1098-1105.	6.1	14
10	Elemental effect on formation of solid solution phase in CoCrFeNiX and CoCuFeNiX (X=Ti, Zn, Si,Al) high entropy alloys. <i>Materials Science and Technology</i> , 2019, 35, 1700-1707.	1.6	12
11	Synthesis and properties of high velocity oxy-fuel sprayed FeCoCrNi2Al high entropy alloy coating. <i>Surface and Coatings Technology</i> , 2019, 378, 124950.	4.8	31
12	Oxidation-induced crack healing and erosion life assessment of Ni-Mo-Al-Cr <sub>7</sub> C <sub>3</sub> -Al <sub>2</sub> O <sub>3</sub> composite coating. <i>International Journal of Applied Ceramic Technology</i> , 2019, 16, 1012-1021.	2.1	1
13	An investigation on high entropy alloy for bond coat application in thermal barrier coating system. <i>Journal of Alloys and Compounds</i> , 2019, 783, 662-673.	5.5	38
14	Effect of Cr <sub>2</sub> AlC MAX phase addition on strengthening of Ni-Mo-Al alloy coating on piston ring: Tribological and twist-fatigue life assessment. <i>Applied Surface Science</i> , 2018, 449, 295-303.	6.1	20
15	Mechanical activated synthesis of alumina dispersed FeNiCoCrAlMn high entropy alloy. <i>Journal of Alloys and Compounds</i> , 2017, 692, 720-726.	5.5	41
16	On the Path to Optimizing the Al-Co-Cr-Cu-Fe-Ni-Ti High Entropy Alloy Family for High Temperature Applications. <i>Entropy</i> , 2016, 18, 104.	2.2	68
17	Effect of decomposition of the Cr-Fe-Co rich phase of AlCoCrCuFeNi high entropy alloy on magnetic properties. <i>Ultramicroscopy</i> , 2011, 111, 619-622.	1.9	131
18	Effect of milling energy on mechanical activation of (Mo+Si <sub>3</sub> N <sub>4</sub> ) powders during the synthesis of Si <sub>3</sub> N <sub>4</sub> -MoSi <sub>2</sub> in situ composites. <i>Journal of the European Ceramic Society</i> , 2009, 29, 2069-2077.	5.7	16

#	ARTICLE	IF	CITATIONS
19	Effect of mechanical activation on synthesis of ultrafine Si <sub>3</sub> N <sub>4</sub> MoSi <sub>2</sub> in situ composites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 382, 321-327.	5.6	20
20	Synthesis of Si <sub>3</sub> N <sub>4</sub> MoSi <sub>2</sub> in situ composite from mechanically activated (Mo+Si <sub>3</sub> N <sub>4</sub> ) powders. Journal of Alloys and Compounds, 2004, 381, 254-257.	5.5	9