

# SÃ©verine Sabia

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8669880/publications.pdf>

Version: 2024-02-01

143  
papers

10,810  
citations

28272

55  
h-index

34984

98  
g-index

149  
all docs

149  
docs citations

149  
times ranked

15621  
citing authors

#	ARTICLE	IF	CITATIONS
1	GRANADA consensus on analytical approaches to assess associations with accelerometer-determined physical behaviours (physical activity, sedentary behaviour and sleep) in epidemiological studies. <i>British Journal of Sports Medicine</i> , 2022, 56, 376-384.	6.7	67
2	Long-Term Evolution of Functional Limitations in Stroke Survivors Compared With Stroke-Free Controls: Findings From 15 Years of Follow-Up Across 3 International Surveys of Aging. <i>Stroke</i> , 2022, 53, 228-237.	2.0	13
3	How Selection Over Time Contributes to the Inconsistency of the Association Between Sex/Gender and Cognitive Decline Across Cognitive Aging Cohorts. <i>American Journal of Epidemiology</i> , 2022, 191, 441-452.	3.4	7
4	Association between kidney function and incidence of dementia: 10-year follow-up of the Whitehall II cohort study. <i>Age and Ageing</i> , 2022, 51, .	1.6	29
5	Importance of characterising sleep breaks within the 24-h movement behaviour framework. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022, 19, 3.	4.6	1
6	Association of Major Surgical Admissions With Quality of Life. <i>JAMA Surgery</i> , 2022, , .	4.3	0
7	Objectively Measured Total Sedentary Time and Pattern of Sedentary Accumulation in Older Adults: Associations With Incident Cardiovascular Disease and All-Cause Mortality. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 842-850.	3.6	9
8	Association between age at onset of multimorbidity and incidence of dementia: 30 year follow-up in Whitehall II prospective cohort study. <i>BMJ, The</i> , 2022, 376, e068005.	6.0	28
9	Association of APOE $\epsilon$ 4 with cerebral gray matter volumes in non-demented older adults: The MEMENTO cohort study. <i>NeuroImage</i> , 2022, 250, 118966.	4.2	11
10	Individual Barriers to an Active Lifestyle at Older Ages Among Whitehall II Study Participants After 20 Years of Follow-up. <i>JAMA Network Open</i> , 2022, 5, e226379.	5.9	5
11	A Pragmatic, Data-Driven Method to Determine Cutoffs for CSF Biomarkers of Alzheimer Disease Based on Validation Against PET Imaging. <i>Neurology</i> , 2022, 99, .	1.1	8
12	Association of Metabolic Syndrome With Incident Dementia: Role of Number and Age at Measurement of Components in a 28-Year Follow-up of the Whitehall II Cohort Study. <i>Diabetes Care</i> , 2022, 45, 2127-2135.	8.6	8
13	The association of APOE $\epsilon$ 4 with cognitive function over the adult life course and incidence of dementia: 20 years follow-up of the Whitehall II study. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 5.	6.2	60
14	Sleep classification from wrist-worn accelerometer data using random forests. <i>Scientific Reports</i> , 2021, 11, 24.	3.3	51
15	Sex differences and the role of education in cognitive ageing: analysis of two UK-based prospective cohort studies. <i>Lancet Public Health, The</i> , 2021, 6, e106-e115.	10.0	45
16	Serum transthyretin and risk of cognitive decline and dementia: 22-year longitudinal study. <i>Neurological Sciences</i> , 2021, 42, 5093-5100.	1.9	5
17	Association Between Age at Diabetes Onset and Subsequent Risk of Dementia. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 1640.	7.4	135
18	Association of sleep duration in middle and old age with incidence of dementia. <i>Nature Communications</i> , 2021, 12, 2289.	12.8	254

#	ARTICLE	IF	CITATIONS
19	Joint association between accelerometry-measured daily combination of time spent in physical activity, sedentary behaviour and sleep and all-cause mortality: a pooled analysis of six prospective cohorts using compositional analysis. <i>British Journal of Sports Medicine</i> , 2021, 55, 1277-1285.	6.7	63
20	Comparison of the predictive accuracy of multiple definitions of cognitive impairment for incident dementia: a 20-year follow-up of the Whitehall II cohort study. <i>The Lancet Healthy Longevity</i> , 2021, 2, e407-e416.	4.6	2
21	Life expectancy in dementia subtypes: exploring a leading cause of mortality. <i>The Lancet Healthy Longevity</i> , 2021, 2, e449-e450.	4.6	9
22	Association of daily composition of physical activity and sedentary behaviour with incidence of cardiovascular disease in older adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 83.	4.6	20
23	Terminal decline in objective and self-reported measures of motor function before death: 10 year follow-up of Whitehall II cohort study. <i>BMJ, The</i> , 2021, 374, n1743.	6.0	17
24	Timeline of pain before dementia diagnosis: a 27-year follow-up study. <i>Pain</i> , 2021, 162, 1578-1585.	4.2	13
25	Sex differences in functional limitations and the effect of socioeconomic factors: a retrospective multi-cohort study. <i>Lancet, The</i> , 2021, 398, S25.	13.7	0
26	Sex differences in functional limitations and the role of socioeconomic factors: a multi-cohort analysis. <i>The Lancet Healthy Longevity</i> , 2021, 2, e780-e790.	4.6	8
27	Social inequalities in multimorbidity, frailty, disability, and transitions to mortality: a 24-year follow-up of the Whitehall II cohort study. <i>Lancet Public Health, The</i> , 2020, 5, e42-e50.	10.0	147
28	Association of moderate and vigorous physical activity with incidence of type 2 diabetes and subsequent mortality: 27-year follow-up of the Whitehall II study. <i>Diabetologia</i> , 2020, 63, 537-548.	6.3	19
29	Association of aortic stiffness with cognitive decline: Whitehall II longitudinal cohort study. <i>European Journal of Epidemiology</i> , 2020, 35, 861-869.	5.7	19
30	Leisure activity participation and risk of dementia. <i>Neurology</i> , 2020, 95, e2803-e2815.	1.1	34
31	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. <i>JAMA Network Open</i> , 2020, 3, e2016084.	5.9	18
32	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarker-based case-control study. <i>PLoS Medicine</i> , 2020, 17, e1003289.	8.4	39
33	Risk prediction models for dementia: role of age and cardiometabolic risk factors. <i>BMC Medicine</i> , 2020, 18, 107.	5.5	38
34	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study. <i>PLoS Medicine</i> , 2020, 17, e1003147.	8.4	34
35	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020, 180, 760.	5.1	140
36	Association of big-5 personality traits with cognitive impairment and dementia: a longitudinal study. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2019-213014.	3.7	5

#	ARTICLE	IF	CITATIONS
37	Facteurs de risque de la maladie d'Alzheimer et des maladies apparent��es: approche parcours de vie. Bulletin De L'Academie Nationale De Medecine, 2020, 204, 217-223.	0.0	1
38	Title is missing!. , 2020, 17, e1003289.		0
39	Title is missing!. , 2020, 17, e1003289.		0
40	Title is missing!. , 2020, 17, e1003289.		0
41	Title is missing!. , 2020, 17, e1003289.		0
42	Title is missing!. , 2020, 17, e1003289.		0
43	Title is missing!. , 2020, 17, e1003289.		0
44	Title is missing!. , 2020, 17, e1003289.		0
45	Title is missing!. , 2020, 17, e1003147.		0
46	Title is missing!. , 2020, 17, e1003147.		0
47	Title is missing!. , 2020, 17, e1003147.		0
48	Title is missing!. , 2020, 17, e1003147.		0
49	Title is missing!. , 2020, 17, e1003147.		0
50	Association of ideal cardiovascular health at age 50 with incidence of dementia: 25 year follow-up of Whitehall II cohort study. BMJ: British Medical Journal, 2019, 366, l4414.	2.3	117
51	Association of social contact with dementia and cognition: 28-year follow-up of the Whitehall II cohort study. PLoS Medicine, 2019, 16, e1002862.	8.4	105
52	The association between accelerometer-assessed physical activity and respiratory function in older adults differs between smokers and non-smokers. Scientific Reports, 2019, 9, 10270.	3.3	7
53	Association between major surgical admissions and the cognitive trajectory: 19 year follow-up of Whitehall II cohort study. BMJ: British Medical Journal, 2019, 366, l4466.	2.3	38
54	Prospective Association Among Diabetes Diagnosis, HbA1c, Glycemia, and Frailty Trajectories in an Elderly Population. Diabetes Care, 2019, 42, 1903-1911.	8.6	42

#	ARTICLE	IF	CITATIONS
55	Segmenting accelerometer data from daily life with unsupervised machine learning. <i>PLoS ONE</i> , 2019, 14, e0208692.	2.5	29
56	Raised blood pressure and risk of dementia: our response. <i>European Heart Journal</i> , 2019, 40, 787-787.	2.2	1
57	Biomarker profiles of Alzheimer's disease and dynamic of the association between cerebrospinal fluid levels of $\beta$ -amyloid peptide and tau. <i>PLoS ONE</i> , 2019, 14, e0217026.	2.5	18
58	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ: British Medical Journal</i> , 2019, 365, l1495.	2.3	168
59	Fruit, vegetable intake and blood pressure trajectories in older age. <i>Journal of Human Hypertension</i> , 2019, 33, 671-678.	2.2	12
60	Association of Midlife Diet With Subsequent Risk for Dementia. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 957.	7.4	66
61	CSF level of $\beta$ -amyloid peptide predicts mortality in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 29.	6.2	19
62	Genetic studies of accelerometer-based sleep measures yield new insights into human sleep behaviour. <i>Nature Communications</i> , 2019, 10, 1585.	12.8	189
63	Green and blue spaces and physical functioning in older adults: Longitudinal analyses of the Whitehall II study. <i>Environment International</i> , 2019, 122, 346-356.	10.0	81
64	GGIR: A Research Community-Driven Open Source R Package for Generating Physical Activity and Sleep Outcomes From Multi-Day Raw Accelerometer Data. <i>Journal for the Measurement of Physical Behaviour</i> , 2019, 2, 188-196.	0.8	391
65	Obesity trajectories and risk of dementia: 28 years of follow-up in the Whitehall II Study. <i>Alzheimer's and Dementia</i> , 2018, 14, 178-186.	0.8	240
66	Does pattern mixture modelling reduce bias due to informative attrition compared to fitting a mixed effects model to the available cases or data imputed using multiple imputation?: a simulation study. <i>BMC Medical Research Methodology</i> , 2018, 18, 89.	3.1	4
67	Estimating sleep parameters using an accelerometer without sleep diary. <i>Scientific Reports</i> , 2018, 8, 12975.	3.3	269
68	Alcohol consumption and risk of dementia: 23 year follow-up of Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2018, 362, k2927.	2.3	150
69	Clinical, socioeconomic, and behavioural factors at age 50 years and risk of cardiometabolic multimorbidity and mortality: A cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002571.	8.4	107
70	Association between systolic blood pressure and dementia in the Whitehall II cohort study: role of age, duration, and threshold used to define hypertension. <i>European Heart Journal</i> , 2018, 39, 3119-3125.	2.2	165
71	Healthy obesity and risk of accelerated functional decline and disability. <i>International Journal of Obesity</i> , 2017, 41, 866-872.	3.4	36
72	Accelerometer assessed moderate-to-vigorous physical activity and successful ageing: results from the Whitehall II study. <i>Scientific Reports</i> , 2017, 7, 45772.	3.3	110

#	ARTICLE	IF	CITATIONS
73	Trajectories of Depressive Symptoms Before Diagnosis of Dementia. <i>JAMA Psychiatry</i> , 2017, 74, 712.	11.0	361
74	Atrial fibrillation as a risk factor for cognitive decline and dementia. <i>European Heart Journal</i> , 2017, 38, 2612-2618.	2.2	147
75	Physical Activity, Sedentary Behavior, and Long-Term Changes in Aortic Stiffness: The Whitehall II Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	61
76	Physical activity, cognitive decline, and risk of dementia: 28 year follow-up of Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2017, 357, j2709.	2.3	248
77	Contribution of cognitive performance and cognitive decline to associations between socioeconomic factors and dementia: A cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002334.	8.4	56
78	Trajectories of Unhealthy Behaviors in Midlife and Risk of Disability at Older Ages in the Whitehall II Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 1500-1506.	3.6	41
79	Leisure time physical activity and subsequent physical and mental health functioning among midlife Finnish, British and Japanese employees: a follow-up study in three occupational cohorts. <i>BMJ Open</i> , 2016, 6, e009788.	1.9	15
80	Detection of Outliers Due to Participants' Non-Adherence to Protocol in a Longitudinal Study of Cognitive Decline. <i>PLoS ONE</i> , 2015, 10, e0132110.	2.5	5
81	A Novel, Open Access Method to Assess Sleep Duration Using a Wrist-Worn Accelerometer. <i>PLoS ONE</i> , 2015, 10, e0142533.	2.5	432
82	The Natural Course of Healthy Obesity Over 20 Years. <i>Journal of the American College of Cardiology</i> , 2015, 65, 101-102.	2.8	150
83	Physical Activity and Adiposity Markers at Older Ages: Accelerometer Vs Questionnaire Data. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 438.e7-438.e13.	2.5	40
84	Healthy obesity and objective physical activity. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 268-275.	4.7	68
85	Incidence of Metabolic Risk Factors Among Healthy Obese Adults. <i>Journal of the American College of Cardiology</i> , 2015, 66, 871-873.	2.8	46
86	Stability of metabolically healthy obesity over 8 years: the English Longitudinal Study of Ageing. <i>European Journal of Endocrinology</i> , 2015, 173, 703-708.	3.7	107
87	Non-Consent to a Wrist-Worn Accelerometer in Older Adults: The Role of Socio-Demographic, Behavioural and Health Factors. <i>PLoS ONE</i> , 2014, 9, e110816.	2.5	21
88	Alcohol consumption and cognitive decline in early old age. <i>Neurology</i> , 2014, 82, 332-339.	1.1	125
89	Association of body mass index and waist circumference with successful aging. <i>Obesity</i> , 2014, 22, 1172-1178.	3.0	24
90	Association Between Questionnaire- and Accelerometer-Assessed Physical Activity: The Role of Sociodemographic Factors. <i>American Journal of Epidemiology</i> , 2014, 179, 781-790.	3.4	225

#	ARTICLE	IF	CITATIONS
91	Change in Fast Walking Speed Preceding Death: Results From a Prospective Longitudinal Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69A, 354-362.	3.6	41
92	Cumulative Associations Between Midlife Health Behaviors and Physical Functioning in Early Old Age: A 17��Year Prospective Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1860-1868.	2.6	30
93	Combined effect of physical activity and leisure time sitting on long-term risk of incident obesity and metabolic risk factor clustering. <i>Diabetologia</i> , 2014, 57, 2048-2056.	6.3	45
94	Measures of frailty in population-based studies: an overview. <i>BMC Geriatrics</i> , 2013, 13, 64.	2.7	352
95	Validating a widely used measure of frailty: are all sub-components necessary? Evidence from the Whitehall II cohort study. <i>Age</i> , 2013, 35, 1457-1465.	3.0	32
96	Association of walking speed in late midlife with mortality: results from the Whitehall II cohort study. <i>Age</i> , 2013, 35, 943-952.	3.0	52
97	Midlife stroke risk and cognitive decline: A 10��year follow��up of the Whitehall II cohort study. <i>Alzheimer's and Dementia</i> , 2013, 9, 572-579.	0.8	49
98	Does Overall Diet in Midlife Predict Future Aging Phenotypes? A Cohort Study. <i>American Journal of Medicine</i> , 2013, 126, 411-419.e3.	1.5	60
99	Cardiovascular disease risk scores in identifying future frailty: the Whitehall II prospective cohort study. <i>Heart</i> , 2013, 99, 737-742.	2.9	53
100	Adherence to healthy dietary guidelines and future depressive symptoms: evidence for sex differentials in the Whitehall II study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 419-427.	4.7	117
101	Unhealthy behaviours and disability in older adults: Three-City Dijon cohort study. <i>BMJ</i> , The, 2013, 347, f4240-f4240.	6.0	111
102	Motor function in the elderly. <i>Neurology</i> , 2013, 81, 417-426.	1.1	48
103	Predicting cognitive decline. <i>Neurology</i> , 2013, 80, 1300-1306.	1.1	169
104	Combined impact of smoking and heavy alcohol use on cognitive decline in early old age: Whitehall II prospective cohort study. <i>British Journal of Psychiatry</i> , 2013, 203, 120-125.	2.8	62
105	Influence of individual and combined healthy behaviours on successful aging. <i>Cmaj</i> , 2012, 184, 1985-1992.	2.0	136
106	Impact of Smoking on Cognitive Decline in Early Old Age. <i>Archives of General Psychiatry</i> , 2012, 69, 627-35.	12.3	176
107	Physical Activity and Inflammatory Markers Over 10 Years. <i>Circulation</i> , 2012, 126, 928-933.	1.6	213
108	Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 1078-1089.	3.4	198

#	ARTICLE	IF	CITATIONS
109	Rising adiposity curbing decline in the incidence of myocardial infarction: 20-year follow-up of British men and women in the Whitehall II cohort. <i>European Heart Journal</i> , 2012, 33, 478-485.	2.2	28
110	SABIA ET AL. RESPOND. <i>American Journal of Public Health</i> , 2012, 102, S165-S166.	2.7	0
111	Neuroticism and Cardiovascular Disease Mortality. <i>Psychosomatic Medicine</i> , 2012, 74, 596-603.	2.0	54
112	Effect of Intensity and Type of Physical Activity on Mortality: Results From the Whitehall II Cohort Study. <i>American Journal of Public Health</i> , 2012, 102, 698-704.	2.7	93
113	Contribution of modifiable risk factors to social inequalities in type 2 diabetes: prospective Whitehall II cohort study. <i>BMJ</i> , The, 2012, 345, e5452-e5452.	6.0	121
114	Low conscientiousness and risk of all-cause, cardiovascular and cancer mortality over 17years: Whitehall II cohort study. <i>Journal of Psychosomatic Research</i> , 2012, 73, 98-103.	2.6	41
115	Obesity phenotypes in midlife and cognition in early old age. <i>Neurology</i> , 2012, 79, 755-762.	1.1	94
116	Decline in low-density lipoprotein cholesterol concentration: lipid-lowering drugs, diet, or physical activity? Evidence from the Whitehall II study. <i>Heart</i> , 2011, 97, 923-930.	2.9	37
117	High alcohol consumption in middle-aged adults is associated with poorer cognitive performance only in the low socio-economic group. Results from the GAZEL cohort study. <i>Addiction</i> , 2011, 106, 93-101.	3.3	23
118	Association of lung function with physical, mental and cognitive function in early old age. <i>Age</i> , 2011, 33, 385-392.	3.0	45
119	Does cognitive reserve shape cognitive decline?. <i>Annals of Neurology</i> , 2011, 70, 296-304.	5.3	121
120	O1-4.4 Framingham stroke risk profile and cognitive decline in middle age: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A14-A15.	3.7	0
121	Validation of the Phenotype of Frailty measurement in the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A27-A28.	3.7	0
122	Health Behaviours, Socioeconomic Status, and Mortality: Further Analyses of the British Whitehall II and the French GAZEL Prospective Cohorts. <i>PLoS Medicine</i> , 2011, 8, e1000419.	8.4	255
123	Combined Effects of Depressive Symptoms and Resting Heart Rate on Mortality. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1199-1206.	2.2	10
124	Effect of Apolipoprotein E epsilon4 on the association between health behaviors and cognitive function in late midlife. <i>Molecular Neurodegeneration</i> , 2010, 5, 23.	10.8	19
125	Do socioeconomic factors shape weight and obesity trajectories over the transition from midlife to old age? Results from the French GAZEL cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 16-23.	4.7	28
126	Why Does Lung Function Predict Mortality? Results From the Whitehall II Cohort Study. <i>American Journal of Epidemiology</i> , 2010, 172, 1415-1423.	3.4	57



#	ARTICLE	IF	CITATIONS
127	Association of Socioeconomic Position With Health Behaviors and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 1159.	7.4	783
128	Does cognition predict mortality in midlife? Results from the Whitehall II cohort study. <i>Neurobiology of Aging</i> , 2010, 31, 688-695.	3.1	43
129	Persistent Depressive Symptoms and Cognitive Function in Late Midlife. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1379-1385.	2.2	45
130	Common mental disorder and obesity: insight from four repeat measures over 19 years: prospective Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2009, 339, b3765-b3765.	2.3	100
131	Body mass index over the adult life course and cognition in late midlife: the Whitehall II Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 601-607.	4.7	238
132	Health Behaviors From Early to Late Midlife as Predictors of Cognitive Function: The Whitehall II Study. <i>American Journal of Epidemiology</i> , 2009, 170, 428-437.	3.4	134
133	Prevalence of educational inequalities in obesity between 1970 and 2003 in France. <i>Obesity Reviews</i> , 2009, 10, 511-518.	6.5	36
134	Cognition and incident coronary heart disease in late midlife: The Whitehall II study. <i>Intelligence</i> , 2009, 37, 529-534.	3.0	25
135	Association between common mental disorder and obesity over the adult life course. <i>British Journal of Psychiatry</i> , 2009, 195, 149-155.	2.8	61
136	Proteins, Dietary Acid Load, and Calcium and Risk of Postmenopausal Fractures in the E3N French Women Prospective Study. <i>Journal of Bone and Mineral Research</i> , 2008, 23, 1915-1922.	2.8	78
137	Risk factors for onset of menopausal symptoms. <i>Maturitas</i> , 2008, 60, 108-121.	2.4	69
138	History of coronary heart disease and cognitive performance in midlife: the Whitehall II study. <i>European Heart Journal</i> , 2008, 29, 2100-2107.	2.2	81
139	Smoking History and Cognitive Function in Middle Age From the Whitehall II Study. <i>Archives of Internal Medicine</i> , 2008, 168, 1165.	3.8	105
140	Hostility and Trajectories of Body Mass Index Over 19 Years: The Whitehall II Study. <i>American Journal of Epidemiology</i> , 2008, 169, 347-354.	3.4	11
141	The Role of Conventional Risk Factors in Explaining Social Inequalities in Coronary Heart Disease. <i>Epidemiology</i> , 2008, 19, 599-605.	2.7	39
142	Risk of onset of menopausal symptoms in periods surrounding menopause. <i>Maturitas</i> , 2007, 58, 340-347.	2.4	4
143	Folate, vitamin B12 and postmenopausal breast cancer in a prospective study of French women. <i>Cancer Causes and Control</i> , 2006, 17, 1209-1213.	1.8	65