

Peter Kornprat

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8671965/publications.pdf>

Version: 2024-02-01

50
papers

995
citations

687363

13
h-index

454955

30
g-index

50
all docs

50
docs citations

50
times ranked

1977
citing authors

#	ARTICLE	IF	CITATIONS
1	Mutant <i>KRAS</i> as a prognostic biomarker after hepatectomy for rectal cancer metastases: Does the primary disease site matter?. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 417-427.	2.6	5
2	Platelet to Lymphocyte Ratio Correlates With Carcinoma Progression in Pancreatic Intra Epithelial Neoplasia. <i>Anticancer Research</i> , 2022, 42, 1413-1419.	1.1	1
3	Nontumor related risk score: A new tool to improve prediction of prognosis after hepatectomy for colorectal liver metastases. <i>Surgery</i> , 2022, 171, 1580-1587.	1.9	2
4	A rare case of internal hernia through the foramen of Winslow. <i>Journal of Surgical Case Reports</i> , 2022, 2022, rjac065.	0.4	1
5	Using Artificial Intelligence to Find the Optimal Margin Width in Hepatectomy for Colorectal Cancer Liver Metastases. <i>JAMA Surgery</i> , 2022, 157, e221819.	4.3	16
6	A nomogram illustrating the probability of anastomotic leakage following cervical esophagogastrectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 6123-6131.	2.4	3
7	Performance of two prognostic scores that incorporate genetic information to predict long-term outcomes following resection of colorectal cancer liver metastases: An external validation of the MD Anderson and JH&MSK scores. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 581-592.	2.6	7
8	Laparoscopic cholecystectomy in critically ill patients. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2021, 53, 93-98.	0.7	0
9	Sarcopenia and primary tumor location influence patients outcome after liver resection for colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2021, , .	1.0	7
10	The optimal cut-off values for tumor size, number of lesions, and CEA levels in patients with surgically treated colorectal cancer liver metastases: An international, multi-institutional study. <i>Journal of Surgical Oncology</i> , 2021, 123, 939-948.	1.7	14
11	Toward an Optimized Staging System for Pancreatic Ductal Adenocarcinoma: A Clinically Interpretable, Artificial Intelligence-Based Model. <i>JCO Clinical Cancer Informatics</i> , 2021, 5, 1220-1231.	2.1	5
12	A Preoperative Clinical Risk Score Including C-Reactive Protein Predicts Histological Tumor Characteristics and Patient Survival after Surgery for Sporadic Non-Functional Pancreatic Neuroendocrine Neoplasms: An International Multicenter Cohort Study. <i>Cancers</i> , 2020, 12, 1235.	3.7	12
13	Decreased Activity of Circulating Butyrylcholinesterase in Blood Is an Independent Prognostic Marker in Pancreatic Cancer Patients. <i>Cancers</i> , 2020, 12, 1154.	3.7	9
14	External validation of the prognostic relevance of the advanced lung cancer inflammation index (ALI) in pancreatic cancer patients. <i>Cancer Medicine</i> , 2020, 9, 5473-5479.	2.8	15
15	The Lipase/Amylase Ratio (LAR) in Peripheral Blood Might Represent a Novel Prognostic Marker in Patients with Surgically Resectable Pancreatic Cancer. <i>Cancers</i> , 2020, 12, 1798.	3.7	8
16	Marking Disappearing Colorectal Liver Metastases After Complete Response to Neoadjuvant Chemotherapy via CT – A Pilot Study. <i>Anticancer Research</i> , 2019, 39, 3847-3854.	1.1	4
17	The Predictive Value of the CRP-to-Albumin Ratio for Patients With Pancreatic Cancer After Curative Resection: A Retrospective Single Center Study. <i>In Vivo</i> , 2019, 33, 2071-2078.	1.3	10
18	Non-obstetric surgery during pregnancy – an eleven-year retrospective analysis. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 382.	2.4	24

#	ARTICLE	IF	CITATIONS
19	Gastrointestinal complications following on-pump cardiac surgeryâ€”A propensity matched analysis. PLoS ONE, 2019, 14, e0217874.	2.5	17
20	Exploring the surgical landscape of pancreatic neuroendocrine neoplasia in Austria: Results from the ASSO pNEN study group. European Journal of Surgical Oncology, 2019, 45, 198-206.	1.0	12
21	Large platelet size is associated with poor outcome in patients with metastatic pancreatic cancer. Clinical Chemistry and Laboratory Medicine, 2019, 57, 740-744.	2.3	8
22	Should heart failure patients be left to fate? Temporary implementation of veno-arterial extracorporeal membrane oxygenation for haemodynamic support during excision of rectal carcinoma in an end-stage biventricular heart failure patient. SAGE Open Medical Case Reports, 2018, 6, 2050313X1878921.	0.3	0
23	Operative R0 resection of diffuse large B-cell lymphoma of the pelvis: a case report. Journal of Medical Case Reports, 2018, 12, 293.	0.8	2
24	Elevated amylase in plasma represents an adverse prognostic marker in patients with metastatic pancreatic cancer. Wiener Klinische Wochenschrift, 2018, 130, 569-574.	1.9	4
25	Lymph node retrieval in colorectal cancer: determining factors and prognostic significance. International Journal of Colorectal Disease, 2017, 32, 991-998.	2.2	39
26	SOX9 is a proliferation and stem cell factor in hepatocellular carcinoma and possess widespread prognostic significance in different cancer types. PLoS ONE, 2017, 12, e0187814.	2.5	56
27	Metachronous gallbladder metastasis from renal cell carcinomaâ€”a rare clinical manifestation. Wiener Klinische Wochenschrift, 2016, 128, 669-671.	1.9	1
28	Pancreatic resection for intraductal papillary mucinous neoplasmâ€”a thirteen-year single center experience. BMC Cancer, 2016, 16, 844.	2.6	12
29	Portal vein resection in advanced pancreatic adenocarcinoma: is it worth the risk?. Wiener Klinische Wochenschrift, 2016, 128, 566-572.	1.9	13
30	Clinicalâ€”Pathological Conference Series from the Medical University of Graz. Wiener Klinische Wochenschrift, 2016, 128, 277-286.	1.9	1
31	MUC1, MUC2, MUC5AC, and MUC6 in colorectal cancer: expression profiles and clinical significance. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 469, 255-265.	2.8	102
32	Inclusion of cytological features in tumor grading improves prognostic stratification of patients with colorectal cancer. International Journal of Colorectal Disease, 2016, 31, 535-541.	2.2	7
33	Pancreas Cancer Surgery in Octogenarians - Should We or Should We Not?. Anticancer Research, 2016, 36, 1979-84.	1.1	9
34	The Value of Lymph Node Dissection in the Surgery of Colorectal Cancer Liver Metastases. Anticancer Research, 2016, 36, 2993-7.	1.1	6
35	The lymphocyte to monocyte ratio in peripheral blood represents a novel prognostic marker in patients with pancreatic cancer. Clinical Chemistry and Laboratory Medicine, 2015, 53, 499-506.	2.3	68
36	Combination of tumour markers CEA and CA19-9 improves the prognostic prediction in patients with pancreatic cancer. Journal of Clinical Pathology, 2015, 68, 427-433.	2.0	42

#	ARTICLE	IF	CITATIONS
37	Grading lymph node metastasis: a feasible approach for prognostication of patients with stage III colorectal cancer. <i>Journal of Clinical Pathology</i> , 2015, 68, 742-745.	2.0	1
38	Peritumoral eosinophils predict recurrence in colorectal cancer. <i>Modern Pathology</i> , 2015, 28, 403-413.	5.5	56
39	A Case of Focal Small-cell Neuroendocrine Carcinoma in the Vicinity of the Extrahepatic Bile Duct, Adjacent to an Extensive Biliary Intraepithelial Neoplasm: A Diagnostic Challenge with Major Clinical Implications. <i>Anticancer Research</i> , 2015, 35, 4821-8.	1.1	4
40	Surgical Management of Duodenal Gastrointestinal Stromal Tumors: A Case Report. <i>Anticancer Research</i> , 2015, 35, 6321-4.	1.1	2
41	Evaluation of Uric Acid as a Prognostic Blood-Based Marker in a Large Cohort of Pancreatic Cancer Patients. <i>PLoS ONE</i> , 2014, 9, e104730.	2.5	39
42	The elevated preoperative platelet to lymphocyte ratio predicts decreased time to recurrence in colon cancer patients. <i>American Journal of Surgery</i> , 2014, 208, 210-214.	1.8	97
43	Clinico-pathological characteristics and clinical outcome of different histological types of pancreatic cancer in a large Middle European series. <i>Journal of Clinical Pathology</i> , 2013, 66, 753-757.	2.0	17
44	External Validation of the Derived Neutrophil to Lymphocyte Ratio as a Prognostic Marker on a Large Cohort of Pancreatic Cancer Patients. <i>PLoS ONE</i> , 2013, 8, e78225.	2.5	82
45	Incidental finding of sclerosing angiomatoid nodular transformation of the spleen. <i>Wiener Klinische Wochenschrift</i> , 2012, 124, 100-103.	1.9	6
46	Value of Tumor Size as a Prognostic Variable in Colorectal Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2011, 34, 43-49.	1.3	100
47	Sclerosing mesenteritis, a rare cause of a retroperitoneal tumor. <i>Wiener Klinische Wochenschrift</i> , 2010, 122, 179-183.	1.9	9
48	Chicken-bone perforation of a sigmoid colon diverticulum into the right groin and subsequent phlegmonous inflammation of the abdominal wall. <i>Wiener Klinische Wochenschrift</i> , 2009, 121, 220-222.	1.9	20
49	Colitis cystica profunda associated with rectal prolapse: report of a case. <i>International Journal of Colorectal Disease</i> , 2007, 22, 1555-1556.	2.2	11
50	Analysis of trefoil factor family protein 1 (TFF1, pS2) expression in chronic cholecystitis and gallbladder carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005, 446, 505-510.	2.8	9