

Nasir M Idkaidek

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8672441/nasir-m-idkaidek-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55
papers

531
citations

13
h-index

20
g-index

62
ext. papers

612
ext. citations

2.6
avg, IF

3.6
L-index

#	Paper	IF	Citations
55	Deep eutectic liquid as transdermal delivery vehicle of Risperidone. <i>Journal of Molecular Liquids</i> , 2022 , 345, 117347	6	3
54	Development of a Physiologically-Based Pharmacokinetic (PBPK) Model of Nebulized Hydroxychloroquine for Pulmonary Delivery to COVID-19 Patients. <i>Drug Research</i> , 2021 , 71, 250-256	1.8	5
53	Pharmacokinetics and bioavailability of tildipirosin following intravenous and subcutaneous administration in sheep. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2021 , 44, 79-85	1.4	2
52	Applicability of Saliva for Evaluation of Some Biochemical Parameters of Kidney and Liver Function in Healthy Individuals. <i>Medical Laboratory Journal</i> , 2020 , 14, 1-6	0.2	1
51	Pharmacokinetics of toltrazuril and its metabolites in pregnant and nonpregnant ewes and determination of their concentrations in milk, allantoic fluid, and newborn plasma. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2020 , 43, 339-346	1.4	1
50	Saliva versus Plasma Therapeutic Drug Monitoring of Gentamicin in Jordanian Preterm Infants. Development of a Physiologically-Based Pharmacokinetic (PBPK) Model and Validation of Class II Drugs of Salivary Excretion Classification System. <i>Drug Research</i> , 2020 , 70, 455-462	1.8	0
49	A Novel Eutectic-Based Transdermal Delivery System for Risperidone. <i>AAPS PharmSciTech</i> , 2020 , 22, 4	3.9	7
48	Critical pharmacokinetic and pharmacodynamic drug-herb interactions in rats between warfarin and pomegranate peel or guava leaves extracts. <i>BMC Complementary and Alternative Medicine</i> , 2019 , 19, 29	4.7	13
47	The development of a population physiologically based pharmacokinetic model for mycophenolic mofetil and mycophenolic acid in humans using data from plasma, saliva, and kidney tissue. <i>Biopharmaceutics and Drug Disposition</i> , 2019 , 40, 325-340	1.7	5
46	Effect of Flying at High Altitude on Early Exposure of Paracetamol in Humans. <i>Drug Research</i> , 2019 , 69, 348-351	1.8	
45	Saliva versus Plasma Therapeutic Drug Monitoring of Pregabalin in Jordanian Patients. <i>Drug Research</i> , 2018 , 68, 596-600	1.8	6
44	Saliva versus Plasma Bioequivalence of Valsartan/Hydrochlorothiazide in Humans: Validation of Classes II and IV Drugs of the Salivary Excretion Classification System. <i>Drug Research</i> , 2018 , 68, 54-59	1.8	3
43	Optimization of Drugs Pharmacotherapy During Pregnancy Using Physiologically Based Pharmacokinetic Models - An Update. <i>Current Drug Metabolism</i> , 2018 , 19, 972-978	3.5	3
42	Saliva Versus Plasma Bioequivalence of Azithromycin in Humans: Validation of Class I Drugs of the Salivary Excretion Classification System. <i>Drugs in R and D</i> , 2017 , 17, 219-224	3.4	5
41	Glucosamine modulates propranolol pharmacokinetics via intestinal permeability in rats. <i>European Journal of Pharmaceutical Sciences</i> , 2017 , 105, 137-143	5.1	8
40	Comparative assessment of saliva and plasma for drug bioavailability and bioequivalence studies in humans. <i>Saudi Pharmaceutical Journal</i> , 2017 , 25, 671-675	4.4	6
39	Evidence of reduced oral bioavailability of paracetamol in rats following multiple ingestion of grapefruit juice. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2016 , 41, 187-95	2.7	5

38	Saliva versus Plasma Relative Bioavailability of Tolterodine in Humans: Validation of Class III Drugs of the Salivary Excretion Classification System. <i>Drug Research</i> , 2016 , 66, 312-5	1.8	1
37	Saliva versus plasma bioequivalence of rusovastatin in humans: validation of class III drugs of the salivary excretion classification system. <i>Drugs in R and D</i> , 2015 , 15, 79-83	3.4	3
36	Interplay of biopharmaceutics, biopharmaceutics drug disposition and salivary excretion classification systems. <i>Saudi Pharmaceutical Journal</i> , 2014 , 22, 79-81	4.4	7
35	Synthesis, In Vitro and In Vivo Evaluation of the N-ethoxycarbonylmorpholine Ester of Diclofenac as a Prodrug. <i>Pharmaceuticals</i> , 2014 , 7, 453-63	5.2	8
34	Saliva vs. plasma bioequivalence of metformin in humans: validation of class II drugs of the salivary excretion classification system. <i>Drug Research</i> , 2014 , 64, 599-602	1.8	
33	In silico vs. in vivo human intestinal permeability. <i>Drug Research</i> , 2014 , 64, 693-4	1.8	2
32	Saliva vs. plasma bioequivalence of paracetamol in humans: validation of class I drugs of the salivary excretion classification system. <i>Drug Research</i> , 2014 , 64, 559-62	1.8	3
31	Bioequivalence of two pregabalin 300 mg capsules (Neurexal and Lyrica [®]) in healthy human volunteers. <i>Drug Research</i> , 2014 , 64, 358-62	1.8	1
30	Physiologically-Based IVIVC of Azithromycin. <i>American Journal of Pharmacological Sciences</i> , 2014 , 2, 100-102		2
29	The hydrolysis kinetics of monobasic and dibasic aminoalkyl esters of ketorolac. <i>Drug Development and Industrial Pharmacy</i> , 2013 , 39, 1346-56	3.6	4
28	Therapeutic Drug Monitoring and Population Pharmacokinetics of Digoxin in Jordanian Patients. <i>American Journal of Pharmacological Sciences</i> , 2013 , 1, 15-21	0	1
27	Saliva versus plasma pharmacokinetics: theory and application of a salivary excretion classification system. <i>Molecular Pharmaceutics</i> , 2012 , 9, 2358-63	5.6	30
26	Plasma concentrations of 25-hydroxyvitamin D among Jordanians: Effect of biological and habitual factors on vitamin D status. <i>BMC Clinical Pathology</i> , 2011 , 11, 8	3	27
25	Effect of microgravity on the pharmacokinetics of Ibuprofen in humans. <i>Journal of Clinical Pharmacology</i> , 2011 , 51, 1685-9	2.9	17
24	Metformin IR versus XR Pharmacokinetics in Humans. <i>Journal of Bioequivalence & Bioavailability</i> , 2011 , 03,	1.5	10
23	A retrospective, open-label analysis of the population pharmacokinetics of a single 10-mg dose of loratadine in healthy white Jordanian male volunteers. <i>Clinical Therapeutics</i> , 2010 , 32, 391-5	3.5	4
22	Pharmacokinetics and bioavailability of sulfadiazine and trimethoprim following intravenous, intramuscular and oral administration in ostriches (<i>Struthio camelus</i>). <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2009 , 32, 258-63	1.4	14
21	Pharmacokinetics of tilmicosin (Provital powder and Pulmotil liquid AC) oral formulations in chickens. <i>Veterinary Research Communications</i> , 2007 , 31, 477-85	2.9	30

20	Comparative pharmacokinetics of gentamicin after intravenous, intramuscular, subcutaneous and oral administration in broiler chickens. <i>Veterinary Research Communications</i> , 2007 , 31, 765-73	2.9	11
19	Pharmacokinetics and bioavailability of doxycycline in ostriches (<i>Struthio camelus</i>) at two different dose rates. <i>Journal of Veterinary Science</i> , 2006 , 7, 327-32	1.6	12
18	Comparative bioavailability of two brands of atenolol 100 mg tablets (Tensotin and Tenormin) in healthy human volunteers. <i>Biopharmaceutics and Drug Disposition</i> , 2005 , 26, 1-5	1.7	7
17	Bioequivalence assessment of Lovrak (Julphar, UAE) compared with Zovirax (Glaxo Wellcome, UK)--Two brands of Acyclovir--in healthy human volunteers. <i>Biopharmaceutics and Drug Disposition</i> , 2005 , 26, 7-12	1.7	5
16	Bioequivalence evaluation of two brands of fluoxetine 20 mg capsules (Flutin and Prozac) in healthy human volunteers. <i>Biopharmaceutics and Drug Disposition</i> , 2005 , 26, 243-7	1.7	1
15	Bioequivalence evaluation of two brands of aceclofenac 100 mg tablets (Aceclofar and Bristafam) in healthy human volunteers. <i>Biopharmaceutics and Drug Disposition</i> , 2004 , 25, 103-8	1.7	10
14	Bioequivalence evaluation of two brands of amoxicillin/clavulanic acid 250/125 mg combination tablets in healthy human volunteers: use of replicate design approach. <i>Biopharmaceutics and Drug Disposition</i> , 2004 , 25, 367-72	1.7	6
13	Pharmacokinetics and bioequivalence evaluation of two simvastatin 40 mg tablets (Simvast and Zocor) in healthy human volunteers. <i>Biopharmaceutics and Drug Disposition</i> , 2003 , 24, 183-9	1.7	33
12	Bioequivalence evaluation of two brands of furosemide 40 mg tablets (Salurin and Lasix) in healthy human volunteers. <i>Biopharmaceutics and Drug Disposition</i> , 2003 , 24, 245-9	1.7	3
11	Bioequivalence evaluation of two brands of enalapril 20 mg tablets (Narapril and Renitec) in healthy human volunteers. <i>Biopharmaceutics and Drug Disposition</i> , 2003 , 24, 315-20	1.7	16
10	Comparison of two cyclosporine formulations in healthy Middle Eastern volunteers: bioequivalence of the new Sigmasporin Microoral and Sandimmun Neoral. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2003 , 55, 67-70	5.7	7
9	Bioequivalence evaluation of two brands of gliclazide 80 mg tablets (Glyzide & Diamicron)--in healthy human volunteers. <i>Biopharmaceutics and Drug Disposition</i> , 2002 , 23, 197-202	1.7	13
8	Bioequivalence evaluation of two brands of metformin 500 mg tablets (Dialon & Glucophage)--in healthy human volunteers. <i>Biopharmaceutics and Drug Disposition</i> , 2002 , 23, 301-6	1.7	15
7	Bioequivalence assessment of Azomycin (Julphar, UAE) as compared to Zithromax (Pfizer, USA)--two brands of azithromycin--in healthy human volunteers. <i>Biopharmaceutics and Drug Disposition</i> , 2001 , 22, 15-21	1.7	6
6	Human jejunal permeability of two polar drugs: cimetidine and ranitidine. <i>Pharmaceutical Research</i> , 2001 , 18, 742-4	4.5	47
5	A novel approach to increase oral drug absorption. <i>Pharmaceutical Development and Technology</i> , 2001 , 6, 167-71	3.4	
4	Enhancement of oral absorption of metronidazole suspension in humans. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2000 , 50, 213-6	5.7	10
3	Formulation and release behavior of diclofenac sodium in Compritol 888 matrix beads encapsulated in alginate. <i>Drug Development and Industrial Pharmacy</i> , 2000 , 26, 791-5	3.6	29

2	Determination of the population pharmacokinetic parameters of sustained-release and enteric-coated oral formulations, and the suppository formulation of diclofenac sodium by simultaneous data fitting using NONMEM. <i>Biopharmaceutics and Drug Disposition</i> , 1998 , 19, 169-74	1.7	17
1	Human intestinal permeability of piroxicam, propranolol, phenylalanine, and PEG 400 determined by jejunal perfusion. <i>Pharmaceutical Research</i> , 1997 , 14, 1127-32	4.5	45