## Dong Wang

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8673290/publications.pdf

Version: 2024-02-01

759233 610901 27 590 12 24 h-index citations g-index papers 27 27 27 1110 all docs docs citations times ranked citing authors

| #  | Article   | IF          | CITATIONS |
|----|---|-------------|-----------|
| 1  | Facile synthesis of CuO–Co3O4 prickly-sphere-like composite for non-enzymatic glucose sensors. Rare Metals, 2022, 41, 1911-1920.  | 7.1         | 12        |
| 2  | Ag functionalized SnS <sub>2</sub> with enhanced photothermal activity for safe and efficient wound disinfection. Biomaterials Science, 2021, 9, 4728-4736.   | 5.4         | 18        |
| 3  | Hollow cubic ZnSnO3 with abundant oxygen vacancies for H2S gas sensing. Journal of Hazardous<br>Materials, 2020, 391, 122226.   | 12.4        | 44        |
| 4  | Helical bowl-like SnS2 with structure-induced conversion efficiency for enhanced photothermal therapy. Chemical Engineering Journal, 2020, 400, 125814.   | 12.7        | 33        |
| 5  | Sprayâ€Coated Commercial PTFE Membrane from MoS <sub>2</sub> /LaF <sub>3</sub> /PDMS Ink as Solar<br>Absorber for Efficient Solar Steam Generation. Solar Rrl, 2020, 4, 2000126.  | 5.8         | 31        |
| 6  | Detection of elemental mercury in flue-gas by a chemiresistive SnS–SnO2 ccomposite ssensor. Sensors and Actuators B: Chemical, 2020, 318, 128290.   | 7.8         | 3         |
| 7  | Facile synthesis of urchin-like LaWO4Cl assemblies and their near-infrared photothermal conversion. Nanoscale, 2019, 11, 14237-14241.   | <b>5.</b> 6 | 5         |
| 8  | Direct Fabrication of Reduced Graphene Oxide@SnO2 Hollow Nanofibers by Single-Capillary Electrospinning as Fast NO2 Gas Sensor. Journal of Nanomaterials, 2019, 2019, 1-7.  | 2.7         | 3         |
| 9  | Facile Synthesis of CoFe <sub>2</sub> O <sub>4</sub> -CoFe <sub>x</sub> /C Nanofibers Electrocatalyst for the Oxygen Evolution Reaction. Journal of the Electrochemical Society, 2019, 166, H412-H417.  | 2.9         | 8         |
| 10 | Direct Electrochemistry of Eugenol at a Glassy Carbon Electrode Modified with Electrochemically Reduced Graphene Oxide. International Journal of Electrochemical Science, 2019, 14, 3618-3627.  | 1.3         | 8         |
| 11 | Controlled synthesis of defect-rich ultrathin two-dimensional WO3 nanosheets for NO2 gas detection. Sensors and Actuators B: Chemical, 2017, 245, 828-834.  | 7.8         | 61        |
| 12 | Electric-field-induced assembly of Ag nanoparticles on a CuO nanowire using ambient electrospray ionization. New Journal of Chemistry, 2017, 41, 2878-2882.   | 2.8         | 8         |
| 13 | The direct synthesis of Au nanocrystals in microdroplets using the spray-assisted method. New Journal of Chemistry, 2016, 40, 7294-7298.  | 2.8         | 8         |
| 14 | Controlled Crystallization of Sodium Chloride Nanocrystals in MicrodropÂ <del>l</del> ets Produced by Electrospray from an Ultraâ€Đilute Solution. European Journal of Inorganic Chemistry, 2016, 2016, 1860-1865.  | 2.0         | 11        |
| 15 | Carbon electrode modified by KOH solution to improve performance of capacitive desalination.  Desalination and Water Treatment, 2016, 57, 17731-17737.  | 1.0         | 7         |
| 16 | The development of AgCl-H <sub align="right">2Ti<sub align="right">2O<sub align="right">5 nanowires composite as a room temperature sensor for the detection of element mercury. International Journal of Sensor Networks, 2015, 17, 238.</sub></sub></sub> | 0.4         | 0         |
| 17 | Preparation of sulfur-doped PANI/TiO2 nanowires and its sensing properties to mercury. Chemical Research in Chinese Universities, 2015, 31, 581-584.  | 2.6         | 5         |
| 18 | Probing planar defects in nanoparticle superlattices by 3D small-angle electron diffraction tomography and real space imaging. Nanoscale, 2014, 6, 13803-13808.   | 5.6         | 12        |

| #  | Article   | IF   | CITATION |
|----|---|------|----------|
| 19 | Precise control over shape and size of iron oxide nanocrystals suitable for assembly into ordered particle arrays. Science and Technology of Advanced Materials, 2014, 15, 055010.                      | 6.1  | 90       |
| 20 | Room temperature elemental mercury sensor using MoS2-PANI nano-sheet-flowers composite. Analytical Methods, 2013, 5, 6576.  | 2.7  | 28       |
| 21 | High-performance gas sensing achieved by mesoporous tungsten oxide mesocrystals with increased oxygen vacancies. Journal of Materials Chemistry A, 2013, 1, 8653.                                       | 10.3 | 60       |
| 22 | Role of A (A = Ca, Mg, Sr) over Hexaaluminates La0.8A0.2NiAl11O19for Carbon Dioxide Reforming of Methane. Industrial & Dioxide Reforming Chemistry Research, 2011, 50, 10955-10961.                     | 3.7  | 7        |
| 23 | Hydrothermal synthesis and characterization of rare-earth ruthenate pyrochlore compounds R2Ru2O7 (R = Pr3+, Sm3+-Ho3+). Science China Chemistry, 2011, 54, 941-946.                                     | 8.2  | 14       |
| 24 | Zirconium-substituted Hexaaluminates La0.8Zr <i>x</i> NiAl11O19 $\hat{a}$ ' <i><math>\hat{l}</math>'</i> for Carbon Dioxide Reforming of Methane. Chemistry Letters, 2010, 39, 692-694.                 | 1.3  | 4        |
| 25 | Hydrothermal Synthesis of a CaNb <sub>2</sub> O <sub>6</sub> Hierarchical Micro/Nanostructure and Its Enhanced Photocatalytic Activity. European Journal of Inorganic Chemistry, 2010, 2010, 1275-1282. | 2.0  | 37       |
| 26 | Hexagonal mesocrystals formed by ultra-thin tungsten oxide nanowires and their electrochemical behaviour. Chemical Communications, 2010, 46, 7718.  | 4.1  | 65       |
| 27 | Preparation and magnetic properties of Fe3+–Nb5+ co-doped SnO2. Journal of Solid State Chemistry, 2008, 181, 217-220.   | 2.9  | 8        |