

Simon Hatcher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8673333/publications.pdf>

Version: 2024-02-01

89
papers

2,950
citations

257101

24
h-index

182168

51
g-index

98
all docs

98
docs citations

98
times ranked

4229
citing authors

#	ARTICLE	IF	CITATIONS
1	Validation of PHQ-2 and PHQ-9 to Screen for Major Depression in the Primary Care Population. <i>Annals of Family Medicine</i> , 2010, 8, 348-353.	0.9	903
2	Assessment and management of medically unexplained symptoms. <i>BMJ: British Medical Journal</i> , 2008, 336, 1124-1128.	2.4	188
3	The Impact of Infectious Disease-Related Public Health Emergencies on Suicide, Suicidal Behavior, and Suicidal Thoughts. <i>Crisis</i> , 2021, 42, 474-487.	0.9	131
4	Rainbow SPARX: A Novel Approach to Addressing Depression in Sexual Minority Youth. <i>Cognitive and Behavioral Practice</i> , 2015, 22, 203-216.	0.9	95
5	Life events, difficulties and dilemmas in the onset of chronic fatigue syndrome: a case-control study. <i>Psychological Medicine</i> , 2003, 33, 1185-1192.	2.7	92
6	Home-Based Activity Program for Older People With Depressive Symptoms: DeLLITE-A Randomized Controlled Trial. <i>Annals of Family Medicine</i> , 2010, 8, 214-223.	0.9	91
7	A systematic review of the treatment of depression with antidepressant drugs in patients who also have a physical illness. <i>Journal of Psychosomatic Research</i> , 1999, 47, 131-143.	1.2	87
8	International Migration of Doctors, and Its Impact on Availability of Psychiatrists in Low and Middle Income Countries. <i>PLoS ONE</i> , 2010, 5, e9049.	1.1	85
9	A Pilot Double Blind Randomized Placebo Controlled Trial of a Prototype Computer-Based Cognitive Behavioural Therapy Program for Adolescents with Symptoms of Depression. <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 385-401.	0.9	85
10	Problem-solving therapy for people who present to hospital with self-harm: Zelen randomised controlled trial. <i>British Journal of Psychiatry</i> , 2011, 199, 310-316.	1.7	82
11	Burnout and Job Satisfaction in New Zealand Psychiatrists: a National Study. <i>International Journal of Social Psychiatry</i> , 2007, 53, 306-316.	1.6	69
12	Stigma toward the mentally ill in the general hospital: a qualitative study. <i>General Hospital Psychiatry</i> , 2005, 27, 359-364.	1.2	62
13	Burnout in Psychiatrists: An Etiological Model. <i>International Journal of Psychiatry in Medicine</i> , 2005, 35, 405-416.	0.8	47
14	Sense of Belonging and Suicide: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 432-436.	0.9	47
15	Antidepressants for depression in medical illness. <i>The Cochrane Library</i> , 2000, , CD001312.	1.5	42
16	Debt and Deliberate Self-poisoning. <i>British Journal of Psychiatry</i> , 1994, 164, 111-114.	1.7	40
17	Changing Rates of Self-Harm and Mental Disorders by Sex in Youths Presenting to Ontario Emergency Departments: Repeated Cross-Sectional Study. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 789-797.	0.9	39
18	A qualitative study of sexual minority young people's experiences of computerised therapy for depression. <i>Australasian Psychiatry</i> , 2015, 23, 268-273.	0.4	38

#	ARTICLE	IF	CITATIONS
19	The Effects of Chronic Lithium Treatment on Psychomotor Performance Related to Driving. <i>British Journal of Psychiatry</i> , 1990, 157, 275-278.	1.7	37
20	The views of lesbian, gay and bisexual youth regarding computerised self-help for depression: An exploratory study. <i>Advances in Mental Health</i> , 2013, 12, 22-33.	0.3	37
21	RecoverNow: Feasibility of a Mobile Tablet-Based Rehabilitation Intervention to Treat Post-Stroke Communication Deficits in the Acute Care Setting. <i>PLoS ONE</i> , 2016, 11, e0167950.	1.1	34
22	Stresses Experienced By Psychiatrists and Their Role in Burnout: a National Follow-Up Study. <i>International Journal of Social Psychiatry</i> , 2011, 57, 166-179.	1.6	31
23	Re-presentation and suicide rates in emergency department patients who self-harm. <i>EMA - Emergency Medicine Australasia</i> , 2008, 20, 322-327.	0.5	30
24	A qualitative study of a blended therapy using problem solving therapy with a customised smartphone app in men who present to hospital with intentional self-harm. <i>Evidence-Based Mental Health</i> , 2017, 20, 118-122.	2.2	27
25	What Makes Psychiatry such a Stressful Profession? A Qualitative Study. <i>Australasian Psychiatry</i> , 2007, 15, 417-421.	0.4	25
26	Te Ira Tangata: a Zelen randomised controlled trial of a culturally informed treatment compared to treatment as usual in Māori who present to hospital after self-harm. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 885-894.	1.6	24
27	Preventing suicidal behaviours with a multilevel intervention: a cluster randomised controlled trial. <i>BMC Public Health</i> , 2018, 18, 140.	1.2	22
28	Epidemiology of Intentional Self-Harm Presenting to Four District Health Boards in New Zealand Over 12 Months, and Comparison with Official Data. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 659-665.	1.3	21
29	Chronic Fatigue Syndrome: A Way Forward. <i>British Journal of Occupational Therapy</i> , 1994, 57, 381-383.	0.5	20
30	DeLLITE Depression in late life: an intervention trial of exercise. Design and recruitment of a randomised controlled trial. <i>BMC Geriatrics</i> , 2008, 8, 12.	1.1	20
31	The ACCESS study: Zelen randomised controlled trial of a package of care for people presenting to hospital after self-harm. <i>British Journal of Psychiatry</i> , 2015, 206, 229-236.	1.7	18
32	Health outcomes associated with emergency department visits by adolescents for self-harm: a propensity-matched cohort study. <i>Cmaj</i> , 2019, 191, E1207-E1216.	0.9	17
33	Early life predictors of adolescent suicidal thoughts and adverse outcomes in two population-based cohort studies. <i>PLoS ONE</i> , 2017, 12, e0183182.	1.1	16
34	RecoverNow: A patient perspective on the delivery of mobile tablet-based stroke rehabilitation in the acute care setting. <i>International Journal of Stroke</i> , 2019, 14, 174-179.	2.9	16
35	Involving people with lived experience in research on suicide prevention. <i>Cmaj</i> , 2018, 190, S13-S14.	0.9	14
36	Web-based Therapy Plus Support by a Coach in Depressed Patients Referred to Secondary Mental Health Care: Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2018, 5, e5.	1.7	14

#	ARTICLE	IF	CITATIONS
37	The problem of deliberate self-harm. <i>Current Opinion in Psychiatry</i> , 2001, 14, 107-111.	3.1	13
38	Gambling Problems and Attempted Suicide: Part II—Alcohol Abuse Increases Suicide Risk. <i>International Journal of Mental Health and Addiction</i> , 2006, 4, 273-279.	4.4	12
39	Beyond Randomized Controlled Trials in Attempted Suicide Research. <i>Suicide and Life-Threatening Behavior</i> , 2009, 39, 396-407.	0.9	12
40	Diagnostic Error in Correctional Mental Health. <i>Journal of Correctional Health Care</i> , 2016, 22, 109-117.	0.2	12
41	Strategies for facilitating the delivery of cluster randomized trials in hospitals: A study informed by the CFIR-ERIC matching tool. <i>Clinical Trials</i> , 2021, 18, 398-407.	0.7	12
42	Acceptability of a guided self-help mental health intervention in general practice. <i>Family Practice</i> , 2012, 29, 43-49.	0.8	11
43	Newer antidepressants for the treatment of depression in adults. <i>BMJ: British Medical Journal</i> , 2012, 344, d8300-d8300.	2.4	11
44	Bupropion Injection Resulting in Tissue Necrosis and Psychosis. <i>Journal of Addiction Medicine</i> , 2015, 9, 246-250.	1.4	11
45	Indigenous Suicide: A Global Perspective with a New Zealand Focus. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 684-687.	0.9	11
46	Needs, gaps and opportunities for standard and e-mental health care among at-risk populations in the Asia Pacific in the context of COVID-19: a rapid scoping review. <i>International Journal for Equity in Health</i> , 2021, 20, 161.	1.5	11
47	Coach-Facilitated Web-Based Therapy Compared With Information About Web-Based Resources in Patients Referred to Secondary Mental Health Care for Depression: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e15001.	2.1	11
48	Te Ira Tangata: A Zelen randomised controlled trial of a treatment package including problem solving therapy compared to treatment as usual in Maori who present to hospital after self harm. <i>Trials</i> , 2011, 12, 117.	0.7	10
49	Preventing suicide in indigenous communities. <i>Current Opinion in Psychiatry</i> , 2017, 30, 21-25.	3.1	10
50	The Experiences of Trainee Psychiatrists Learning a Psychodynamic Psychotherapy Model: A Grounded Theory Study. <i>Australasian Psychiatry</i> , 2008, 16, 438-441.	0.4	9
51	Do patients and clinicians differ in their assessment of suicidal intent after self-harm using the same suicide questionnaire scale?. <i>International Emergency Nursing</i> , 2013, 21, 236-239.	0.6	9
52	MIDSHIPS: Multicentre Intervention Designed for Self-Harm using Interpersonal Problem-Solving: protocol for a randomised controlled feasibility study. <i>Trials</i> , 2014, 15, 163.	0.7	9
53	Using Email with Your Patients. <i>Australasian Psychiatry</i> , 2001, 9, 207-209.	0.4	8
54	Do get in touch. <i>BMJ: British Medical Journal</i> , 2005, 331, 788-789.	2.4	8

#	ARTICLE	IF	CITATIONS
55	Gambling Problems and Attempted Suicide. Part I. High Prevalence Amongst Hospital Admissions. <i>International Journal of Mental Health and Addiction</i> , 2006, 4, 265-272.	4.4	8
56	A Case of Doll Phobia. <i>British Journal of Psychiatry</i> , 1989, 155, 255-257.	1.7	7
57	Decision Analysis in Psychiatry. <i>British Journal of Psychiatry</i> , 1995, 166, 184-190.	1.7	7
58	The STAR*D trial: the 300 lb gorilla is in the room, but does it block all the light?. <i>Evidence-Based Mental Health</i> , 2008, 11, 97-99.	2.2	7
59	Interventions to treat post-traumatic stress disorder (PTSD) in vulnerably housed populations and trauma-informed care: a scoping review. <i>BMJ Open</i> , 2022, 12, e051079.	0.8	7
60	The Manchester Self Harm Rule had good sensitivity but poor specificity for predicting repeat self harm or suicide. <i>Evidence-Based Medicine</i> , 2007, 12, 89-89.	0.6	6
61	The First Year of the RANZCP Exemptions Candidates Examination. <i>Australasian Psychiatry</i> , 2007, 15, 494-498.	0.4	5
62	The BEACON study: protocol for a cohort study as part of an evaluation of the effectiveness of smartphone-assisted problem-solving therapy in men who present with intentional self-harm to emergency departments in Ontario. <i>Trials</i> , 2020, 21, 925.	0.7	5
63	Innovations in suicide assessment and prevention during pandemics. <i>Public Health Research and Practice</i> , 2021, 31, .	0.7	5
64	Review: cognitive behavioural therapy and graded exercise show the most promise for chronic fatigue syndrome. <i>Evidence-Based Mental Health</i> , 2002, 5, 54-54.	2.2	4
65	Risk Management in Mental Health: Applying Lessons From Commercial Aviation. <i>Australasian Psychiatry</i> , 2010, 18, 4-6.	0.4	4
66	A Follow-up Study of Patients with Medically Unexplained Symptoms Referred to a Liaison Psychiatry Service. <i>International Journal of Psychiatry in Medicine</i> , 2011, 41, 217-227.	0.8	4
67	The ACCESS study a Zelen randomised controlled trial of a treatment package including problem solving therapy compared to treatment as usual in people who present to hospital after self-harm: study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 135.	0.7	4
68	Problem-solving therapy rather than treatment as usual for adults after self-harm: a pragmatic, feasibility, randomised controlled trial (the MIDSHIPS trial). <i>Pilot and Feasibility Studies</i> , 2020, 6, 119.	0.5	4
69	E-Therapies in Suicide Prevention: What Do They Look Like, Do They Work and What Is the Research Agenda?. , 2013, , 39-49.		4
70	Personality and Drinking Behaviour in Medical Students. <i>Addiction</i> , 1986, 81, 573-575.	1.7	3
71	Why stop at antidepressants?. <i>BMJ: British Medical Journal</i> , 2005, 331, 158.1.	2.4	3
72	Collaborative research: a case example of dissemination of CBT in primary care. <i>The Cognitive Behaviour Therapist</i> , 2013, 6, .	0.4	3

#	ARTICLE	IF	CITATIONS
73	Clinical effectiveness of an ultra-brief intervention for common mental health syndromes in primary care: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2015, 16, 260.	0.7	3
74	Barriers and enablers to conducting cluster randomized control trials in hospitals: A theory-informed scoping review. <i>Evaluation and Program Planning</i> , 2020, 80, 101815.	0.9	3
75	The prevalence of depression among Maori patients in Auckland general practice. <i>Journal of Primary Health Care</i> , 2009, 1, 26-9.	0.2	3
76	“One Stop Treatment” A British Fatigue Clinic. <i>Clinical Infectious Diseases</i> , 1994, 18, S112-S112.	2.9	2
77	Depression and randomized, controlled trials: problems and solutions. <i>Expert Review of Neurotherapeutics</i> , 2006, 6, 41-46.	1.4	2
78	Depressive disorders. <i>American Family Physician</i> , 2006, 73, 1999-2004.	0.1	2
79	Feasibility and acceptability of Narrative Exposure Therapy to treat individuals with PTSD who are homeless or vulnerably housed: a pilot randomized controlled trial. <i>Pilot and Feasibility Studies</i> , 2022, 8, 83.	0.5	2
80	Countertransference in systems thinking and practice. <i>Journal of Social Work Practice</i> , 1993, 7, 181-194.	0.6	1
81	How and why the long case should be kept: a view from the antipodes. <i>Psychiatric Bulletin</i> , 2008, 32, 151-152.	0.3	1
82	Durkheim and Suicide. <i>Australasian Psychiatry</i> , 1999, 7, 35-35.	0.4	0
83	Barriers and opportunities to recruitment in mental health: the case of New Zealand. <i>International Journal of Business Innovation and Research</i> , 2009, 3, 70.	0.1	0
84	Failure to improve during first 6 months of treatment and depression severity predict increased mortality in people with ACS and MDD. <i>Evidence-Based Mental Health</i> , 2010, 13, 47-47.	2.2	0
85	Good guidelines but should the emphasis be on implementation?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 15-17.	1.3	0
86	Points of style. <i>British Journal of Psychiatry</i> , 1994, 164, 697-697.	1.7	0
87	E-Therapies in Suicide Prevention. , 0, , .		0
88	Young black females in three UK cities have higher rates of self-harm than other ethnic groups but are less likely to be referred for psychiatric care. <i>Evidence-Based Mental Health</i> , 2011, 14, 6-6.	2.2	0
89	Cognitive behavior therapy improved function in the chronic fatigue syndrome. <i>ACP Journal Club</i> , 1996, 124, 71.	0.1	0