Nibaldo Inestrosa Cantin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8674145/publications.pdf

Version: 2024-02-01

330 papers 19,413 citations

73 h-index 121 g-index

332 all docs

docs citations

332

times ranked

332

18096 citing authors

#	Article	IF	Citations
1	Acetylcholinesterase Accelerates Assembly of Amyloid- \hat{l}^2 -Peptides into Alzheimer's Fibrils: Possible Role of the Peripheral Site of the Enzyme. Neuron, 1996, 16, 881-891.	3.8	1,032
2	Emerging roles of Wnts in the adult nervous system. Nature Reviews Neuroscience, 2010, 11, 77-86.	4.9	558
3	Metalloenzyme-like Activity of Alzheimer's Disease β-Amyloid. Journal of Biological Chemistry, 2002, 277, 40302-40308.	1.6	536
4	A Structural Motif of Acetylcholinesterase That Promotes Amyloid β-Peptide Fibril Formationâ€. Biochemistry, 2001, 40, 10447-10457.	1.2	385
5	The role of oxidative stress in the toxicity induced by amyloid β-peptide in Alzheimer's disease. Progress in Neurobiology, 2000, 62, 633-648.	2.8	347
6	The α-Helical to β-Strand Transition in the Amino-terminal Fragment of the Amyloid β-Peptide Modulates Amyloid Formation. Journal of Biological Chemistry, 1995, 270, 3063-3067.	1.6	298
7	Wnt signaling function in Alzheimer's disease. Brain Research Reviews, 2000, 33, 1-12.	9.1	275
8	Acetylcholinesterase promotes the aggregation of amyloid- \hat{i}^2 -peptide fragments by forming a complex with the growing fibrils 1 1Edited by A. R. Fersht. Journal of Molecular Biology, 1997, 272, 348-361.	2.0	274
9	Stable Complexes Involving Acetylcholinesterase and Amyloid-β Peptide Change the Biochemical Properties of the Enzyme and Increase the Neurotoxicity of Alzheimer's Fibrils. Journal of Neuroscience, 1998, 18, 3213-3223.	1.7	264
10	Wnt signaling in the nervous system and in Alzheimer's disease. Journal of Molecular Cell Biology, 2014, 6, 64-74.	1.5	260
11	Peroxisome Proliferator-activated Receptor Î ³ Up-regulates the Bcl-2 Anti-apoptotic Protein in Neurons and Induces Mitochondrial Stabilization and Protection against Oxidative Stress and Apoptosis. Journal of Biological Chemistry, 2007, 282, 37006-37015.	1.6	223
12	Amyloid–cholinesterase interactions. FEBS Journal, 2008, 275, 625-632.	2.2	215
13	Wnt-7a Modulates the Synaptic Vesicle Cycle and Synaptic Transmission in Hippocampal Neurons. Journal of Biological Chemistry, 2008, 283, 5918-5927.	1.6	205
14	WNT signaling in neuronal maturation and synaptogenesis. Frontiers in Cellular Neuroscience, 2013, 7, 103.	1.8	204
15	Wnt-3a overcomes \hat{l}^2 -amyloid toxicity in rat hippocampal neurons. Experimental Cell Research, 2004, 297, 186-196.	1.2	203
16	Fatty acid oxidation by human liver peroxisomes. Biochemical and Biophysical Research Communications, 1979, 88, 1030-1036.	1.0	201
17	Wnt-5a/JNK Signaling Promotes the Clustering of PSD-95 in Hippocampal Neurons. Journal of Biological Chemistry, 2009, 284, 15857-15866.	1.6	187
18	Wingless-type family member 5A (Wnt-5a) stimulates synaptic differentiation and function of glutamatergic synapses. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 21164-21169.	3.3	185

#	Article	IF	CITATIONS
19	Wnt signaling in neuroprotection and stem cell differentiation. Progress in Neurobiology, 2008, 86, 281-296.	2.8	182
20	Peroxisome proliferator-activated receptor \hat{I}^3 is expressed in hippocampal neurons and its activation prevents \hat{I}^2 -amyloid neurodegeneration: role of Wnt signaling. Experimental Cell Research, 2005, 304, 91-104.	1.2	181
21	Non-canonical function of IRE1α determines mitochondria-associated endoplasmic reticulum composition to control calcium transfer and bioenergetics. Nature Cell Biology, 2019, 21, 755-767.	4.6	168
22	Wnt Signaling: Role in Alzheimer Disease and Schizophrenia. Journal of NeuroImmune Pharmacology, 2012, 7, 788-807.	2.1	165
23	The role of Wnt signaling in neuronal dysfunction in Alzheimer's Disease. Molecular Neurodegeneration, 2008, 3, 9.	4.4	164
24	Protein kinase C inhibits amyloid $\hat{l}^2 \hat{a} \in peptide$ neurotoxicity by acting on members of the Wnt pathway. FASEB Journal, 2002, 16, 1982-1984.	0.2	156
25	\hat{l}^2 -Amyloid Causes Depletion of Synaptic Vesicles Leading to Neurotransmission Failure. Journal of Biological Chemistry, 2010, 285, 2506-2514.	1.6	153
26	Wnt signaling in the regulation of adult hippocampal neurogenesis. Frontiers in Cellular Neuroscience, 2013, 7, 100.	1.8	151
27	Structural Determinants of the Alzheimer's Amyloid βâ€Peptide. Journal of Neurochemistry, 1994, 63, 1191-1198.	2.1	141
28	Peroxisomal Proliferation Protects from \hat{l}^2 -Amyloid Neurodegeneration. Journal of Biological Chemistry, 2005, 280, 41057-41068.	1.6	137
29	STI571 prevents apoptosis, tau phosphorylation and behavioural impairments induced by Alzheimer's \hat{l}^2 -amyloid deposits. Brain, 2008, 131, 2425-2442.	3.7	136
30	Regulation of NMDA-Receptor Synaptic Transmission by Wnt Signaling. Journal of Neuroscience, 2011, 31, 9466-9471.	1.7	136
31	Interactions of AChE with A? Aggregates in Alzheimer?s Brain: Therapeutic Relevance of IDN 5706. Frontiers in Molecular Neuroscience, 2011, 4, 19.	1.4	132
32	Synthesis and Multitarget Biological Profiling of a Novel Family of Rhein Derivatives As Disease-Modifying Anti-Alzheimer Agents. Journal of Medicinal Chemistry, 2014, 57, 2549-2567.	2.9	132
33	Acetylcholinesterase-AÎ ² Complexes Are More Toxic than AÎ ² Fibrils in Rat Hippocampus. American Journal of Pathology, 2004, 164, 2163-2174.	1.9	128
34	Wnts in adult brain: from synaptic plasticity to cognitive deficiencies. Frontiers in Cellular Neuroscience, 2013, 7, 224.	1.8	128
35	Voluntary Running Attenuates Memory Loss, Decreases Neuropathological Changes and Induces Neurogenesis in a Mouse Model of <scp>A</scp> lzheimer's Disease. Brain Pathology, 2016, 26, 62-74.	2.1	128
36	Structure and function of amyloid in Alzheimer's disease. Progress in Neurobiology, 2004, 74, 323-349.	2.8	126

#	Article	IF	Citations
37	Signaling pathway cross talk in Alzheimer's disease. Cell Communication and Signaling, 2014, 12, 23.	2.7	126
38	<i>In vivo</i> Activation of <i>Wnt</i> Signaling Pathway Enhances Cognitive Function of Adult Mice and Reverses Cognitive Deficits in an Alzheimer's Disease Model. Journal of Neuroscience, 2014, 34, 2191-2202.	1.7	125
39	Wnt signalling in neuronal differentiation and development. Cell and Tissue Research, 2015, 359, 215-223.	1.5	123
40	Signal transduction during amyloid- \hat{l}^2 -peptide neurotoxicity: role in Alzheimer disease. Brain Research Reviews, 2004, 47, 275-289.	9.1	121
41	Epigenetic editing of the Dlg4/PSD95 gene improves cognition in aged and Alzheimer's disease mice. Brain, 2017, 140, 3252-3268.	3.7	121
42	Postsynaptic dysfunction is associated with spatial and object recognition memory loss in a natural model of Alzheimer's disease. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 13835-13840.	3.3	113
43	Heparan sulfate proteoglycans are increased during skeletal muscle regeneration: requirement of syndecan-3 for successful fiber formation. Journal of Cell Science, 2004, 117, 73-84.	1.2	112
44	Wnt-5a Modulates Recycling of Functional GABAA Receptors on Hippocampal Neurons. Journal of Neuroscience, 2010, 30, 8411-8420.	1.7	112
45	Cellular and molecular basis of estrogen's neuroprotection. Molecular Neurobiology, 1998, 17, 73-86.	1.9	109
46	Trolox and $17\hat{l}^2$ -Estradiol Protect against Amyloid \hat{l}^2 -Peptide Neurotoxicity by a Mechanism That Involves Modulation of the Wnt Signaling Pathway. Journal of Biological Chemistry, 2005, 280, 11615-11625.	1.6	109
47	Wnt-5aoccludes $\hat{Al^2}$ oligomer-induced depression of glutamatergic transmission in hippocampal neurons. Molecular Neurodegeneration, 2010, 5, 3.	4.4	107
48	Wnt Signaling in Skeletal Muscle Dynamics: Myogenesis, Neuromuscular Synapse and Fibrosis. Molecular Neurobiology, 2014, 49, 574-589.	1.9	107
49	Human-like rodent amyloid- \hat{l}^2 -peptide determines Alzheimer pathology in aged wild-type Octodon degu. Neurobiology of Aging, 2005, 26, 1023-1028.	1.5	106
50	A Monoclonal Antibody against Acetylcholinesterase Inhibits the Formation of Amyloid Fibrils Induced by the Enzyme. Biochemical and Biophysical Research Communications, 1997, 232, 652-655.	1.0	102
51	Wnt-7a Induces Presynaptic Colocalization of Â7-Nicotinic Acetylcholine Receptors and Adenomatous Polyposis Coli in Hippocampal Neurons. Journal of Neuroscience, 2007, 27, 5313-5325.	1.7	101
52	Association of the synaptic form of acetylcholinesterase with extracellular matrix in cultured mouse muscle cells. Cell, 1982, 29, 71-79.	13.5	100
53	Loss of canonical Wnt signaling is involved in the pathogenesis of Alzheimer's disease. Neural Regeneration Research, 2018, 13, 1705.	1.6	100
54	Role of Wnt Signaling in Central Nervous System Injury. Molecular Neurobiology, 2016, 53, 2297-2311.	1.9	99

#	Article	IF	Citations
55	Recent rodent models for Alzheimer's disease: clinical implications and basic research. Journal of Neural Transmission, 2012, 119, 173-195.	1.4	97
56	Amyloid- \hat{l}^2 -Acetylcholinesterase complexes potentiate neurodegenerative changes induced by the A \hat{l}^2 peptide. Implications for the pathogenesis of Alzheimer's disease. Molecular Neurodegeneration, 2010, 5, 4.	4.4	96
57	Role of the Wnt receptor Frizzled-1 in presynaptic differentiation and function. Neural Development, 2009, 4, 41.	1.1	95
58	Andrographolide reduces cognitive impairment in young and mature A \hat{I}^2 PPswe/PS-1 mice. Molecular Neurodegeneration, 2014, 9, 61.	4.4	95
59	Structure-Function Implications in Alzheimers Disease: Effect of Aβ Oligomers at Central Synapses. Current Alzheimer Research, 2008, 5, 233-243.	0.7	91
60	Antiâ€"Ribosomal P Protein Autoantibodies From Patients With Neuropsychiatric Lupus Impair Memory in Mice. Arthritis and Rheumatology, 2015, 67, 204-214.	2.9	90
61	Is Alzheimer's disease related to metabolic syndrome? A Wnt signaling conundrum. Progress in Neurobiology, 2014, 121, 125-146.	2.8	87
62	Acetylcholinesterase Interaction with Alzheimer Amyloid \hat{l}^2 . , 2005, 38, 299-317.		86
63	Postsynaptic Receptors for Amyloid-β Oligomers as Mediators of Neuronal Damage in Alzheimer's Disease. Frontiers in Physiology, 2012, 3, 464.	1.3	84
64	Peroxisome Proliferator-Activated Receptor (PPAR) \hat{I}^3 and PPAR \hat{I}^\pm Agonists Modulate Mitochondrial Fusion-Fission Dynamics: Relevance to Reactive Oxygen Species (ROS)-Related Neurodegenerative Disorders?. PLoS ONE, 2013, 8, e64019.	1.1	84
65	Expression of ?2-macroglobulin receptor/low density lipoprotein receptor-related protein (LRP) in rat microglial cells. Journal of Neuroscience Research, 2000, 60, 401-411.	1.3	83
66	Neurotoxicity of acetylcholinesterase amyloid \hat{l}^2 -peptide aggregates is dependent on the type of $A\hat{l}^2$ peptide and the AChE concentration present in the complexes. FEBS Letters, 1999, 450, 205-209.	1.3	80
67	The N-Terminal Tandem Repeat Region of Human Prion Protein Reduces Copper: Role of Tryptophan Residues. Biochemical and Biophysical Research Communications, 2000, 269, 491-495.	1.0	80
68	Wnt signaling involvement in \hat{l}^2 -amyloid-dependent neurodegeneration. Neurochemistry International, 2002, 41, 341-344.	1.9	80
69	Frizzledâ€1 is involved in the neuroprotective effect of Wnt3a against Aβ oligomers. Journal of Cellular Physiology, 2008, 217, 215-227.	2.0	80
70	<scp>PPARs</scp> in the central nervous system: roles in neurodegeneration and neuroinflammation. Biological Reviews, 2017, 92, 2046-2069.	4.7	80
71	Nicotine Prevents Synaptic Impairment Induced by Amyloid- \hat{l}^2 Oligomers Through $\hat{l}\pm 7$ -Nicotinic Acetylcholine Receptor Activation. NeuroMolecular Medicine, 2013, 15, 549-569.	1.8	77
72	Canonical Wnt signaling protects hippocampal neurons from AÎ 2 oligomers: role of non-canonical Wnt-5a/Ca2+ in mitochondrial dynamics. Frontiers in Cellular Neuroscience, 2013, 7, 97.	1.8	77

#	Article	IF	CITATIONS
73	ls L-methionine a trigger factor for Alzheimer's-like neurodegeneration?: Changes in Aβ oligomers, tau phosphorylation, synaptic proteins, Wnt signaling and behavioral impairment in wild-type mice. Molecular Neurodegeneration, 2015, 10, 62.	4.4	77
74	Wnt signaling: Role in LTP, neural networks and memory. Ageing Research Reviews, 2013, 12, 786-800.	5.0	76
75	An Overview of the Current and Novel Drugs for Alzheimers Disease with Particular Reference to Anti-Cholinesterase Compounds. Current Pharmaceutical Design, 2004, 10, 3121-3130.	0.9	75
76	EphA4 Activation of c-Abl Mediates Synaptic Loss and LTP Blockade Caused by Amyloid-Î ² Oligomers. PLoS ONE, 2014, 9, e92309.	1.1	75
77	Two Heparin-binding Domains Are Present on the Collagenic Tail of Asymmetric Acetylcholinesterase. Journal of Biological Chemistry, 1995, 270, 11043-11046.	1.6	73
78	Copper reduction by copper binding proteins and its relation to neurodegenerative diseases. BioMetals, 2003, 16, 91-98.	1.8	73
79	Estrogen protects neuronal cells from the cytotoxicity induced by acetylcholinesterase-amyloid complexes. FEBS Letters, 1998, 441, 220-224.	1.3	72
80	Aneural muscle cell cultures make synaptic basal lamina components. Nature, 1982, 295, 143-145.	13.7	71
81	M1 muscarinic receptor activation protects neurons from \hat{l}^2 -amyloid toxicity. A role for Wnt signaling pathway. Neurobiology of Disease, 2004, 17, 337-348.	2.1	71
82	Calcium/calmodulinâ€dependent protein kinase type IV is a target gene of the <i>Wnt</i> ſ²â€catenin signaling pathway. Journal of Cellular Physiology, 2009, 221, 658-667.	2.0	71
83	Laminin inhibits amyloid-Î ² -peptide fibrillation. Neuroscience Letters, 1996, 218, 201-203.	1.0	70
84	Methionine sulfoxide reductase A expression is regulated by the DAFâ€16/FOXO pathway in <i>Caenorhabditis elegans</i> . Aging Cell, 2009, 8, 690-705.	3.0	70
85	PPAR? activators induce growth arrest and process extension in B12 oligodendrocyte-like cells and terminal differentiation of cultured oligodendrocytes. Journal of Neuroscience Research, 2003, 72, 425-435.	1.3	69
86	Andrographolide activates the canonical Wnt signalling pathway by a mechanism that implicates the non-ATP competitive inhibition of GSK-3β: autoregulation of GSK-3β <i>inÂvivo</i> . Biochemical Journal, 2015, 466, 415-430.	1.7	68
87	Andrographolide recovers cognitive impairment in a natural model of Alzheimer's disease (Octodon) Tj ETQq1 1	1 0.784314 1.5	4 rgBT Overloo
88	Wnt Signaling in the Central Nervous System: New Insights in Health and Disease. Progress in Molecular Biology and Translational Science, 2018, 153, 81-130.	0.9	68
89	SIRT1 Regulates Dendritic Development in Hippocampal Neurons. PLoS ONE, 2012, 7, e47073.	1.1	68
90	Peripheral binding site is involved in the neurotrophic activity of acetylcholinesterase. NeuroReport, 1999, 10, 3621-3625.	0.6	67

#	Article	IF	CITATIONS
91	ApoER2 expression increases $A\hat{l}^2$ production while decreasing Amyloid Precursor Protein (APP) endocytosis: Possible role in the partitioning of APP into lipid rafts and in the regulation of \hat{l}^3 -secretase activity. Molecular Neurodegeneration, 2007, 2, 14.	4.4	66
92	Wnt signaling loss accelerates the appearance of neuropathological hallmarks of Alzheimer's disease in J20â€ <scp>APP</scp> transgenic and wildâ€type mice. Journal of Neurochemistry, 2018, 144, 443-465.	2.1	66
93	Is there a role for copper in neurodegenerative diseases?. Molecular Aspects of Medicine, 2005, 26, 405-420.	2.7	65
94	Revisiting the Paraquat-Induced Sporadic Parkinson's Disease-Like Model. Molecular Neurobiology, 2019, 56, 1044-1055.	1.9	65
95	Modulating Wnt signaling at the root: Porcupine and Wnt acylation. , 2019, 198, 34-45.		65
96	ApoER2 is Endocytosed by a Clathrin-Mediated Process Involving the Adaptor Protein Dab2 Independent of its Rafts' Association. Traffic, 2005, 6, 820-838.	1.3	64
97	PSD95 Suppresses Dendritic Arbor Development in Mature Hippocampal Neurons by Occluding the Clustering of NR2B-NMDA Receptors. PLoS ONE, 2014, 9, e94037.	1.1	63
98	Acetylcholinesterase, a senile plaque component, affects the fibrillogenesis of amyloid- \hat{l}^2 -peptides. Neuroscience Letters, 1995, 201, 49-52.	1.0	62
99	Pathogenicity of Lupus Anti–Ribosomal P Antibodies: Role of Crossâ€Reacting Neuronal Surface P Antigen in Glutamatergic Transmission and Plasticity in a Mouse Model. Arthritis and Rheumatology, 2015, 67, 1598-1610.	2.9	62
100	Inhibition of Wnt signaling induces amyloidogenic processing of amyloid precursor protein and the production and aggregation of Amyloidâ \in 1 2 (Aβ) < sub>42 < /sub> peptides. Journal of Neurochemistry, 2016, 139, 1175-1191.	2.1	62
101	PC12 and neuro 2a cells have different susceptibilities to acetylcholinesterase-amyloid complexes, amyloid25-35 fragment, glutamate, and hydrogen peroxide. Journal of Neuroscience Research, 1999, 56, 620-631.	1.3	61
102	How the Wnt signaling pathway protects from neurodegeneration: the mitochondrial scenario. Frontiers in Cellular Neuroscience, 2015, 9, 166.	1.8	61
103	Role of axoplasmic transport in neurotrophic regulation of muscle end plate acetylcholinesterase. Nature, 1976, 262, 55-56.	13.7	60
104	Tetrameric (G ₄) Acetylcholinesterase: Structure, Localization, and Physiological Regulation. Journal of Neurochemistry, 1996, 66, 1335-1346.	2.1	60
105	Chronic hypoxia induces the activation of the Wnt $\hat{\mathbb{I}}^2$ -catenin signaling pathway and stimulates hippocampal neurogenesis in wild-type and APPswe-PS1 $\hat{\mathbb{I}}$ "E9 transgenic mice in vivo. Frontiers in Cellular Neuroscience, 2014, 8, 17.	1.8	60
106	Frizzled-1 receptor regulates adult hippocampal neurogenesis. Molecular Brain, 2016, 9, 29.	1.3	60
107	Posttranslational Modifications Regulate the Postsynaptic Localization of PSD-95. Molecular Neurobiology, 2017, 54, 1759-1776.	1.9	60
108	Axonal sprouting induced in the sciatic nerve by the amyloid precursor protein (APP) and other antiproteases. Neuroscience Letters, 1992, 144, 130-134.	1.0	58

#	Article	IF	Citations
109	Induction of cellular prion protein gene expression by copper in neurons. American Journal of Physiology - Cell Physiology, 2006, 290, C271-C281.	2.1	58
110	Synaptotoxicity in Alzheimer's Disease: The Wnt Signaling Pathway as a Molecular Target. IUBMB Life, 2007, 59, 316-321.	1.5	58
111	Emerging Synaptic Molecules as Candidates in the Etiology of Neurological Disorders. Neural Plasticity, 2017, 2017, 1-25.	1.0	57
112	Distribution and anchoring of molecular forms of acetylcholinesterase. Trends in Pharmacological Sciences, 1989, 10, 325-329.	4.0	56
113	Wnt-5a Ligand Modulates Mitochondrial Fission-Fusion in Rat Hippocampal Neurons. Journal of Biological Chemistry, 2014, 289, 36179-36193.	1.6	56
114	Quercetin Exerts Differential Neuroprotective Effects Against H2O2 and AÎ ² Aggregates in Hippocampal Neurons: the Role of Mitochondria. Molecular Neurobiology, 2017, 54, 7116-7128.	1.9	56
115	Phosphorylated tau potentiates $\hat{A^{2}}$ -induced mitochondrial damage in mature neurons. Neurobiology of Disease, 2014, 71, 260-269.	2.1	55
116	Fructose consumption reduces hippocampal synaptic plasticity underlying cognitive performance. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2015, 1852, 2379-2390.	1.8	55
117	Mannose receptor is present in a functional state in rat microglial cells. Journal of Neuroscience Research, 1999, 58, 387-395.	1.3	54
118	Wnt-5a/Frizzled9 Receptor Signaling through the $G\hat{1}\pm 0$ - $G\hat{1}^2\hat{1}^3$ Complex Regulates Dendritic Spine Formation. Journal of Biological Chemistry, 2016, 291, 19092-19107.	1.6	53
119	Wnt5a promotes differentiation and development of adult-born neurons in the hippocampus by noncanonical Wnt signaling. Stem Cells, 2020, 38, 422-436.	1.4	53
120	Molecular interactions of acetylcholinesterase with senile plaques. Journal of Physiology (Paris), 1998, 92, 341-344.	2.1	52
121	Cysteine 144 Is a Key Residue in the Copper Reduction by the \hat{I}^2 -Amyloid Precursor Protein. Journal of Neurochemistry, 2001, 73, 1288-1292.	2.1	51
122	Vitamin E But Not $17\hat{l}^2$ -Estradiol Protects against Vascular Toxicity Induced by \hat{l}^2 -Amyloid Wild Type and the Dutch Amyloid Variant. Journal of Neuroscience, 2002, 22, 3081-3089.	1.7	51
123	Acetylcholinesterase (AChE) - Amyloid-β-Peptide Complexes in Alzheimers Disease. The Wnt Signaling Pathway. Current Alzheimer Research, 2004, 1, 249-254.	0.7	51
124	Genome-wide identification of new Wnt/ \hat{l}^2 -catenin target genes in the human genome using CART method. BMC Genomics, 2010, 11, 348.	1.2	50
125	Synaptic Clustering of PSD-95 Is Regulated by c-Abl through Tyrosine Phosphorylation. Journal of Neuroscience, 2010, 30, 3728-3738.	1.7	50
126	Amyloid- \hat{l}^2 Peptide Nitrotyrosination Stabilizes Oligomers and Enhances NMDAR-Mediated Toxicity. Journal of Neuroscience, 2016, 36, 11693-11703.	1.7	50

#	Article	IF	Citations
127	Purification of the peroxisomal fatty acyl-CoA oxidase from rat liver. Biochemical and Biophysical Research Communications, 1980, 95, 7-12.	1.0	49
128	Acetylcholinesterase induces neuronal cell loss, astrocyte hypertrophy and behavioral deficits in mammalian hippocampus. Journal of Neurochemistry, 2003, 87, 195-204.	2.1	49
129	Adult hippocampal neurogenesis in aging and Alzheimer's disease. Birth Defects Research Part C: Embryo Today Reviews, 2010, 90, 284-296.	3. 6	49
130	The Synaptic Protein Neuroligin-1 Interacts with the Amyloid β-Peptide. Is There a Role in Alzheimer's Disease?. Biochemistry, 2011, 50, 8127-8137.	1.2	49
131	Peroxisome Proliferators Reduce Spatial Memory Impairment, Synaptic Failure, and Neurodegeneration in Brains of a Double Transgenic Mice Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2013, 33, 941-959.	1.2	49
132	Wntâ€induced activation of glucose metabolism mediates the <i>inÂvivo</i> neuroprotective roles of Wnt signaling in Alzheimer disease. Journal of Neurochemistry, 2019, 149, 54-72.	2.1	49
133	Hypothyroidism and Cognitive Disorders during Development and Adulthood: Implications in the Central Nervous System. Molecular Neurobiology, 2019, 56, 2952-2963.	1.9	48
134	Heparin solubilizes asymmetric acetylcholinesterase from rat neuromuscular junction. FEBS Letters, 1983, 154, 265-268.	1.3	47
135	Andrographolide Stimulates Neurogenesis in the Adult Hippocampus. Neural Plasticity, 2015, 2015, 1-13.	1.0	47
136	Isolation of the heparan sulfate proteoglycans from the extracellular matrix of rat skeletal muscle. Journal of Neurobiology, 1987, 18, 271-282.	3.7	46
137	Two Different Heparin-binding Domains in the Triple-helical Domain of ColQ, the Collagen Tail Subunit of Synaptic Acetylcholinesterase. Journal of Biological Chemistry, 2003, 278, 23233-23242.	1.6	46
138	Alzheimerââ,¬â"¢s disease: relevant molecular and physiopathological events affecting amyloid-β brain balance and the putative role of PPARs. Frontiers in Aging Neuroscience, 2014, 6, 176.	1.7	46
139	Activation of Wnt Signaling in Cortical Neurons Enhances Glucose Utilization through Glycolysis. Journal of Biological Chemistry, 2016, 291, 25950-25964.	1.6	46
140	Alzheimer's Disease-Related Protein Expression in the Retina of Octodon degus. PLoS ONE, 2015, 10, e0135499.	1.1	45
141	Discovery of a Potent Dual Inhibitor of Acetylcholinesterase and Butyrylcholinesterase with Antioxidant Activity that Alleviates Alzheimer-like Pathology in Old APP/PS1 Mice. Journal of Medicinal Chemistry, 2021, 64, 812-839.	2.9	45
142	Role of Sirt1 During the Ageing Process: Relevance to Protection of Synapses in the Brain. Molecular Neurobiology, 2014, 50, 744-756.	1.9	44
143	Metal and complementary molecular bioimaging in Alzheimer's disease. Frontiers in Aging Neuroscience, 2014, 6, 138.	1.7	44
144	Age Progression of Neuropathological Markers in the Brain of the Chilean Rodent <i>Octodon degus</i> , a Natural Model of <scp>A</scp> lzheimer's Disease. Brain Pathology, 2015, 25, 679-691.	2.1	42

#	Article	IF	CITATIONS
145	Subcellular localization of acetycholinesterase molecular forms in endplate regions of adult mammalian skeletal muscle. Neurochemical Research, 1984, 9, 1211-1230.	1.6	41
146	Association of Acetylcholinesterase with the cell surface. Journal of Membrane Biology, 1990, 118, 1-9.	1.0	41
147	Structural and functional organization of synaptic acetylcholinesterase. Brain Research Reviews, 2004, 47, 96-104.	9.1	41
148	Wnt Signaling Prevents the $\hat{A^2}$ Oligomer-Induced Mitochondrial Permeability Transition Pore Opening Preserving Mitochondrial Structure in Hippocampal Neurons. PLoS ONE, 2017, 12, e0168840.	1.1	41
149	Laminin affects polymerization, depolymerization and neurotoxicity of $\hat{A^2}$ peptide. Peptides, 2002, 23, 1229-1240.	1.2	40
150	The Nâ€terminal copperâ€binding domain of the amyloid precursor protein protects against Cu 2+ neurotoxicity in vivo. FASEB Journal, 2004, 18, 1701-1703.	0.2	40
151	Acetylcholinesterase-Amyloid-β-peptide Interaction: Effect of Congo Red and the Role of the Wnt Pathway. Current Alzheimer Research, 2005, 2, 301-306.	0.7	39
152	Intracellular amyloid formation in muscle cells of $A\hat{l}^2$ -transgenic Caenorhabditis elegans: determinants and physiological role in copper detoxification. Molecular Neurodegeneration, 2009, 4, 2.	4.4	39
153	Copper Reduces AÂ Oligomeric Species and Ameliorates Neuromuscular Synaptic Defects in a C. elegans Model of Inclusion Body Myositis. Journal of Neuroscience, 2011, 31, 10149-10158.	1.7	39
154	Wnt-5a increases NO and modulates NMDA receptor in rat hippocampal neurons. Biochemical and Biophysical Research Communications, 2014, 444, 189-194.	1.0	39
155	Wnt/TLR Dialog in Neuroinflammation, Relevance in Alzheimer's Disease. Frontiers in Immunology, 2017, 8, 187.	2.2	39
156	Brain acetylcholinesterase promotes amyloid-beta-peptide aggregation but does not hydrolyze amyloid precursor protein peptides. Neurochemical Research, 1998, 23, 135-140.	1.6	38
157	câ€Abl modulates AICD dependent cellular responses: Transcriptional induction and apoptosis. Journal of Cellular Physiology, 2009, 220, 136-143.	2.0	38
158	The Hyperforin Derivative IDN5706 Occludes Spatial Memory Impairments and Neuropathological Changes in a Double Transgenic Alzheimers Mouse Model. Current Alzheimer Research, 2010, 7, 126-133.	0.7	38
159	Acetylcholinesterase like that of skeletal muscle in smooth muscle reinnervated by a motor nerve. Nature, 1979, 280, 504-506.	13.7	37
160	Release of acetylcholinesterase (AChE) from \hat{l}^2 -amyloid plaques assemblies improves the spatial memory impairments in APP-transgenic mice. Chemico-Biological Interactions, 2008, 175, 142-149.	1.7	37
161	Peroxisome Proliferator-activated Receptors and Alzheimer's Disease: Hitting the Blood–Brain Barrier. Molecular Neurobiology, 2013, 48, 438-451.	1.9	36
162	Accelerating Alzheimer's research through †natural' animal models. Current Opinion in Psychiatry, 2015, 28, 155-164.	3.1	36

#	Article	IF	CITATIONS
163	Wnt3a ligand facilitates autophagy in hippocampal neurons by modulating a novel GSK-3 \hat{l}^2 -AMPK axis. Cell Communication and Signaling, 2018, 16, 15.	2.7	36
164	The anti-inflammatory and cholinesterase inhibitor bifunctional compound IBU-PO protects from \hat{l}^2 -amyloid neurotoxicity by acting on Wnt signaling components. Neurobiology of Disease, 2005, 18, 176-183.	2.1	35
165	Laminin blocks the assembly of wild-type $\hat{Al^2}$ and the Dutch variant peptide into Alzheimer's fibrils. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 1998, 5, 16-23.	1.4	34
166	Heparin activates Wnt signaling for neuronal morphogenesis. Journal of Cellular Physiology, 2008, 216, 805-815.	2.0	34
167	Tetrahydrohyperforin Increases Adult Hippocampal Neurogenesis in Wild-Type and APPswe/PS1î"E9 Mice. Journal of Alzheimer's Disease, 2013, 34, 873-885.	1.2	34
168	Modulation of Glucose Metabolism in Hippocampal Neurons by Adiponectin and Resistin. Molecular Neurobiology, 2019, 56, 3024-3037.	1.9	34
169	Presymptomatic Treatment With Andrographolide Improves Brain Metabolic Markers and Cognitive Behavior in a Model of Early-Onset Alzheimer's Disease. Frontiers in Cellular Neuroscience, 2019, 13, 295.	1.8	34
170	Tetrahydrohyperforin Inhibits the Proteolytic Processing of Amyloid Precursor Protein and Enhances Its Degradation by Atg5-Dependent Autophagy. PLoS ONE, 2015, 10, e0136313.	1.1	34
171	Amyloid-ß-peptide reduces copper(II) to copper(I) independent of its aggregation state. Biological Research, 2000, 33, 125-31.	1.5	33
172	Huperzine A and Its Neuroprotective Molecular Signaling in Alzheimer's Disease. Molecules, 2021, 26, 6531.	1.7	33
173	Frizzled-5 Receptor Is Involved in Neuronal Polarity and Morphogenesis of Hippocampal Neurons. PLoS ONE, 2013, 8, e78892.	1.1	32
174	Brain glucose metabolism: Role of Wnt signaling in the metabolic impairment in Alzheimer's disease. Neuroscience and Biobehavioral Reviews, 2017, 80, 316-328.	2.9	32
175	Extracellular matrix components and amyloid in neuritic plaques of Alzheimer's disease. General Pharmacology, 1993, 24, 1063-1068.	0.7	31
176	Mitosis of Schwann Cells and Demyelination are Induced by the Amyloid Precursor Protein and Other Protease Inhibitors in the Rat Sciatic Nerve. European Journal of Neuroscience, 1995, 7, 152-159.	1.2	31
177	Interaction of the collagen-like tail of asymmetric acetylcholinesterase with heparin depends on triple-helical conformation, sequence and stability. Biochemical Journal, 2000, 350, 283-290.	1.7	31
178	î²-Amyloid Oligomers Affect the Structure and Function of the Postsynaptic Region: Role of the <i>Wnt</i> Signaling Pathway. Neurodegenerative Diseases, 2008, 5, 149-152.	0.8	31
179	Wnt signaling modulates pre―and postsynaptic maturation: Therapeutic considerations. Developmental Dynamics, 2010, 239, 94-101.	0.8	30
180	Wnt-5a Is a Synaptogenic Factor with Neuroprotective Properties against $A\hat{l}^2$ Toxicity. Neurodegenerative Diseases, 2012, 10, 23-26.	0.8	30

#	Article	IF	CITATIONS
181	Andrographolide Reduces Neuroinflammation and Oxidative Stress in Aged Octodon degus. Molecular Neurobiology, 2020, 57, 1131-1145.	1.9	30
182	The role of Wnt signaling in neuroprotection. Drug News and Perspectives, 2009, 22, 579.	1.9	30
183	A membrane-associated dimer of acetylcholinesterase from Xenopus skeletal muscle is solubilized by phosphatidylinositol-specific phospholipase C. Neuroscience Letters, 1988, 90, 186-190.	1.0	29
184	Extracellular matrix regulates the amount of the \hat{l}^2 -amyloid precursor protein and its amyloidogenic fragments., 1996, 166, 360-369.		29
185	Blood Cells Cholinesterase Activity in Early Stage Alzheimer's Disease and Vascular Dementia. Dementia and Geriatric Cognitive Disorders, 2005, 19, 204-212.	0.7	29
186	WASP-1, a canonical Wnt signaling potentiator, rescues hippocampal synaptic impairments induced by AÎ ² oligomers. Experimental Neurology, 2015, 264, 14-25.	2.0	29
187	Atypical Distribution of Asymmetric Acetylcholinesterase in Mutant PC12 Pheochromocytoma Cells Lacking a Cell Surface Heparan Sulfate Proteoglycan. Journal of Neurochemistry, 1985, 45, 86-94.	2.1	28
188	Induction of hypothyroidism during early postnatal stages triggers a decrease in cognitive performance by decreasing hippocampal synaptic plasticity. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2017, 1863, 870-883.	1.8	28
189	Effects of long-lasting social isolation and re-socialization on cognitive performance and brain activity: a longitudinal study in Octodon degus. Scientific Reports, 2020, 10, 18315.	1.6	28
190	Are microRNAs the Molecular Link Between Metabolic Syndrome and Alzheimer's Disease?. Molecular Neurobiology, 2016, 53, 2320-2338.	1.9	27
191	Wnt-7a Stimulates Dendritic Spine Morphogenesis and PSD-95 Expression Through Canonical Signaling. Molecular Neurobiology, 2019, 56, 1870-1882.	1.9	27
192	Neurodevelopmental impact of the offspring by thyroid hormone system-disrupting environmental chemicals during pregnancy. Environmental Research, 2021, 200, 111345.	3.7	27
193	ATP Induces NO Production in Hippocampal Neurons by P2X7 Receptor Activation Independent of Glutamate Signaling. PLoS ONE, 2013, 8, e57626.	1.1	27
194	Acetylcholinesterase induces the expression of the \hat{l}^2 -amyloid precursor protein in glia and activates glial cells in culture. Neurobiology of Disease, 2003, 14, 447-457.	2.1	26
195	Tetrahydrohyperforin Decreases Cholinergic Markers associated with Amyloid-β Plaques, 4-Hydroxynonenal Formation, and Caspase-3 Activation in AβPP/PS1 Mice. Journal of Alzheimer's Disease, 2013, 36, 99-118.	1.2	26
196	The increased potassium intake improves cognitive performance and attenuates histopathological markers in a model of Alzheimer's disease. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2015, 1852, 2630-2644.	1.8	26
197	Identification of Cerebral Metal Ion Imbalance in the Brain of Aging Octodon degus. Frontiers in Aging Neuroscience, 2017, 9, 66.	1.7	26
198	Synaptic Mitochondria: An Early Target of Amyloid-β and Tau in Alzheimer's Disease. Journal of Alzheimer's Disease, 2021, 84, 1391-1414.	1.2	26

#	Article	IF	CITATIONS
199	Sprouting and abnormal contacts of nonmedullated axons, and deposition of extracellular material induced by the amyloid precursor protein (APP) and other protease inhibitors. Brain Research, 1996, 718, 13-24.	1.1	25
200	Frizzled receptors in neurons: From growth cones to the synapse. Cytoskeleton, 2012, 69, 528-534.	1.0	25
201	On cognitive ecology and the environmental factors that promote Alzheimer disease: lessons from Octodon degus (Rodentia: Octodontidae). Biological Research, 2016, 49, 10.	1.5	25
202	Properties of fatty acyl-CoA oxidase from rat liver, a peroxisomal flavoprotein. Life Sciences, 1979, 25, 1127-1135.	2.0	24
203	Thiazolidinediones Promote Axonal Growth through the Activation of the JNK Pathway. PLoS ONE, 2013, 8, e65140.	1.1	24
204	Co-solubilization of asymmetric acetylcholinesterase and dermatan sulfate proteoglycan from the extracellular matrix of rat skeletal muscles. FEBS Letters, 1987, 213, 159-163.	1.3	23
205	Copper brain homeostasis: Role of amyloid precursor protein and prion protein. IUBMB Life, 2005, 57, 645-650.	1.5	23
206	The soluble extracellular fragment of neuroligin-1 targets $\hat{Al^2}$ oligomers to the postsynaptic region of excitatory synapses. Biochemical and Biophysical Research Communications, 2015, 466, 66-71.	1.0	23
207	Reduction of Blood Amyloid-β Oligomers in Alzheimer's Disease Transgenic Mice by c-Abl Kinase Inhibition. Journal of Alzheimer's Disease, 2016, 54, 1193-1205.	1.2	23
208	Vertebrate Presynaptic Active Zone Assembly: a Role Accomplished by Diverse Molecular and Cellular Mechanisms. Molecular Neurobiology, 2018, 55, 4513-4528.	1.9	23
209	Wnt Signaling Pathway Dysregulation in the Aging Brain: Lessons From the Octodon degus. Frontiers in Cell and Developmental Biology, 2020, 8, 734.	1.8	23
210	Cognitive impairment in heart failure is associated with altered Wnt signaling in the hippocampus. Aging, 2019, 11, 5924-5942.	1.4	23
211	Amyloid Precursor Protein Fragment and Acetylcholinesterase Increase with Cell Confluence and Differentiation in a Neuronal Cell Line. Experimental Cell Research, 1996, 229, 93-99.	1.2	22
212	Environmental control of microRNAs in the nervous system: Implications in plasticity and behavior. Neuroscience and Biobehavioral Reviews, 2016, 60, 121-138.	2.9	22
213	GALECTIN-8 Is a Neuroprotective Factor in the Brain that Can Be Neutralized by Human Autoantibodies. Molecular Neurobiology, 2019, 56, 7774-7788.	1.9	22
214	Acetylcholinesterase is functional in embryonic rat muscle before its accumulation at the sites of nerve-muscle contact. Developmental Biology, 1984, 103, 369-377.	0.9	21
215	Axons grow in the aging rat but fast transport and acetylcholinesterase content remain unchanged. Brain Research, 1988, 441, 331-338.	1.1	21
216	A novel function for Wnt signaling modulating neuronal firing activity and the temporal structure of spontaneous oscillation in the entorhinal–hippocampal circuit. Experimental Neurology, 2015, 269, 43-55.	2.0	21

#	Article	IF	CITATIONS
217	New Insights into the Spontaneous Human Alzheimer's Disease-Like Model Octodon degus: Unraveling Amyloid-β Peptide Aggregation and Age-Related Amyloid Pathology. Journal of Alzheimer's Disease, 2018, 66, 1145-1163.	1.2	21
218	The functional links between prion protein and copper. Biological Research, 2006, 39, 39-44.	1.5	20
219	The Protein Oxidation Repair Enzyme Methionine Sulfoxide Reductase A Modulates AÎ ² Aggregation and Toxicity <i>In Vivo</i> . Antioxidants and Redox Signaling, 2015, 22, 48-62.	2.5	20
220	The Exocyst Component Exo70 Modulates Dendrite Arbor Formation, Synapse Density, and Spine Maturation in Primary Hippocampal Neurons. Molecular Neurobiology, 2019, 56, 4620-4638.	1.9	19
221	Differentiation of skeletal muscle cells in culture Cell Structure and Function, 1982, 7, 91-109.	0.5	18
222	Role of Copper in Prion Diseases: Deleterious or Beneficial?. Current Pharmaceutical Design, 2006, 12, 2587-2595.	0.9	18
223	The GABA(A) ireceptors in hippocampal spontaneous activity and their distribution in hippocampus, amygdala and visual cortex. Neuroscience Letters, 2011, 500, 20-25.	1.0	18
224	$\langle i \rangle \hat{l}^2 \langle j \rangle$ -Catenin-Dependent Signaling Pathway Contributes to Renal Fibrosis in Hypertensive Rats. BioMed Research International, 2015, 2015, 1-13.	0.9	18
225	Abnormal development of the locomotor activity in yellow larvae of Drosophila: a cuticular defect?. Genetica, 1996, 97, 205-210.	0.5	17
226	Wnt-5a-regulated miR-101b controls COX2 expression in hippocampal neurons. Biological Research, 2016, 49, 9.	1.5	17
227	Modulation of the NMDA Receptor Through Secreted Soluble Factors. Molecular Neurobiology, 2016, 53, 299-309.	1.9	17
228	Monomeric amphiphilic forms of acetylcholinesterase appear early during brain development and may correspond to biosynthetic precursors of the amphiphilic G4 forms. Neuroscience Letters, 1994, 173, 155-158.	1.0	16
229	A Major Portion of Synaptic Basal Lamina Acetylcholinesterase Is Detached by High Salt- and Heparin-containing Buffers from Rat Diaphragm Muscle and Torpedo Electric Organ. Journal of Biological Chemistry, 1998, 273, 4258-4265.	1.6	16
230	Long-Term, Fructose-Induced Metabolic Syndrome-Like Condition Is Associated with Higher Metabolism, Reduced Synaptic Plasticity and Cognitive Impairment in Octodon degus. Molecular Neurobiology, 2018, 55, 9169-9187.	1.9	16
231	Evidence of Synaptic and Neurochemical Remodeling in the Retina of Aging Degus. Frontiers in Neuroscience, 2020, 14, 161.	1.4	16
232	Membrane-Bound Form of Acetylcholinesterase Activated during Postnatal Development of the Rat Somatosensory Cortex. Developmental Neuroscience, 1985, 7, 120-132.	1.0	15
233	Nerve regeneration is improved by insulin-like growth factor I (IGF-I) and basic flbroblast growth factor (bFGF). Restorative Neurology and Neuroscience, 1993, 5, 181-189.	0.4	15
234	Interaction of Collagen-Like Peptide Models of Asymmetric Acetylcholinesterase with Glycosaminoglycans:  Spectroscopic Studies of Conformational Changes and Stability. Biochemistry, 2000, 39, 14884-14892.	1.2	15

#	Article	IF	Citations
235	Inclusion Body Myositis: A View from the Caenorhabditis elegans Muscle. Molecular Neurobiology, 2008, 38, 178-198.	1.9	15
236	Overexpression of amyloid precursor protein increases copper content in HEK293 cells. Biochemical and Biophysical Research Communications, 2009, 382, 740-744.	1.0	15
237	Wnt5a inhibits K+ currents in hippocampal synapses through nitric oxide production. Molecular and Cellular Neurosciences, 2015, 68, 314-322.	1.0	15
238	APP/Go protein $G\hat{l}^2\hat{l}^3$ -complex signaling mediates $A\hat{l}^2$ degeneration and cognitive impairment in Alzheimer's disease models. Neurobiology of Aging, 2018, 64, 44-57.	1.5	15
239	Local Klotho Enhances Neuronal Progenitor Proliferation in the Adult Hippocampus. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1043-1051.	1.7	15
240	The electric organ of Discopyge tschudii: Its innervated face and the biology of acetylcholinesterase. Cellular and Molecular Neurobiology, 1984, 4, 125-142.	1.7	14
241	Developmental regulation of mouse brain monomeric acetylcholinesterase. International Journal of Developmental Neuroscience, 1998, 16, 123-134.	0.7	14
242	Canonical Wnt Signaling Modulates the Expression of Pre- and Postsynaptic Components in Different Temporal Patterns. Molecular Neurobiology, 2020, 57, 1389-1404.	1.9	14
243	Selective Surface and Intraluminal Localization of Wnt Ligands on Small Extracellular Vesicles Released by HT-22 Hippocampal Neurons. Frontiers in Cell and Developmental Biology, 2021, 9, 735888.	1.8	14
244	The A12 acetylcholinesterase and polypeptide composition of electric organ basal lamina of electrophorus and some torpedinae fishes. Cell Biochemistry and Function, 1983, 1, 41-48.	1.4	13
245	Interaction of the collagen-like tail of asymmetric acetylcholinesterase with heparin depends on triple-helical conformation, sequence and stability. Biochemical Journal, 2000, 350, 283.	1.7	13
246	Teneurins and Alzheimer's disease: A suggestive role for a unique family of proteins. Medical Hypotheses, 2015, 84, 402-407.	0.8	13
247	Nicotine Modulates Mitochondrial Dynamics in Hippocampal Neurons. Molecular Neurobiology, 2018, 55, 8965-8977.	1.9	13
248	Fructose and prostate cancer: toward an integrated view of cancer cell metabolism. Prostate Cancer and Prostatic Diseases, 2019, 22, 49-58.	2.0	13
249	Monitoring Mitochondrial Membranes Permeability in Live Neurons and Mitochondrial Swelling Through Electron Microscopy Analysis. Methods in Molecular Biology, 2015, 1254, 87-97.	0.4	13
250	Increase of muscle peroxisomal enzymes and myotonia induced by nafenopin, a hypolipidemic drug. Muscle and Nerve, 1983, 6, 154-159.	1.0	12
251	Responses induced by tacrine in neuronal and non-neuronal cell lines., 1998, 52, 435-444.		12
252	At Least Two Receptors of Asymmetric Acetylcholinesterase Are Present at the Synaptic Basal Lamina of Torpedo Electric Organ. Biochemical and Biophysical Research Communications, 1998, 250, 312-317.	1.0	12

#	Article	IF	Citations
253	Molecular modeling of the amyloid- \hat{l}^2 -peptide using the homology to a fragment of triosephosphate isomerase that forms amyloid in vitro. Protein Engineering, Design and Selection, 1999, 12, 959-966.	1.0	12
254	Tetrahydrohyperforin Induces Mitochondrial Dynamics and Prevents Mitochondrial Ca2+ Overload after $A\hat{I}^2$ and $A\hat{I}^2$ -AChE Complex Challenge in Rat Hippocampal Neurons. Journal of Alzheimer's Disease, 2013, 37, 735-746.	1.2	12
255	"Live together, die alone†The effect of re-socialization on behavioural performance and social-affective brain-related proteins after a long-term chronic social isolation stress. Neurobiology of Stress, 2021, 14, 100289.	1.9	12
256	Interaction of heparin with multimolecular aggregates of acetylcholinesterase. Cellular and Molecular Neurobiology, 1985, 5, 303-309.	1.7	11
257	The ROR2 tyrosine kinase receptor regulates dendritic spine morphogenesis in hippocampal neurons. Molecular and Cellular Neurosciences, 2015, 67, 22-30.	1.0	11
258	Wnt signaling pathway improves central inhibitory synaptic transmission in a mouse model of Duchenne muscular dystrophy. Neurobiology of Disease, 2016, 86, 109-120.	2.1	11
259	Hormetic-Like Effects of L-Homocysteine on Synaptic Structure, Function, and ${\rm A}\hat{\rm I}^2$ Aggregation. Pharmaceuticals, 2020, 13, 24.	1.7	11
260	Andrographolide restores glucose uptake in rat hippocampal neurons. Journal of Neurochemistry, 2021, 157, 1222-1233.	2.1	11
261	Crosslinking of amyloid- \hat{l}^2 peptide to brain acetylcholinesterase. Molecular and Chemical Neuropathology, 1998, 33, 39-49.	1.0	10
262	Stepwise construction of triple-helical heparin binding sites using peptide models. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2004, 1698, 187-195.	1.1	10
263	Brain metabolite clearance: impact on Alzheimer's disease. Metabolic Brain Disease, 2014, 29, 553-561.	1.4	10
264	Wnt-related SynGAP1 is a neuroprotective factor of glutamatergic synapses against $\tilde{AAZA^2}$ oligomers. Frontiers in Cellular Neuroscience, 2015, 9, 227.	1.8	10
265	Wnt5a Increases the Glycolytic Rate and the Activity of the Pentose Phosphate Pathway in Cortical Neurons. Neural Plasticity, 2016, 2016, 1-13.	1.0	10
266	Andrographolide promotes hippocampal neurogenesis and spatial memory in the APPswe/PS1î"E9 mouse model of Alzheimer's disease. Scientific Reports, 2021, 11, 22904.	1.6	10
267	Gangliosides and sialoglycoproteins in normal and denervated rat diaphragm muscle. Muscle and Nerve, 1982, 5, 33-38.	1.0	9
268	Proteoglycan production in Drosophila egg development: Effect of \hat{l}^2 -d-xyloside on proteoglycan synthesis and larvae motility. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1990, 97, 307-314.	0.2	9
269	Acetylcholinesterase changes in hearts with sinus rhythm and atrial fibrillation. General Pharmacology, 1993, 24, 111-114.	0.7	9
270	Molecular modeling of the collagen-like tail of asymmetric acetylcholinesterase. Protein Engineering, Design and Selection, 2000, 13, 27-34.	1.0	9

#	Article	IF	CITATIONS
271	TheGαoActivator Mastoparan-7 Promotes Dendritic Spine Formation in Hippocampal Neurons. Neural Plasticity, 2016, 2016, 1-11.	1.0	9
272	Recent Advances in Neuroinflammation Therapeutics: PPARs/LXR as Neuroinflammatory Modulators. Current Pharmaceutical Design, 2016, 22, 1312-1323.	0.9	9
273	Dermatan sulfate and de-sulfated heparin solubilized collagen-tailed acetylcholinesterase from the rat neuromuscular junction. Brain Research, 1990, 529, 91-95.	1.1	8
274	Amphiphilic behavior of a brain tetrameric acetylcholinesterase form lacking the plasma membrane anchoring domain. Brain Research, 1992, 580, 1-5.	1.1	8
275	Sensitivity of acetylcholinesterase molecular forms to inhibition by high MgCl2 concentration. BBA - Proteins and Proteomics, 1994, 1208, 286-293.	2.1	8
276	Metamorphosis of laboratory-reared larvae of Concholepas concholepas (Mollusca; Gastropoda). Aquaculture, 1994, 126, 299-303.	1.7	8
277	Effect of protamine on the solubilization of collagen-tailed acetylcholinesterase: potential heparin-binding consensus sequences in the tail of the enzyme. BBA - Proteins and Proteomics, 1995, 1252, 53-58.	2.1	8
278	Ethanol specifically decreases peroxisome proliferator activated receptor \hat{l}^2 in B12 oligodendrocyteâ \in like cells. Journal of Neurochemistry, 2003, 85, 135-141.	2.1	8
279	Neuroprotective Effects of Ferruginol, Jatrophone, and Junicedric Acid Against Amyloid- \hat{l}^2 Injury in Hippocampal Neurons. Journal of Alzheimer's Disease, 2018, 63, 705-723.	1.2	8
280	Wnt5a promotes hippocampal postsynaptic development and GluN2B-induced expression via the eIF2α HRI kinase. Scientific Reports, 2021, 11, 7395.	1.6	8
281	The transcriptional landscape of Alzheimer's disease and its association with Wnt signaling pathway. Neuroscience and Biobehavioral Reviews, 2021, 128, 454-466.	2.9	8
282	Presence of an heparin-binding growth factor in Concholepas concholepas Bruguiere (Mollusca;) Tj ETQq0 0 0 rg	BT/Qverlo	ock ₇ 10 Tf 50 3
283	Molecular changes induced by metamorphosis in larvae of the prosobranch Concholepas concholepas Bruguiere (Mollusca; Gastropoda; Muricidae). Journal of Experimental Marine Biology and Ecology, 1993, 168, 205-215.	0.7	7
284	Tetrahydrohyperforin: a neuroprotective modified natural compound against Alzheimer′s disease. Neural Regeneration Research, 2015, 10, 552.	1.6	7
285	Neurotransmitter-related enzyme acetylcholinesterase in juveniles ofConcholepas concholepas (Mollusca; gastropoda; muricidae). The Journal of Experimental Zoology, 1990, 255, 1-8.	1.4	6
286	INT131 increases dendritic arborization and protects against AÎ ² toxicity by inducing mitochondrial changes in hippocampal neurons. Biochemical and Biophysical Research Communications, 2017, 490, 955-962.	1.0	6
287	Serine–Arginine Protein Kinase SRPK2 Modulates the Assembly of the Active Zone Scaffolding Protein CAST1/ERC2. Cells, 2019, 8, 1333.	1.8	6
288	Wnt Signaling Upregulates Teneurin-3 Expression via Canonical and Non-canonical Wnt Pathway Crosstalk. Frontiers in Neuroscience, 2019, 13, 505.	1.4	6

#	Article	IF	Citations
289	A Multivariate Assessment of Age-Related Cognitive Impairment in Octodon degus. Frontiers in Integrative Neuroscience, 2021, 15, 719076.	1.0	6
290	WNT Signaling Is a Key Player in Alzheimer's Disease. Handbook of Experimental Pharmacology, 2021, 269, 357-382.	0.9	6
291	Biosynthesis of the neurofilament heavy subunit in Xenopus oocytes microinjected with rat brain poly(A)+ RNA. Molecular Biology Reports, 1987, 12, 265-271.	1.0	5
292	Changes in contralateral synaptic acetylcholinesterase following motor nerve section in rats. Neuroscience Letters, 1988, 90, 229-233.	1.0	5
293	Sulfation is required for mobility of veliger larvae ofConcholepas concholepas (Mollusca;) Tj ETQq1 1 0.784314 rg	gBT_/Overl	lock 10 Tf 50
294	A high molecular weight proteoglycan is differentially expressed during development of the molluscConcholepas concholepas (Mollusca; Gastropoda; Muricidae). The Journal of Experimental Zoology, 1992, 264, 363-371.	1.4	5
295	The human prion octarepeat fragment prevents and reverses the inhibitory action of copper in the P2X ₄ receptor without modifying the zinc action. Journal of Neurochemistry, 2003, 85, 709-716.	2.1	5
296	Reusing and composing models of cell fate regulation of human bone precursor cells. BioSystems, 2012, 108, 63-72.	0.9	5
297	Glutamatergic Receptor Trafficking and Delivery: Role of the Exocyst Complex. Cells, 2020, 9, 2402.	1.8	5
298	Wnt5a modulates dendritic spine dynamics through the regulation of Cofilin via small Rho GTPase activity in hippocampal neurons. Journal of Neurochemistry, 2021, 158, 673-693.	2.1	5
299	The sensory projections of Drosophila mutants which show abnormal wing formation or flying behavior. Brain Research, 1987, 416, 248-256.	1.1	4
300	Morphological neurite changes induced by porcupine inhibition are rescued by Wnt ligands. Cell Communication and Signaling, 2021, 19, 87.	2.7	4
301	Acetylcholinesterase aggregates in a newly formed motor nerve-smooth muscle junction. Brain Research Bulletin, 1981, 7, 17-24.	1.4	3
302	A simple assay to estimate the acetylcholinesterase molecular forms in crude extracts of rat skeletal muscle. Analytical Biochemistry, 1989, 180, 227-230.	1.1	3
303	A comparison of the Xenopus laevis oocyte acetylcholinesterase with the muscle and brain enzyme suggests variations at the post-translational level. Comparative Biochemistry and Physiology Part C: Comparative Pharmacology, 1991, 98, 299-305.	0.2	3
304	Isolation of proteoglycans synthesized by rat heart: Evidence for the presence of several distinct forms. General Pharmacology, 1992, 23, 249-255.	0.7	3
305	A neurofilament polypeptide and the glial fibrillary acidic protein share common epitopes in the variable region. Neuroscience Letters, 1993, 161, 137-140.	1.0	3
306	Binding of Asymmetric (Al2) Acetylcholinesterase to C2 Muscle Cells and to Cho Mutants Defective in Glycosaminoglycan Synthesis., 1992,, 25-32.		3

#	Article	IF	CITATIONS
307	Age- and Sex-Associated Glucose Metabolism Decline in a Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2022, , 1-17.	1.2	3
308	Is there a correspondence between half-lives of motor endplate acetylcholinesterase and junctional acetylcholine receptors?. Neuroscience Letters, 1977, 5, 91-93.	1.0	2
309	The Cellular Prion Protein Prevents Copper-Induced Inhibition of P2 <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:msub><mml:mtext>X</mml:mtext></mml:msub></mml:mrow></mml:math>	mn ılı mtex	kt> 4
310	Molecular Basis of Neurodegeneration: Lessons from Alzheimer's and Parkinson's Diseases. , 2019, , .	_	2
311	Toll-Like Receptors (TLRs) in Neurodegeneration: Integrative Approach to TLR Cascades in Alzheimer's and Parkinson's Diseases. , 2020, , .		2
312	Disruption of Glucose Metabolism in Aged Octodon degus: A Sporadic Model of Alzheimer's Disease. Frontiers in Integrative Neuroscience, 2021, 15, 733007.	1.0	2
313	Age-Related Responses of Skeletal Muscle After Ectopic Innervation, with Particular Reference to 16S Acetylcholinesterase, in Adult Rats. Journal of Neurochemistry, 1984, 43, 375-381.	2.1	1
314	Glycogen Synthase Kinase $3\hat{l}^2$ (GSK- $3\hat{l}^2$) a Key Signaling Enzyme: A Developmental Neurobiological Perspective. , 0, , 25-43.		1
315	Diterpenes and the crosstalk with the arachidonic acid pathways, relevance in neurodegeneration. Neural Regeneration Research, 2019, 14, 1705.	1.6	1
316	Identification of an Acetylcholinesterase Fragment that Promotes Alzheimer \hat{l}^2 -Amyloid Fibril Formation. , 1998, , 185-186.		1
317	Differential Role of Sex and Age in the Synaptic Transmission of Degus (Octodon degus). Frontiers in Integrative Neuroscience, 2022, 16, 799147.	1.0	1
318	Increase of macromolecule synthesis after hatching of Concholepas concholepas veliger larvae: Effect of sulfate in the synthesis of proteoglycans. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1990, 96, 613-619.	0.2	0
319	Carrageenans solubilize asymmetric acetylcholinesterase from nicotinic cholinergic synapses. Comparative Biochemistry and Physiology Part C: Comparative Pharmacology, 1990, 96, 77-81.	0.2	O
320	Comprehensive Overview of Alzheimer's Disease Neurodegeneration, from Amyloid-β to Neuroinflammatory Modulation. , 0, , .		0
321	MicroRNAs in Metabolic Syndrome. , 2019, , 709-725.		O
322	Molecular Interactions of Acetylcholinesterase with the Synaptic Basal Lamina and the Senile Plaques., 1998,, 167-173.		0
323	The Heparin-Binding Sites in the Collagenic Tail of Acetylcholinesterase. , 1998, , 444-445.		0
324	Acetylcholinesterase Enhances the Neurotoxicity of \hat{I}^2 -Amyloid Fibrils. , 1998, , 182-182.		0

#	Article	IF	CITATIONS
325	PSD-95 (Postsynaptic Density Protein-95)., 2016,, 1-7.		O
326	Tetrahydrohyperforin (IDN5706) targets the endoplasmic reticulum for autophagy activation: potential mechanism for Alzheimer′s disease therapy. Neural Regeneration Research, 2016, 11, 242.	1.6	0
327	MicroRNAs in Metabolic Syndrome. , 2017, , 1-17.		O
328	PSD-95 (Postsynaptic Density Protein-95). , 2018, , 4263-4269.		O
329	Toward an integrative understanding of the neuroinflammatory molecular milieu in Alzheimer disease neurodegeneration., 2020,, 163-176.		O
330	Expression of Wnt Receptors, Frizzled, in Rat Neuronal Cells. , 2008, , 317-324.		0