Sabata Pierno

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8675229/publications.pdf

Version: 2024-02-01

147801 182427 2,735 66 31 51 h-index citations g-index papers 68 68 68 2924 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Therapeutic Targets in Amyotrophic Lateral Sclerosis: Focus on Ion Channels and Skeletal Muscle. Cells, 2022, 11, 415. | 4.1 | 8 |
| 2 | Statin-Induced Myopathy: Translational Studies from Preclinical to Clinical Evidence. International Journal of Molecular Sciences, 2021, 22, 2070. | 4.1 | 17 |
| 3 | Increased sarcolemma chloride conductance as one of the mechanisms of action of carbonic anhydrase inhibitors in muscle excitability disorders. Experimental Neurology, 2021, 342, 113758. | 4.1 | 4 |
| 4 | BCAAs and Di-Alanine supplementation in the prevention of skeletal muscle atrophy: preclinical evaluation in a murine model of hind limb unloading. Pharmacological Research, 2021, 171, 105798. | 7.1 | 12 |
| 5 | Cardiovascular, neurological, and pulmonary events following vaccination with the BNT162b2, ChAdOx1 nCoV-19, and Ad26.COV2.S vaccines: An analysis of European data. Journal of Autoimmunity, 2021, 125, 102742. | 6.5 | 42 |
| 6 | Changes in Expression and Cellular Localization of Rat Skeletal Muscle ClC-1 Chloride Channel in Relation to Age, Myofiber Phenotype and PKC Modulation. Frontiers in Pharmacology, 2020, 11, 714. | 3.5 | 4 |
| 7 | Safinamide's potential in treating nondystrophic myotonias: Inhibition of skeletal muscle voltage-gated sodium channels and skeletal muscle hyperexcitability in vitro and in vivo. Experimental Neurology, 2020, 328, 113287. | 4.1 | 15 |
| 8 | Elucidating the Contribution of Skeletal Muscle Ion Channels to Amyotrophic Lateral Sclerosis in search of new therapeutic options. Scientific Reports, 2019, 9, 3185. | 3.3 | 29 |
| 9 | A long-term treatment with taurine prevents cardiac dysfunction in mdx mice. Translational Research, 2019, 204, 82-99. | 5.0 | 32 |
| 10 | Ryanodine channel complex stabilizer compound S48168/ARM210 as a disease modifier in dystrophinâ€deficient <i>mdx</i> mice: proofâ€ofâ€concept study and independent validation of efficacy. FASEB Journal, 2018, 32, 1025-1043. | 0.5 | 40 |
| 11 | Growth hormone secretagogues prevent dysregulation of skeletal muscle calcium homeostasis in a rat model of cisplatinâ€induced cachexia. Journal of Cachexia, Sarcopenia and Muscle, 2017, 8, 386-404. | 7.3 | 58 |
| 12 | Increased sodium channel use-dependent inhibition by a new potent analogue of tocainide greatly enhances inÂvivo antimyotonic activity. Neuropharmacology, 2017, 113, 206-216. | 4.1 | 29 |
| 13 | Risk of Myopathy in Patients in Therapy with Statins: Identification of Biological Markers in a Pilot Study. Frontiers in Pharmacology, 2017, 8, 500. | 3.5 | 22 |
| 14 | Dual Action of Mexiletine and Its Pyrroline Derivatives as Skeletal Muscle Sodium Channel Blockers and Anti-oxidant Compounds: Toward Novel Therapeutic Potential. Frontiers in Pharmacology, 2017, 8, 907. | 3.5 | 12 |
| 15 | Therapeutic Approaches to Genetic Ion Channelopathies and Perspectives in Drug Discovery. Frontiers in Pharmacology, 2016, 7, 121. | 3.5 | 121 |
| 16 | Statin-induced myotoxicity is exacerbated by aging: A biophysical and molecular biology study in rats treated with atorvastatin. Toxicology and Applied Pharmacology, 2016, 306, 36-46. | 2.8 | 21 |
| 17 | Taurine: the appeal of a safe amino acid for skeletal muscle disorders. Journal of Translational Medicine, 2015, 13, 243. | 4.4 | 163 |
| 18 | On the Metabolically Active Form of Metaglidasen: Improved Synthesis and Investigation of Its Peculiar Activity on Peroxisome Proliferatorâ€Activated Receptors and Skeletal Muscles. ChemMedChem, 2015, 10, 555-565. | 3.2 | 23 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Effects of Nandrolone in the Counteraction of Skeletal Muscle Atrophy in a Mouse Model of Muscle Disuse: Molecular Biology and Functional Evaluation. PLoS ONE, 2015, 10, e0129686. | 2.5 | 19 |
| 20 | An olive oil-derived antioxidant mixture ameliorates the age-related decline of skeletal muscle function. Age, 2014, 36, 73-88. | 3.0 | 36 |
| 21 | Angiotensin II modulates mouse skeletal muscle resting conductance to chloride and potassium ions and calcium homeostasis via the AT ₁ receptor and NADPH oxidase. American Journal of Physiology - Cell Physiology, 2014, 307, C634-C647. | 4.6 | 30 |
| 22 | Protein kinase C theta (PKCÎ) modulates the ClC-1 chloride channel activity and skeletal muscle phenotype: a biophysical and gene expression study in mouse models lacking the PKCÎ, Pflugers Archiv European Journal of Physiology, 2014, 466, 2215-2228. | 2.8 | 28 |
| 23 | Calcium Homeostasis Is Altered in Skeletal Muscle of Spontaneously Hypertensive Rats. American Journal of Pathology, 2014, 184, 2803-2815. | 3.8 | 1 |
| 24 | Growth Hormone Secretagogues Exert Differential Effects on Skeletal Muscle Calcium Homeostasis in Male Rats Depending on the Peptidyl/Nonpeptidyl Structure. Endocrinology, 2013, 154, 3764-3775. | 2.8 | 10 |
| 25 | Paracrine Effects of IGF-1 Overexpression on the Functional Decline Due to Skeletal Muscle Disuse: Molecular and Functional Evaluation in Hindlimb Unloaded MLC/mlgf-1 Transgenic Mice. PLoS ONE, 2013, 8, e65167. | 2.5 | 24 |
| 26 | Effects of Pleiotrophin Overexpression on Mouse Skeletal Muscles in Normal Loading and in Actual and Simulated Microgravity. PLoS ONE, 2013, 8, e72028. | 2.5 | 24 |
| 27 | Potential benefits of taurine in the prevention of skeletal muscle impairment induced by disuse in the hindlimb-unloaded rat. Amino Acids, 2012, 43, 431-445. | 2.7 | 33 |
| 28 | Redox homeostasis, oxidative stress and disuse muscle atrophy. Journal of Physiology, 2011, 589, 2147-2160. | 2.9 | 116 |
| 29 | Statin or fibrate chronic treatment modifies the proteomic profile of rat skeletal muscle. Biochemical Pharmacology, 2011, 81, 1054-1064. | 4.4 | 28 |
| 30 | ls oxidative stress a cause or consequence of disuse muscle atrophy in mice? A proteomic approach in hindlimbâ€unloaded mice. Experimental Physiology, 2010, 95, 331-350. | 2.0 | 87 |
| 31 | Antioxidant treatment of hindlimb-unloaded mouse counteracts fiber type transition but not atrophy of disused muscles. Pharmacological Research, 2010, 61, 553-563. | 7.1 | 74 |
| 32 | New 2-Aryloxy-3-phenyl-propanoic Acids As Peroxisome Proliferator-Activated Receptors $\hat{l}\pm/\hat{l}^3$ Dual Agonists with Improved Potency and Reduced Adverse Effects on Skeletal Muscle Function. Journal of Medicinal Chemistry, 2009, 52, 6382-6393. | 6.4 | 39 |
| 33 | Therapeutic Approaches to Ion Channel Diseases. Advances in Genetics, 2008, 64, 81-145. | 1.8 | 47 |
| 34 | Fluvastatin and Atorvastatin Affect Calcium Homeostasis of Rat Skeletal Muscle Fibers in Vivo and in Vitro by Impairing the Sarcoplasmic Reticulum/Mitochondria Ca ²⁺ -Release System. Journal of Pharmacology and Experimental Therapeutics, 2007, 321, 626-634. | 2.5 | 67 |
| 35 | Disuse of rat muscle <i>in vivo</i> reduces protein kinase C activity controlling the sarcolemma chloride conductance. Journal of Physiology, 2007, 584, 983-995. | 2.9 | 55 |
| 36 | Fiber type-related changes in rat skeletal muscle calcium homeostasis during aging and restoration by growth hormone. Neurobiology of Disease, 2006, 21, 372-380. | 4.4 | 47 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Recovery of the soleus muscle after short- and long-term disuse induced by hindlimb unloading: effects on the electrical properties and myosin heavy chain profile. Neurobiology of Disease, 2005, 18, 356-365. | 4.4 | 76 |
| 38 | A Multidisciplinary Evaluation of the Effectiveness of Cyclosporine A in Dystrophic Mdx Mice. American Journal of Pathology, 2005, 166, 477-489. | 3.8 | 107 |
| 39 | Investigations of Pharmacologic Properties of the Renal CLC-K1 Chloride Channel Co-expressed with Barttin by the Use of 2-(p-Chlorophenoxy)Propionic Acid Derivatives and Other Structurally Unrelated Chloride Channels Blockers. Journal of the American Society of Nephrology: JASN, 2004, 15, 13-20. | 6.1 | 48 |
| 40 | Taurine and Skeletal Muscle Disorders. Neurochemical Research, 2004, 29, 135-142. | 3.3 | 67 |
| 41 | New potent mexiletine and tocainide analogues evaluated in vivo and in vitro as antimyotonic agents on the myotonic ADR mouse. Neuromuscular Disorders, 2004, 14, 405-416. | 0.6 | 27 |
| 42 | The alteration of calcium homeostasis in adult dystrophic mdx muscle fibers is worsened by a chronic exercise in vivo. Neurobiology of Disease, 2004, 17, 144-154. | 4.4 | 70 |
| 43 | Growth hormone secretagogues modulate the electrical and contractile properties of rat skeletal muscle through a ghrelin-specific receptor. British Journal of Pharmacology, 2003, 139, 575-584. | 5.4 | 40 |
| 44 | Structural requisites of 2-(p -chlorophenoxy)propionic acid analogues for activity on native rat skeletal muscle chloride conductance and on heterologously expressed CLC-1. British Journal of Pharmacology, 2003, 139, 1255-1264. | 5.4 | 22 |
| 45 | Different Ability of Clenbuterol and Salbutamol to Block Sodium Channels Predicts Their Therapeutic Use in Muscle Excitability Disorders. Molecular Pharmacology, 2003, 63, 659-670. | 2.3 | 37 |
| 46 | Decrease in resting calcium and calcium entry associated with slowâ€toâ€fast transition in unloaded rat soleus muscle. FASEB Journal, 2003, 17, 1-25. | 0.5 | 69 |
| 47 | Enhanced Dystrophic Progression in mdx Mice by Exercise and Beneficial Effects of Taurine and Insulin-Like Growth Factor-1. Journal of Pharmacology and Experimental Therapeutics, 2003, 304, 453-463. | 2.5 | 179 |
| 48 | Taurine and Skeletal Muscle Ion Channels. Advances in Experimental Medicine and Biology, 2002, 483, 45-56. | 1.6 | 13 |
| 49 | Change of chloride ion channel conductance is an early event of slow-to-fast fibre type transition during unloading-induced muscle disuse. Brain, 2002, 125, 1510-1521. | 7.6 | 73 |
| 50 | Molecular Requisites for Drug Binding to Muscle CLC-1 and Renal CLC-K Channel Revealed by the Use of Phenoxy-Alkyl Derivatives of 2-(p-Chlorophenoxy)Propionic Acid. Molecular Pharmacology, 2002, 62, 265-271. | 2.3 | 51 |
| 51 | Pre-clinical trials in Duchenne dystrophy: what animal models can tell us about potential drug effectiveness. Neuromuscular Disorders, 2002, 12, S142-S146. | 0.6 | 19 |
| 52 | Alteration of excitation-contraction coupling mechanism in extensor digitorum longus muscle fibres of dystrophic mdx mouse and potential efficacy of taurine. British Journal of Pharmacology, 2001, 132, 1047-1054. | 5.4 | 48 |
| 53 | Muscle loading modulates aquaporinâ€4 expression in skeletal muscle. FASEB Journal, 2001, 15, 1282-1284. | 0.5 | 45 |
| 54 | Pharmacological Characterization of Chloride Channels Belonging to the CIC Family by the Use of Chiral Clofibric Acid Derivatives. Molecular Pharmacology, 2000, 58, 498-507. | 2.3 | 62 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Effects of HMG-CoA reductase inhibitors on excitation–contraction coupling of rat skeletal muscle. European Journal of Pharmacology, 1999, 364, 43-48. | 3.5 | 26 |
| 56 | Higher content of insulin-like growth factor-I in dystrophic mdx mouse: potential role in the spontaneous regeneration through an electrophysiological investigation of muscle function. Neuromuscular Disorders, 1999, 9, 11-18. | 0.6 | 28 |
| 57 | Aging-associated down-regulation of ClC-1 expression in skeletal muscle: phenotypic-independent relation to the decrease of chloride conductance. FEBS Letters, 1999, 449, 12-16. | 2.8 | 36 |
| 58 | Phosphorylation and IGF-1-mediated dephosphorylation pathways control the activity and the pharmacological properties of skeletal muscle chloride channels. British Journal of Pharmacology, 1998, 125, 477-482. | 5.4 | 29 |
| 59 | The Biophysical and Pharmacological Characteristics of Skeletal Muscle ATP-Sensitive K ⁺ Channels Are Modified in K ⁺ -Depleted Rat, an Animal Model of Hypokalemic Periodic Paralysis. Molecular Pharmacology, 1998, 54, 197-206. | 2.3 | 34 |
| 60 | Effect of Taurine on Excitation-Contraction Coupling of Extensor Digitorum Longus Muscle of Dystrophic MDX Mouse. Advances in Experimental Medicine and Biology, 1998, 442, 115-119. | 1.6 | 8 |
| 61 | Effects of chronic growth hormone treatment in aged rats on the biophysical and pharmacological properties of skeletal muscle chloride channels. British Journal of Pharmacology, 1997, 121, 369-374. | 5.4 | 16 |
| 62 | Effect of taurine depletion on excitation-contraction coupling and C1â^ conductance of rat skeletal muscle. European Journal of Pharmacology, 1996, 296, 215-222. | 3.5 | 52 |
| 63 | Developmental changes of membrane electrical properties of rat skeletal muscle fibers produced by prenatal exposure to carbon monoxide. Environmental Toxicology and Pharmacology, 1996, 2, 213-221. | 4.0 | 4 |
| 64 | Changes of membrane electrical properties in extensor digitorum longus muscle from dystrophic (mdx) mice. Muscle and Nerve, 1995, 18, 1196-1198. | 2.2 | 10 |
| 65 | Dual Effects of Taurine on Membrane Ionic Conductances of Rat Skeletal Muscle Fibers. Advances in Experimental Medicine and Biology, 1994, 359, 217-224. | 1.6 | 8 |
| 66 | Experimental Evaluation of the Effects of Pravastatin on Electrophysiological Parameters of Rat Skeletal Muscle. Basic and Clinical Pharmacology and Toxicology, 1992, 71, 325-329. | 0.0 | 14 |