

# Michael A Brehm

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/867566/publications.pdf>

Version: 2024-02-01

121  
papers

8,968  
citations

36691

53  
h-index

49824

91  
g-index

125  
all docs

125  
docs citations

125  
times ranked

13753  
citing authors

#	ARTICLE	IF	CITATIONS
1	An RNAi therapeutic targeting hepatic DGAT2 in a genetically obese mouse model of nonalcoholic steatohepatitis. <i>Molecular Therapy</i> , 2022, 30, 1329-1342.	3.7	18
2	Modeling human T1D-associated autoimmune processes. <i>Molecular Metabolism</i> , 2022, 56, 101417.	3.0	13
3	Prostaglandin E2 stimulates cAMP signaling and resensitizes human leukemia cells to glucocorticoid-induced cell death. <i>Blood</i> , 2021, 137, 500-512.	0.6	9
4	PSGL-1 blocking antibodies repolarize tumor associated macrophages, reduce suppressive myeloid populations and induce inflammation in the tumor microenvironment, leading to suppression of tumor growth. , 2021, 9, A919-A919.		0
5	402.4: Genetic Approaches to Attain Hypo-immunogenic Human Stem Cell Derived Islets for Transplantation. <i>Transplantation</i> , 2021, 105, S28-S28.	0.5	0
6	Role of Interferon- $\gamma$ -Producing Th1 Cells in a Murine Model of Type I Interferon-Independent Autoinflammation Resulting From DNase II Deficiency. <i>Arthritis and Rheumatology</i> , 2020, 72, 359-370.	2.9	9
7	The HIV-Tat protein interacts with Sp3 transcription factor and inhibits its binding to a distal site of the sod2 promoter in human pulmonary artery endothelial cells. <i>Free Radical Biology and Medicine</i> , 2020, 147, 102-113.	1.3	1
8	62. PRESENCE OF EXTRACRANIAL TUMORS INFLUENCES RESPONSE TO IMMUNE CHECKPOINT INHIBITORS IN A PRE-CLINICAL MODEL OF MELANOMA BRAIN METASTASIS. <i>Neuro-Oncology Advances</i> , 2020, 2, ii13-ii13.	0.4	1
9	Modeling Type 1 Diabetes In Vitro Using Human Pluripotent Stem Cells. <i>Cell Reports</i> , 2020, 32, 107894.	2.9	55
10	A rapid, sensitive, and reproducible in vivo PBMC humanized murine model for determining therapeutic-related cytokine release syndrome. <i>FASEB Journal</i> , 2020, 34, 12963-12975.	0.2	28
11	Proteomic and Transcriptional Profiles of Human Stem Cell-Derived $\gamma$ T Cells Following Enteroviral Challenge. <i>Microorganisms</i> , 2020, 8, 295.	1.6	6
12	Innovations, challenges, and minimal information for standardization of humanized mice. <i>EMBO Molecular Medicine</i> , 2020, 12, e8662.	3.3	82
13	TMOD-05. EXTRACRANIAL TUMORS INFLUENCE INTRACRANIAL RESPONSE TO IMMUNE CHECKPOINT INHIBITORS IN PRE-CLINICAL MODELS OF MELANOMA BRAIN METASTASIS. <i>Neuro-Oncology</i> , 2020, 22, ii228-ii228.	0.6	2
14	Targeting PSGL-1, a novel macrophage checkpoint, repolarizes suppressive macrophages, induces an inflammatory tumor microenvironment, and suppresses tumor growth. , 2020, , .		3
15	AK002, a Humanized Sialic Acid-Binding Immunoglobulin-Like Lectin-8 Antibody that Induces Antibody-Dependent Cell-Mediated Cytotoxicity against Human Eosinophils and Inhibits Mast Cell-Mediated Anaphylaxis in Mice. <i>International Archives of Allergy and Immunology</i> , 2019, 180, 91-102.	0.9	81
16	Genome-wide Analysis of <i>Salmonella enterica</i> serovar Typhi in Humanized Mice Reveals Key Virulence Features. <i>Cell Host and Microbe</i> , 2019, 26, 426-434.e6.	5.1	42
17	Kaposi Sarcoma-Associated Herpesvirus Glycoprotein H Is Indispensable for Infection of Epithelial, Endothelial, and Fibroblast Cell Types. <i>Journal of Virology</i> , 2019, 93, .	1.5	13
18	Prosurvival kinase PIM2 is a therapeutic target for eradication of chronic myeloid leukemia stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 10482-10487.	3.3	10

#	ARTICLE	IF	CITATIONS
19	Humanized mouse models of immunological diseases and precision medicine. <i>Mammalian Genome</i> , 2019, 30, 123-142.	1.0	76
20	Creation of PDX-Bearing Humanized Mice to Study Immuno-oncology. <i>Methods in Molecular Biology</i> , 2019, 1953, 241-252.	0.4	46
21	Human Anti-HIV-1 gp120 Monoclonal Antibodies with Neutralizing Activity Cloned from Humanized Mice Infected with HIV-1. <i>Journal of Immunology</i> , 2019, 202, 799-804.	0.4	5
22	Cutting Edge: Early Attrition of Memory T Cells during Inflammation and Costimulation Blockade Is Regulated Concurrently by Proapoptotic Proteins Fas and Bim. <i>Journal of Immunology</i> , 2019, 202, 647-651.	0.4	4
23	Lack of acute xenogeneic graft-versus-host disease, but retention of T cell function following engraftment of human peripheral blood mononuclear cells in NSG mice deficient in MHC class I and II expression. <i>FASEB Journal</i> , 2019, 33, 3137-3151.	0.2	99
24	A donor-dependent in vivo model for single agent and drug combination cytokine release syndrome safety evaluation.. <i>Journal of Clinical Oncology</i> , 2019, 37, 2612-2612.	0.8	0
25	Gene Therapy with an Adeno-Associated Viral Vector Expressing Human Interleukin-2 Alters Immune System Homeostasis in Humanized Mice. <i>Human Gene Therapy</i> , 2018, 29, 352-365.	1.4	15
26	Humanized mice in studying efficacy and mechanisms of PD-1 targeted cancer immunotherapy. <i>FASEB Journal</i> , 2018, 32, 1537-1549.	0.2	260
27	A novel hemolytic complement-sufficient NSG mouse model supports studies of complement-mediated antitumor activity in vivo. <i>Journal of Immunological Methods</i> , 2017, 446, 47-53.	0.6	18
28	Humanized Mouse Models of Clinical Disease. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2017, 12, 187-215.	9.6	437
29	Survival Advantage of Both Human Hepatocyte Xenografts and Genome-Edited Hepatocytes for Treatment of $\alpha$ -1 Antitrypsin Deficiency. <i>Molecular Therapy</i> , 2017, 25, 2477-2489.	3.7	62
30	Allimmune Responses of Humanized Mice to Human Pluripotent Stem Cell Therapeutics. <i>Cell Reports</i> , 2017, 20, 1978-1990.	2.9	31
31	mRNA-mediated glycoengineering ameliorates deficient homing of human stem cell-derived hematopoietic progenitors. <i>Journal of Clinical Investigation</i> , 2017, 127, 2433-2437.	3.9	23
32	Genetically modified human $CD4^{+}$ T cells can be evaluated <i>in vivo</i> without lethal graft-versus-host disease. <i>Immunology</i> , 2016, 148, 339-351.	2.0	9
33	Inflammation Mediated by JNK in Myeloid Cells Promotes the Development of Hepatitis and Hepatocellular Carcinoma. <i>Cell Reports</i> , 2016, 15, 19-26.	2.9	62
34	Humanized mouse model of mast cell-mediated passive cutaneous anaphylaxis and passive systemic anaphylaxis. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 769-779.	1.5	80
35	Improved B cell development in humanized NOD-IL2R <sup>3</sup> mice transgenically expressing human stem cell factor, granulocyte-macrophage colony-stimulating factor and interleukin-3. <i>Immunity, Inflammation and Disease</i> , 2016, 4, 427-440.	1.3	97
36	In vivo correction of anaemia in $\beta$ -thalassemic mice by PNA-mediated gene editing with nanoparticle delivery. <i>Nature Communications</i> , 2016, 7, 13304.	5.8	143

#	ARTICLE	IF	CITATIONS
37	Generation of Immunodeficient Mice Bearing Human Immune Systems by the Engraftment of Hematopoietic Stem Cells. <i>Methods in Molecular Biology</i> , 2016, 1438, 67-78.	0.4	29
38	Human 'brite/beige' adipocytes develop from capillary networks, and their implantation improves metabolic homeostasis in mice. <i>Nature Medicine</i> , 2016, 22, 312-318.	15.2	267
39	IRF4 Regulates the Ratio of T-Bet to Eomesodermin in CD8+ T Cells Responding to Persistent LCMV Infection. <i>PLoS ONE</i> , 2015, 10, e0144826.	1.1	16
40	Animal Models for Alopecia Areata: What and Where?. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 2015, 17, 23-26.	0.8	15
41	Viral Infection of Engrafted Human Islets Leads to Diabetes. <i>Diabetes</i> , 2015, 64, 1358-1369.	0.3	41
42	The Presence and Preferential Activation of Regulatory T Cells Diminish Adoptive Transfer of Autoimmune Diabetes by Polyclonal Nonobese Diabetic (NOD) T Cell Effectors into NSG versus NOD-<i>scid</i> Mice. <i>Journal of Immunology</i> , 2015, 195, 3011-3019.	0.4	14
43	Retroviruses use CD169-mediated trans-infection of permissive lymphocytes to establish infection. <i>Science</i> , 2015, 350, 563-567.	6.0	155
44	Efficient and Targeted Transduction of Nonhuman Primate Liver With Systemically Delivered Optimized AAV3B Vectors. <i>Molecular Therapy</i> , 2015, 23, 1867-1876.	3.7	73
45	Dengue virus infection induces broadly cross-reactive human IgM antibodies that recognize intact virions in humanized BLT-NSG mice. <i>Experimental Biology and Medicine</i> , 2015, 240, 67-78.	1.1	38
46	Patient-Derived Xenografts (PDX) of B Cell Lymphoma in NSG Mice: A Mouse Avatar for Developing Personalized Medicine. <i>Blood</i> , 2015, 126, 5408-5408.	0.6	4
47	Enhanced Enrichment and Purification of Blood-Derived T-Cells Using a Novel Hydrogel Technology. <i>Blood</i> , 2015, 126, 5437-5437.	0.6	0
48	Graded Levels of IRF4 Regulate CD8+ T Cell Differentiation and Expansion, but Not Attrition, in Response to Acute Virus Infection. <i>Journal of Immunology</i> , 2014, 192, 5881-5893.	0.4	99
49	c-Myc inhibition prevents leukemia initiation in mice and impairs the growth of relapsed and induction failure pediatric T-ALL cells. <i>Blood</i> , 2014, 123, 1040-1050.	0.6	129
50	An epigenetic mechanism of resistance to targeted therapy in T cell acute lymphoblastic leukemia. <i>Nature Genetics</i> , 2014, 46, 364-370.	9.4	333
51	Generation of improved humanized mouse models for human infectious diseases. <i>Journal of Immunological Methods</i> , 2014, 410, 3-17.	0.6	124
52	MHC basis of T cell-dependent heterologous immunity to arenaviruses. <i>Virology</i> , 2014, 464-465, 213-217.	1.1	5
53	Immunodeficient Mouse Model for Human Hematopoietic Stem Cell Engraftment and Immune System Development. <i>Methods in Molecular Biology</i> , 2014, 1185, 267-278.	0.4	32
54	Generation of islet-like cells from mouse gall bladder by direct ex vivo reprogramming. <i>Stem Cell Research</i> , 2013, 11, 503-515.	0.3	44

#	ARTICLE	IF	CITATIONS
55	Generation of organized anterior foregut epithelia from pluripotent stem cells using small molecules. <i>Stem Cell Research</i> , 2013, 11, 1003-1012.	0.3	34
56	Overcoming Current Limitations in Humanized Mouse Research. <i>Journal of Infectious Diseases</i> , 2013, 208, S125-S130.	1.9	127
57	Engrafted human cells generate adaptive immune responses to <i>Mycobacterium bovis</i> BCG infection in humanized mice. <i>BMC Immunology</i> , 2013, 14, 53.	0.9	41
58	Human immune system development and survival of non-obese diabetic (NOD) IL2r <sup>3null</sup> (NSG) mice engrafted with human thymus and autologous haematopoietic stem cells. <i>Clinical and Experimental Immunology</i> , 2013, 174, 372-388.	1.1	101
59	Alloreactive CD8 T cells rescued from apoptosis during co-stimulation blockade by TOLL-like receptor stimulation remain susceptible to Fas-induced cell death. <i>Immunology</i> , 2013, 138, 322-332.	2.0	5
60	Humanized mice for the study of infectious diseases. <i>Current Opinion in Immunology</i> , 2013, 25, 428-435.	2.4	59
61	Durable Knockdown and Protection From HIV Transmission in Humanized Mice Treated With Gel-formulated CD4 Aptamer-siRNA Chimeras. <i>Molecular Therapy</i> , 2013, 21, 1378-1389.	3.7	70
62	Site-specific Genome Editing in PBMCs With PLGA Nanoparticle-delivered PNAs Confers HIV-1 Resistance in Humanized Mice. <i>Molecular Therapy - Nucleic Acids</i> , 2013, 2, e135.	2.3	37
63	Salicylate Prevents Virus-Induced Type 1 Diabetes in the BBDR Rat. <i>PLoS ONE</i> , 2013, 8, e78050.	1.1	8
64	Human allograft rejection in humanized mice: a historical perspective. <i>Cellular and Molecular Immunology</i> , 2012, 9, 225-231.	4.8	33
65	Advancing Animal Models of Human Type 1 Diabetes by Engraftment of Functional Human Tissues in Immunodeficient Mice. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2012, 2, a007757-a007757.	2.9	30
66	Engraftment of human HSCs in nonirradiated newborn NOD-scid IL2r <sup>3null</sup> mice is enhanced by transgenic expression of membrane-bound human SCF. <i>Blood</i> , 2012, 119, 2778-2788.	0.6	76
67	T-cell activation and transplantation tolerance. <i>Transplantation Reviews</i> , 2012, 26, 212-222.	1.2	25
68	Humanized mice for immune system investigation: progress, promise and challenges. <i>Nature Reviews Immunology</i> , 2012, 12, 786-798.	10.6	851
69	The Blk pathway functions as a tumor suppressor in chronic myeloid leukemia stem cells. <i>Nature Genetics</i> , 2012, 44, 861-871.	9.4	69
70	Enhanced humoral and HLA-A2-restricted dengue virus-specific T cell responses in humanized BLT NSG mice. <i>Immunology</i> , 2012, 136, 334-343.	2.0	88
71	Hyperglycemia-Induced Proliferation of Adult Human Beta Cells Engrafted Into Spontaneously Diabetic Immunodeficient NOD-Rag1null IL2r <sup>3null</sup> Ins2Akita Mice. <i>Pancreas</i> , 2011, 40, 1147-1149.	0.5	20
72	Human peripheral blood CD4 T cell-engrafted non-obese diabetic-scid IL2r <sup>3null</sup> H2-Ab1 tm1GruTg (human leucocyte antigen D-related 4) mice: a mouse model of human allogeneic graft-versus-host disease. <i>Clinical and Experimental Immunology</i> , 2011, 166, 269-280.	1.1	88

#	ARTICLE	IF	CITATIONS
73	Humanized mice for the study of type 1 and type 2 diabetes. <i>Annals of the New York Academy of Sciences</i> , 2011, 1245, 55-58.	1.8	25
74	Humanized mice as a preclinical tool for infectious disease and biomedical research. <i>Annals of the New York Academy of Sciences</i> , 2011, 1245, 50-54.	1.8	59
75	Dynamic glucoregulation and mammalian-like responses to metabolic and developmental disruption in zebrafish. <i>General and Comparative Endocrinology</i> , 2011, 170, 334-345.	0.8	96
76	Bi-specific MHC Heterodimers for Characterization of Cross-reactive T Cells. <i>FASEB Journal</i> , 2011, 25, .	0.2	0
77	NOD-scid IL2r <sup>3</sup> null Mouse Model of Human Skin Transplantation and Allograft Rejection. <i>Transplantation</i> , 2010, 89, 527-536.	0.5	69
78	Humanized mouse models to study human diseases. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2010, 17, 120-125.	1.2	152
79	Parameters for establishing humanized mouse models to study human immunity: Analysis of human hematopoietic stem cell engraftment in three immunodeficient strains of mice bearing the IL2r <sup>3</sup> null mutation. <i>Clinical Immunology</i> , 2010, 135, 84-98.	1.4	225
80	Allografts Stimulate Cross-Reactive Virus-Specific Memory CD8 T Cells with Private Specificity. <i>American Journal of Transplantation</i> , 2010, 10, 1738-1748.	2.6	33
81	Heterologous immunity between viruses. <i>Immunological Reviews</i> , 2010, 235, 244-266.	2.8	272
82	Maturation-Dependent Licensing of Naive T Cells for Rapid TNF Production. <i>PLoS ONE</i> , 2010, 5, e15038.	1.1	35
83	Human Immune System Development and Rejection of Human Islet Allografts in Spontaneously Diabetic NOD-Rag1null IL2r <sup>3</sup> null <sup>+</sup> Ins2Akita Mice. <i>Diabetes</i> , 2010, 59, 2265-2270.	0.3	68
84	Bi-specific MHC Heterodimers for Characterization of Cross-reactive T Cells*. <i>Journal of Biological Chemistry</i> , 2010, 285, 33144-33153.	1.6	9
85	CD8 T Cell Cross-Reactivity Networks Mediate Heterologous Immunity in Human EBV and Murine Vaccinia Virus Infections. <i>Journal of Immunology</i> , 2010, 184, 2825-2838.	0.4	75
86	Humanized nonobese diabetic-scid IL2r <sup>3</sup> null mice are susceptible to lethal <i>Salmonella</i> Typhi infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 15589-15594.	3.3	122
87	Development of Novel Major Histocompatibility Complex Class I and Class II-Deficient NOD-SCID IL2R Gamma Chain Knockout Mice for Modeling Human Xenogeneic Graft-Versus-Host Disease. <i>Methods in Molecular Biology</i> , 2010, 602, 105-117.	0.4	39
88	CHOP Mediates Endoplasmic Reticulum Stress-Induced Apoptosis in Gimap5-Deficient T Cells. <i>PLoS ONE</i> , 2009, 4, e5468.	1.1	46
89	Idd Loci Synergize to Prolong Islet Allograft Survival Induced by Costimulation Blockade in NOD Mice. <i>Diabetes</i> , 2009, 58, 165-173.	0.3	14
90	TLR Agonists Prevent the Establishment of Allogeneic Hematopoietic Chimerism in Mice Treated with Costimulation Blockade. <i>Journal of Immunology</i> , 2009, 182, 5547-5559.	0.4	15

#	ARTICLE	IF	CITATIONS
91	Cutting Edge: <i>Dab2</i> Is a FOXP3 Target Gene Required for Regulatory T Cell Function. <i>Journal of Immunology</i> , 2009, 183, 4192-4196.	0.4	29
92	TLR Agonists Abrogate Co-stimulation Blockade-Induced Mixed Chimerism and Transplantation Tolerance. <i>Annals of the New York Academy of Sciences</i> , 2008, 1150, 149-151.	1.8	6
93	Type 1 IFN Mediates Cross-Talk between Innate and Adaptive Immunity That Abrogates Transplantation Tolerance. <i>Journal of Immunology</i> , 2007, 179, 6620-6629.	0.4	65
94	Protection against Vaccinia Virus Challenge by CD8 Memory T Cells Resolved by Molecular Mimicry. <i>Journal of Virology</i> , 2007, 81, 934-944.	1.5	34
95	Frontiers in Nephrology: Heterologous Immunity, T Cell Cross-Reactivity, and Alloreactivity. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2268-2277.	3.0	35
96	Rapid quantification of naive alloreactive T cells by TNF- $\hat{\pm}$ production and correlation with allograft rejection in mice. <i>Blood</i> , 2007, 109, 819-826.	0.6	25
97	Memory of mice and men: CD8 + T cell cross-reactivity and heterologous immunity. <i>Immunological Reviews</i> , 2006, 211, 164-181.	2.8	168
98	TLR Agonists Abrogate Costimulation Blockade-Induced Prolongation of Skin Allografts. <i>Journal of Immunology</i> , 2006, 176, 1561-1570.	0.4	122
99	Transgenic Expression of the Viral FLIP MC159 Causes p/gld-Like Lymphoproliferation and Autoimmunity. <i>Journal of Immunology</i> , 2006, 177, 3814-3820.	0.4	13
100	Tec Kinases <i>Itk</i> and <i>Rlk</i> Are Required for CD8+T Cell Responses to Virus Infection Independent of Their Role in CD4+T Cell Help. <i>Journal of Immunology</i> , 2006, 176, 1571-1581.	0.4	68
101	Endoplasmic reticulum aminopeptidase 1 (ERAP1) trims MHC class I-presented peptides in vivo and plays an important role in immunodominance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 9202-9207.	3.3	171
102	Partial versus Full Allogeneic Hemopoietic Chimerization Is a Preferential Means to Inhibit Type 1 Diabetes as the Latter Induces Generalized Immunosuppression. <i>Journal of Immunology</i> , 2006, 177, 6675-6684.	0.4	26
103	Narrowed TCR repertoire and viral escape as a consequence of heterologous immunity. <i>Journal of Clinical Investigation</i> , 2006, 116, 1443-1456.	3.9	126
104	Rapid Conversion of Effector Mechanisms from NK to T Cells during Virus-Induced Lysis of Allogeneic Implants In Vivo. <i>Journal of Immunology</i> , 2005, 174, 6663-6671.	0.4	27
105	Rapid Production of TNF- $\hat{\pm}$ following TCR Engagement of Naive CD8 T Cells. <i>Journal of Immunology</i> , 2005, 175, 5043-5049.	0.4	89
106	Preapoptotic Phenotype of Viral Epitope-Specific CD8 T Cells Precludes Memory Development and Is an Intrinsic Property of the Epitope. <i>Journal of Immunology</i> , 2004, 173, 5138-5147.	0.4	18
107	CD8 T cell responses to viral infections in sequence. <i>Cellular Microbiology</i> , 2004, 6, 411-421.	1.1	33
108	CD8 memory T cells: cross-reactivity and heterologous immunity. <i>Seminars in Immunology</i> , 2004, 16, 335-347.	2.7	112

#	ARTICLE	IF	CITATIONS
109	Virus-Specific CD8 T Cells in Peripheral Tissues Are More Resistant to Apoptosis Than Those in Lymphoid Organs. <i>Immunity</i> , 2003, 18, 631-642.	6.6	80
110	Direct Visualization of Cross-Reactive Effector and Memory Allo-Specific CD8 T Cells Generated in Response to Viral Infections. <i>Journal of Immunology</i> , 2003, 170, 4077-4086.	0.4	125
111	Dynamics of Memory T Cell Proliferation Under Conditions of Heterologous Immunity and Bystander Stimulation. <i>Journal of Immunology</i> , 2002, 169, 90-98.	0.4	84
112	Heterologous immunity and the CD8 T cell network. <i>Seminars in Immunopathology</i> , 2002, 24, 149-168.	4.0	4
113	T cell immunodominance and maintenance of memory regulated by unexpectedly cross-reactive pathogens. <i>Nature Immunology</i> , 2002, 3, 627-634.	7.0	236
114	Memory CD8+ T cells in heterologous antiviral immunity and immunopathology in the lung. <i>Nature Immunology</i> , 2001, 2, 1067-1076.	7.0	236
115	Attrition of Bystander CD8 T Cells during Virus-Induced T-Cell and Interferon Responses. <i>Journal of Virology</i> , 2001, 75, 5965-5976.	1.5	181
116	Consequences of Cross-Reactive and Bystander CTL Responses during Viral Infections. <i>Virology</i> , 2000, 270, 4-8.	1.1	33
117	Virus-Induced Abrogation of Transplantation Tolerance Induced by Donor-Specific Transfusion and Anti-CD154 Antibody. <i>Journal of Virology</i> , 2000, 74, 2210-2218.	1.5	135
118	Immunogenicity of Herpes Simplex Virus Type 1 Mutants Containing Deletions in One or More $\hat{1}\pm$ -Genes: ICP4, ICP27, ICP22, and ICP0. <i>Virology</i> , 1999, 256, 258-269.	1.1	30
119	Immunization with a Single Major Histocompatibility Complex Class I-Restricted Cytotoxic T-Lymphocyte Recognition Epitope of Herpes Simplex Virus Type 2 Confers Protective Immunity. <i>Journal of Virology</i> , 1998, 72, 9567-9574.	1.5	105
120	The impact of psychological stress on the efficacy of anti-viral adoptive immunotherapy in an immunocompromised host. <i>Journal of Neuroimmunology</i> , 1997, 78, 19-33.	1.1	25
121	Acquired Immunity against Virus Infections. , 0, , 237-254.		1