

Takahiro Watakabe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8676554/publications.pdf>

Version: 2024-02-01

20
papers

148
citations

1478505

6
h-index

1281871

11
g-index

20
all docs

20
docs citations

20
times ranked

177
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Treatment response after palliative radiotherapy for bleeding gastric cancer: a multicenter prospective observational study (JROSG 17-3). <i>Gastric Cancer</i> , 2022, 25, 411-421. | 5.3 | 11 |
| 2 | A prospective comparison of adaptive and fixed boost plans in radiotherapy for glioblastoma. <i>Radiation Oncology</i> , 2022, 17, 40. | 2.7 | 4 |
| 3 | Concurrent Chemoradiotherapy With Docetaxel, Cisplatin, and 5-Fluorouracil for T3 N0 Glottic Carcinoma Without Vocal Cord Fixation. <i>Anticancer Research</i> , 2022, 42, 205-209. | 1.1 | 3 |
| 4 | Implementation of ^{99m} Tc-GSA SPECT Image-guided Inverse Planning into Palliative Radiotherapy for Diffuse Liver Metastases: A Novel Approach. <i>In Vivo</i> , 2022, 36, 1523-1526. | 1.3 | 0 |
| 5 | Impact of four-dimensional cone-beam computed tomography on target localization for gastric mucosa-associated lymphoid tissue lymphoma radiotherapy: reducing planning target volume. <i>Radiation Oncology</i> , 2021, 16, 14. | 2.7 | 5 |
| 6 | Influence of pain duration on pain outcomes following palliative radiotherapy for painful tumors: the sooner the irradiation, the better?. <i>Strahlentherapie Und Onkologie</i> , 2021, 197, 916-925. | 2.0 | 4 |
| 7 | Plan Quality Comparisons Between 3D-CRT, IMRT, and VMAT Based on 4D-CT for Gastric MALT Lymphoma. <i>Anticancer Research</i> , 2021, 41, 3941-3947. | 1.1 | 3 |
| 8 | Palliative radiotherapy for painful lymph node metastases. <i>Radiation Oncology</i> , 2021, 16, 178. | 2.7 | 4 |
| 9 | High Spatial Resolution Digital Positron Emission Tomography Images With Dedicated Source-to-background Algorithm for Radiotherapy Planning. <i>Anticancer Research</i> , 2020, 40, 2567-2572. | 1.1 | 5 |
| 10 | Hypofractionated palliative volumetric modulated arc radiotherapy with the Radiation Oncology Study Group 8502 "QUAD shot" regimen for incurable head and neck cancer. <i>Radiation Oncology</i> , 2020, 15, 123. | 2.7 | 17 |
| 11 | Diagnostic Value of FDG-PET/CT for the Identification of Extranodal Extension in Patients With Head and Neck Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2020, 40, 2073-2077. | 1.1 | 15 |
| 12 | QUAD shot: an effective cyclical hypofractionated palliative radiotherapy for salivary gland carcinoma. <i>BJR case Reports</i> , 2020, 6, 20190132. | 0.2 | 0 |
| 13 | Predictors of the Predominance of NonIndex Pain After Palliative Radiation Therapy for Painful Tumors. <i>Advances in Radiation Oncology</i> , 2019, 4, 118-126. | 1.2 | 6 |
| 14 | Impact of hybrid FDG-PET/CT on gross tumor volume definition of cervical esophageal cancer: reducing interobserver variation. <i>Journal of Radiation Research</i> , 2019, 60, 348-352. | 1.6 | 15 |
| 15 | Impact of ^{99m} Tc-GSA SPECT Image-Guided Inverse Planning on Dose-Function Histogram Parameters for Stereotactic Body Radiation Therapy Planning for Patients With Hepatocellular Carcinoma: A Dosimetric Comparison Study. <i>Dose-Response</i> , 2019, 17, 155932581983214. | 1.6 | 10 |
| 16 | Four-dimensional cone-beam computed tomography-guided radiotherapy for gastric lymphoma. <i>Japanese Journal of Radiology</i> , 2018, 36, 159-163. | 2.4 | 4 |
| 17 | Spleen Dose-Volume Parameters as a Predictor of Treatment-related Lymphopenia During Definitive Chemoradiotherapy for Esophageal Cancer. <i>In Vivo</i> , 2018, 32, 1519-1525. | 1.3 | 29 |
| 18 | Improvement in pain interference after palliative radiotherapy for solid and hematologic painful tumors: a secondary analysis of a prospective observational study. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 982-987. | 1.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A neuropathic pain component as a predictor of improvement in pain interference after radiotherapy for painful tumors: A secondary analysis of a prospective observational study. <i>Clinical and Translational Radiation Oncology</i> , 2018, 12, 34-39. | 1.7 | 5 |
| 20 | Dose–function Histogram Evaluation Using ^{99m} Tc-GSA SPECT/CT Images for Stereotactic Body Radiation Therapy Planning for Hepatocellular Carcinoma Patients: A Dosimetric Parameter Comparison. <i>Anticancer Research</i> , 2018, 38, 1511-1516. | 1.1 | 8 |