Ãslaug Geirsdóttir

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8676994/publications.pdf

Version: 2024-02-01

78 papers 4,724 citations

32 h-index 98798 67 g-index

92 all docs 92 docs citations 92 times ranked 4147 citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Recurrent outburst floods and explosive volcanism during the Younger Dryas–Early Holocene deglaciation in south Iceland: evidence from a lacustrine record. Journal of Quaternary Science, 2022, 37, 1006-1023. | 2.1 | 6 |
| 2 | Near-universal trends in brGDGT lipid distributions in nature. Science Advances, 2022, 8, eabm7625. | 10.3 | 22 |
| 3 | Response of biological productivity to North Atlantic marine front migration during the Holocene. Climate of the Past, 2021, 17, 379-396. | 3.4 | 6 |
| 4 | Revised fractional abundances and warm-season temperatures substantially improve brGDGT calibrations in lake sediments. Biogeosciences, 2021, 18, 3579-3603. | 3.3 | 46 |
| 5 | The Saksunarvatn Ash and the G10ka series tephra. Review and current state of knowledge. Quaternary Geochronology, 2020, 56, 101041. | 1.4 | 19 |
| 6 | Holocene history of landscape instability in Iceland: Can we deconvolve the impacts of climate, volcanism and human activity?. Quaternary Science Reviews, 2020, 249, 106633. | 3.0 | 15 |
| 7 | Lipid Biomarkers Quantify Holocene Summer Temperature and Ice Cap Sensitivity in Icelandic Lakes. Geophysical Research Letters, 2020, 47, e2019GL085728. | 4.0 | 29 |
| 8 | Tracking Holocene drift-ice limits on the northwest–southwest Iceland shelf: Comparing proxy data with observation and historical evidence. Arctic, Antarctic, and Alpine Research, 2019, 51, 96-114. | 1.1 | 7 |
| 9 | Marker tephra in Haukadalsvatn lake sediment: A key to the Holocene tephra stratigraphy of northwest Iceland. Quaternary Science Reviews, 2019, 219, 154-170. | 3.0 | 10 |
| 10 | Controls on the lifespans of Icelandic ice caps. Earth and Planetary Science Letters, 2019, 527, 115780. | 4.4 | 10 |
| 11 | Sea Ice Control on Winter Subsurface Temperatures of the North Iceland Shelf During the Little Ice Age: A TEX ₈₆ Calibration Case Study. Paleoceanography and Paleoclimatology, 2019, 34, 1006-1021. | 2.9 | 15 |
| 12 | The onset of neoglaciation in Iceland and the 4.2 ka event. Climate of the Past, 2019, 15, 25-40. | 3.4 | 38 |
| 13 | Punctuated Holocene climate of Vestfir \tilde{A}° ir, Iceland, linked to internal/external variables and oceanographic conditions. Quaternary Science Reviews, 2018, 189, 31-42. | 3.0 | 23 |
| 14 | Provenance, stratigraphy and chronology of Holocene tephra from Vestfir \tilde{A}° ir, Iceland. Quaternary Geochronology, 2018, 46, 59-76. | 1.4 | 30 |
| 15 | Sea ice, iceâ€rafting, and ocean climate across Denmark Strait during rapid deglaciation (â^¼16–12 cal ka BP) of the Iceland and East Greenland shelves. Journal of Quaternary Science, 2018, 33, 112-130. | 2.1 | 13 |
| 16 | Climatic control on Icelandic volcanic activity during the mid-Holocene: COMMENT. Geology, 2018, 46, e443-e443. | 4.4 | 5 |
| 17 | Holocene glacier and climate variations in Vestfirðir, Iceland, from the modeling of Drangajökull ice cap. Quaternary Science Reviews, 2018, 190, 39-56. | 3.0 | 18 |
| 18 | Episodic Neoglacial expansion and rapid 20thÂcentury retreat of a small ice cap on Baffin Island, Arctic Canada, and modeled temperature change. Climate of the Past, 2017, 13, 1527-1537. | 3.4 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Episodic expansion of Drangajökull, Vestfirðir, Iceland, over the last 3Âka culminating in its maximum dimension during the Little Ice Age. Quaternary Science Reviews, 2016, 152, 118-131. | 3.0 | 23 |
| 20 | Landforms in HvÃŧárvatn, central Iceland, produced by recent advances of surging and non-surging glaciers. Geological Society Memoir, 2016, 46, 143-146. | 1.7 | 2 |
| 21 | Early Holocene deglaciation of Drangajökull, Vestfirðir, Iceland. Quaternary Science Reviews, 2016, 153, 192-198. | 3.0 | 25 |
| 22 | Glacier fluctuations during the past 2000 years. Quaternary Science Reviews, 2016, 149, 61-90. | 3.0 | 162 |
| 23 | Variability in drift ice export from the Arctic Ocean to the North Icelandic Shelf over the last 8000 years: A multi-proxy evaluation. Quaternary Science Reviews, 2016, 146, 99-115. | 3.0 | 66 |
| 24 | The role of sea ice for vascular plant dispersal in the Arctic. Biology Letters, 2016, 12, 20160264. | 2.3 | 23 |
| 25 | North Atlantic-Fennoscandian Holocene climate trends and mechanisms. Quaternary Science Reviews, 2016, 147, 365-378. | 3.0 | 45 |
| 26 | A high-resolution multi-proxy lake record of Holocene environmental change in southern Iceland. Journal of Quaternary Science, 2015, 30, 281-292. | 2.1 | 20 |
| 27 | Algal pigments in Arctic lake sediments record biogeochemical changes due to Holocene climate variability and anthropogenic global change. Journal of Paleolimnology, 2015, 54, 53-69. | 1.6 | 20 |
| 28 | Precise chronology of Little Ice Age expansion and repetitive surges of Langjökull, central Iceland. Geology, 2015, 43, 167-170. | 4.4 | 16 |
| 29 | Holocene tephra from Iceland and Alaska in SE Greenland Shelf Sediments. Geological Society Special Publication, 2014, 398, 157-193. | 1.3 | 39 |
| 30 | Substantial agreement on the timing and magnitude of Late Holocene ice cap expansion between East Greenland and the Eastern Canadian Arctic: a commentary on Lowell etÂal., 2013. Quaternary Science Reviews, 2013, 77, 239-245. | 3.0 | 20 |
| 31 | Asynchronous Little Ice Age glacier fluctuations in Iceland and European Alps linked to shifts in subpolar North Atlantic circulation. Earth and Planetary Science Letters, 2013, 380, 52-59. | 4.4 | 25 |
| 32 | Evolution of NAO and AMO strength and cyclicity derived from a 3-ka varve-thickness record from Iceland. Quaternary Science Reviews, 2013, 69, 142-154. | 3.0 | 31 |
| 33 | Abrupt Holocene climate transitions in the northern North Atlantic region recorded by synchronized lacustrine records in Iceland. Quaternary Science Reviews, 2013, 70, 48-62. | 3.0 | 86 |
| 34 | Synchronizing Holocene lacustrine and marine sediment records using paleomagnetic secular variation. Geology, 2013, 41, 535-538. | 4.4 | 34 |
| 35 | Climate evolution and soil erosion during the last 2000 years reconstructed from Icelandic lake systems. Quaternary International, 2012, 279-280, 164. | 1.5 | 0 |
| 36 | Non-linear Holocene climate evolution in the North Atlantic: a high-resolution, multi-proxy record of glacier activity and environmental change from HvÃŧárvatn, central Iceland. Quaternary Science Reviews, 2012, 39, 14-25. | 3.0 | 89 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 37 | Abrupt onset of the Little Ice Age triggered by volcanism and sustained by seaâ€ice/ocean feedbacks. Geophysical Research Letters, 2012, 39, . | 4.0 | 544 |
| 38 | A 3000-year varved record of glacier activity and climate change from the proglacial lake HvÃŧárvatn, Iceland. Quaternary Science Reviews, 2011, 30, 2715-2731. | 3.0 | 107 |
| 39 | Centennial-scale climate change from decadally-paced explosive volcanism: a coupled sea ice-ocean mechanism. Climate Dynamics, 2011, 37, 2373-2387. | 3.8 | 118 |
| 40 | Do paleoclimate proxies agree? A test comparing 19 late Holocene climate and seaâ€ice reconstructions from Icelandic marine and lake sediments. Journal of Quaternary Science, 2011, 26, 645-656. | 2.1 | 30 |
| 41 | Pliocene and Pleistocene Glaciations of Iceland. Developments in Quaternary Sciences, 2011, , 199-210. | 0.1 | 13 |
| 42 | Holocene variability of the North Atlantic Irminger current on the south- and northwest shelf of Iceland. Marine Micropaleontology, 2010, 77, 101-118. | 1.2 | 68 |
| 43 | Climate of the Little Ice Age and the past 2000Âyears in northeast Iceland inferred from chironomids and other lake sediment proxies. Journal of Paleolimnology, 2009, 41, 7-24. | 1.6 | 48 |
| 44 | A 2000Âyear record of climate variations reconstructed from Haukadalsvatn, West Iceland. Journal of Paleolimnology, 2009, 41, 95-115. | 1.6 | 78 |
| 45 | Holocene and latest Pleistocene climate and glacier fluctuations in Iceland. Quaternary Science Reviews, 2009, 28, 2107-2118. | 3.0 | 141 |
| 46 | Recent Warming Reverses Long-Term Arctic Cooling. Science, 2009, 325, 1236-1239. | 12.6 | 585 |
| 47 | Holocene climate conditions and glacier variation in central Iceland from physical modelling and empirical evidence. Quaternary Science Reviews, 2008, 27, 797-813. | 3.0 | 53 |
| 48 | Stabilization of glaciers terminating in closed water bodies: Evidence and broader implications. Geophysical Research Letters, 2008, 35, . | 4.0 | 30 |
| 49 | Glacier fluctuation and inferred climatology of Langj $\tilde{A}\P$ kull ice cap through the Little Ice Age. Quaternary Science Reviews, 2007, 26, 2337-2353. | 3.0 | 42 |
| 50 | Holocene temperature history of northern Iceland inferred from subfossil midges. Quaternary Science Reviews, 2007, 26, 3344-3358. | 3.0 | 53 |
| 51 | Glaciation, erosion, and landscape evolution of Iceland. Journal of Geodynamics, 2007, 43, 170-186. | 1.6 | 66 |
| 52 | Late Quaternary glacial and deglacial history of eastern Vestfirdir, Iceland using cosmogenic isotope (36Cl) exposure ages and marine cores. Journal of Quaternary Science, 2006, 21, 271-285. | 2.1 | 52 |
| | | | |
| 53 | Holocene thermal maximum in the western Arctic (0â \in 180°W). Quaternary Science Reviews, 2004, 23, 529-560. | 3.0 | 720 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Efstadalsvatn – a multi-proxy study of a Holocene lacustrine sequence from NW Iceland. Journal of Paleolimnology, 2003, 30, 55-73. | 1.6 | 74 |
| 56 | Late Quaternary ice extent and glacial history from the Djðpáll trough, off Vestfirdir peninsula, north-west Iceland: a stacked 36 cal. Ky environmental record. Polar Research, 2002, 21, 211-226. | 1.6 | 2 |
| 57 | Distribution, sediment magnetism and geochemistry of the Saksunarvatn (10 180 $\hat{A}\pm$ 60 cal. yr BP) tephra in marine, lake, and terrestrial sediments, northwest Iceland. Journal of Quaternary Science, 2002, 17, 731-745. | 2.1 | 64 |
| 58 | Holocene sediment properties of the East Greenland and Iceland continental shelves bordering Denmark Strait (64-68ŰN), North Atlantic. Sedimentology, 2002, 49, 5-24. | 3.1 | 33 |
| 59 | Late Quaternary ice extent and glacial history from the Dj�p�ll trough, off Vestfirdir peninsula, north-west Iceland: a stacked 36 cal. Ky environmental record. Polar Research, 2002, 21, 211-226. | 1.6 | 29 |
| 60 | A 36 Ky record of iceberg rafting and sedimentation from north-west Iceland. Polar Research, 2002, 21, 291-298. | 1.6 | 58 |
| 61 | A 36 Ky record of iceberg rafting and sedimentation from north-west Iceland. Polar Research, 2002, 21, 291-298. | 1.6 | 46 |
| 62 | Climate implications of changing Arctic sea ice. Eos, 2001, 82, 97-97. | 0.1 | 11 |
| 63 | Seismostratigraphy and sediment studies of Lake Hestvatn, southern Iceland: implications for the deglacial history of the region. Journal of Quaternary Science, 2001, 16, 167-179. | 2.1 | 18 |
| 64 | Multicentury-Scale Records of Carbonate (Hydrographic?) Variability on the Northern Iceland Margin over the Last 5000 Years. Quaternary Research, 2001, 56, 199-206. | 1.7 | 59 |
| 65 | Chronology and paleoenvironments during the late Weichselian deglaciation of the southwest Iceland shelf. Boreas, 2000, 29, 163-183. | 2.4 | 18 |
| 66 | Late-Holocene terrestrial glacial history of Miki and I.C. Jacobsen Fjords, East Greenland. Holocene, 2000, 10, 123-134. | 1.7 | 28 |
| 67 | Glacial extent and catastrophic meltwater events during the deglaciation of Southern Iceland. Quaternary Science Reviews, 2000, 19, 1749-1761. | 3.0 | 52 |
| 68 | The N and W Iceland Shelf: insights into Last Glacial Maximum ice extent and deglaciation based on acoustic stratigraphy and basal radiocarbon AMS dates. Quaternary Science Reviews, 2000, 19, 619-631. | 3.0 | 110 |
| 69 | 14C AMS Dating of Icelandic Lake Sediments. Radiocarbon, 1997, 40, 865-872. | 1.8 | 15 |
| 70 | The Depositional History of the Younger Dryas-Preboreal Budi Moraines in South-Central Iceland. Arctic and Alpine Research, 1997, 29, 13. | 1.3 | 41 |
| 71 | A review of studies of the earliest glaciation of Iceland. Terra Nova, 1996, 8, 400-414. | 2.1 | 8 |
| 72 | Growth of an Intermittent Ice Sheet in Iceland during the Late Pliocene and Early Pleistocene. Quaternary Research, 1994, 42, 115-130. | 1.7 | 78 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Sedimentary facies and environmental history of the Lateâ€glacial glaciomarine Fossvogur sediments in ReykjavÃk, Iceland. Boreas, 1994, 23, 164-176. | 2.4 | 25 |
| 74 | The Fossvogur marine sediments in SW Iceland ―confined to the Allerød/Younger Dryas transition by AMS 14 C dating. Boreas, 1993, 22, 147-157. | 2.4 | 21 |
| 75 | A review of the late pleistocene stratigraphy of ReykjavÃk, Iceland. Quaternary International, 1991, 10-12, 143-150. | 1.5 | 7 |
| 76 | A record of Pliocene and Pleistocene glaciations and climatic changes in the North Atlantic based on variations in volcanic and sedimentary facies in Iceland. Marine Geology, 1991, 101, 147-159. | 2.1 | 24 |
| 77 | Late quaternary spatial and temporal changes in clay- and silt-size mineral assemblages of fiord and shelf cores, western Baffin Bay, northwest North Atlantic. Continental Shelf Research, 1989, 9, 445-463. | 1.8 | 23 |
| 78 | Late Holocene ($\hat{a}^1/4$ 5 cal ka) Trends and Century-Scale Variability of N. Iceland Marine Records: Measures of Surface Hydrography, Productivity, and Land/Ocean Interactions. Geophysical Monograph Series, 0, , 69-81. | 0.1 | 7 |