

# Daniel A Lawrence

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8677582/daniel-a-lawrence-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150  
papers

9,356  
citations

54  
h-index

92  
g-index

164  
ext. papers

10,070  
ext. citations

8.4  
avg. IF

5.65  
L-index

#	Paper	IF	Citations
150	Compartmentalized Actions of the Plasminogen Activator Inhibitors, PAI-1 and Nsp, in Ischemic Stroke.. <i>Translational Stroke Research</i> , <b>2022</b> , 1	7.8	0
149	Plasma tissue plasminogen activator and plasminogen activator inhibitor-1 in hospitalized COVID-19 patients. <i>Scientific Reports</i> , <b>2021</b> , 11, 1580	4.9	81
148	Deep mutational scanning of the plasminogen activator inhibitor-1 functional landscape. <i>Scientific Reports</i> , <b>2021</b> , 11, 18827	4.9	0
147	Tissue Plasminogen Activator in Central Nervous System Physiology and Pathology: From Synaptic Plasticity to Alzheimer's Disease.. <i>Seminars in Thrombosis and Hemostasis</i> , <b>2021</b> , 48,	5.3	2
146	A high-fat diet delays plasmin generation in a thrombomodulin-dependent manner in mice. <i>Blood</i> , <b>2020</b> , 135, 1704-1717	2.2	11
145	Plasma tissue plasminogen activator and plasminogen activator inhibitor-1 in hospitalized COVID-19 patients <b>2020</b> ,		10
144	High-affinity binding of plasminogen-activator inhibitor 1 complexes to LDL receptor-related protein 1 requires lysines 80, 88, and 207. <i>Journal of Biological Chemistry</i> , <b>2020</b> , 295, 212-222	5.4	12
143	Drug Targeting of Plasminogen Activator Inhibitor-1 Inhibits Metabolic Dysfunction and Atherosclerosis in a Murine Model of Metabolic Syndrome. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2020</b> , 40, 1479-1490	9.4	16
142	PAI-1 augments mucosal damage in colitis. <i>Science Translational Medicine</i> , <b>2019</b> , 11,	17.5	27
141	Gene Expression and Function of Plasminogen Activator Inhibitor-1 <b>2019</b> , 21-29		3
140	Dual-reporter high-throughput screen for small-molecule inhibitors of plasminogen activator inhibitor type-1 yields a clinical lead candidate. <i>Journal of Biological Chemistry</i> , <b>2019</b> , 294, 1464-1477	5.4	6
139	Plasminogen Activator Inhibitor-1 Reduces Tissue-Type Plasminogen Activator-Dependent Fibrinolysis and Intrahepatic Hemorrhage in Experimental Acetaminophen Overdose. <i>American Journal of Pathology</i> , <b>2018</b> , 188, 1204-1212	5.8	4
138	Traumatic Brain Injury Leads to Accelerated Atherosclerosis in Apolipoprotein E Deficient Mice. <i>Scientific Reports</i> , <b>2018</b> , 8, 5639	4.9	7
137	Update on the electrolytic IVC model for pre-clinical studies of venous thrombosis. <i>Research and Practice in Thrombosis and Haemostasis</i> , <b>2018</b> , 2, 266-273	5.1	12
136	Upregulation of P2YR, Active uPA, and PAI-1 Are Essential Components of Hantavirus Cardiopulmonary Syndrome. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2018</b> , 8, 169	5.9	9
135	Characterization of Tissue Plasminogen Activator Expression and Trafficking in the Adult Murine Brain. <i>ENeuro</i> , <b>2018</b> , 5,	3.9	5
134	CpaA Is a Glycan-Specific Adamalysin-like Protease Secreted by <i>Acinetobacter baumannii</i> That Inactivates Coagulation Factor XII. <i>MBio</i> , <b>2018</b> , 9,	7.8	19

133	Slow fusion pore expansion creates a unique reaction chamber for co-packaged cargo. <i>Journal of General Physiology</i> , <b>2017</b> , 149, 921-934	3.4	11
132	Microglial-mediated PDGF-CC activation increases cerebrovascular permeability during ischemic stroke. <i>Acta Neuropathologica</i> , <b>2017</b> , 134, 585-604	14.3	46
131	Randomized assessment of imatinib in patients with acute ischaemic stroke treated with intravenous thrombolysis. <i>Journal of Internal Medicine</i> , <b>2017</b> , 281, 273-283	10.8	36
130	tPA Modulation of the Blood-Brain Barrier: A Unifying Explanation for the Pleiotropic Effects of tPA in the CNS. <i>Seminars in Thrombosis and Hemostasis</i> , <b>2017</b> , 43, 154-168	5.3	23
129	Pharmacological targeting of the PDGF-CC signaling pathway for blood-brain barrier restoration in neurological disorders. <i>Pharmacology &amp; Therapeutics</i> , <b>2016</b> , 167, 108-119	13.9	23
128	Presymptomatic activation of the PDGF-CC pathway accelerates onset of ALS neurodegeneration. <i>Acta Neuropathologica</i> , <b>2016</b> , 131, 453-64	14.3	24
127	Mechanisms Underlying Astrocyte Endfeet Swelling in Stroke. <i>Acta Neurochirurgica Supplementum</i> , <b>2016</b> , 121, 19-22	1.7	11
126	Neuroserpin Differentiates Between Forms of Tissue Type Plasminogen Activator via pH Dependent Deacylation. <i>Frontiers in Cellular Neuroscience</i> , <b>2016</b> , 10, 154	6.1	4
125	Passenger mutations and aberrant gene expression in congenic tissue plasminogen activator-deficient mouse strains. <i>Journal of Thrombosis and Haemostasis</i> , <b>2016</b> , 14, 1618-28	15.4	6
124	Characterization of the Annonaceous acetogenin, annonacinone, a natural product inhibitor of plasminogen activator inhibitor-1. <i>Scientific Reports</i> , <b>2016</b> , 6, 36462	4.9	8
123	P2-070: SEEAB3: A Novel Method for Volumetric Analysis of Amyloid Plaques <b>2016</b> , 12, P634-P635		
122	A CCR2 macrophage endocytic pathway mediates extravascular fibrin clearance in vivo. <i>Blood</i> , <b>2016</b> , 127, 1085-96	2.2	30
121	Elevated cytokines, thrombin and PAI-1 in severe HCPS patients due to Sin Nombre virus. <i>Viruses</i> , <b>2015</b> , 7, 559-89	6.2	19
120	Imatinib treatment reduces brain injury in a murine model of traumatic brain injury. <i>Frontiers in Cellular Neuroscience</i> , <b>2015</b> , 9, 385	6.1	27
119	Plasminogen activator inhibitor-1 inhibits angiogenic signaling by uncoupling vascular endothelial growth factor receptor-2- $\alpha$ 5 $\beta$ 1 integrin cross talk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2015</b> , 35, 111-20	9.4	45
118	Identification of a neurovascular signaling pathway regulating seizures in mice. <i>Annals of Clinical and Translational Neurology</i> , <b>2015</b> , 2, 722-38	5.3	25
117	Plasminogen activator-1 overexpression decreases experimental postthrombotic vein wall fibrosis by a non-vitronectin-dependent mechanism. <i>Journal of Thrombosis and Haemostasis</i> , <b>2014</b> , 12, 1353-63	15.4	22
116	Low-molecular-weight heparin modulates vein wall fibrotic response in a plasminogen activator inhibitor 1-dependent manner. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , <b>2014</b> , 2, 441-450.e1 <sup>2</sup>	3.2	12

115	Increased stroke size following MCA occlusion in a mouse model of sickle cell disease. <i>Blood</i> , <b>2014</b> , 123, 1965-7	2.2	6
114	Vitronectin-binding PAI-1 protects against the development of cardiac fibrosis through interaction with fibroblasts. <i>Laboratory Investigation</i> , <b>2014</b> , 94, 633-44	5.9	17
113	A plasminogen activator inhibitor type1 mutant retards diabetic nephropathy in db/db mice by protecting podocytes. <i>Experimental Physiology</i> , <b>2014</b> , 99, 802-15	2.4	13
112	Rosuvastatin reduced deep vein thrombosis in ApoE gene deleted mice with hyperlipidemia through non-lipid lowering effects. <i>Thrombosis Research</i> , <b>2013</b> , 131, 268-76	8.2	38
111	Plasminogen activator inhibitor-1 mitigates brain injury in a rat model of infection-sensitized neonatal hypoxia-ischemia. <i>Cerebral Cortex</i> , <b>2013</b> , 23, 1218-29	5.1	34
110	Taming neonatal hypoxic-ischemic brain injury by intranasal delivery of plasminogen activator inhibitor-1. <i>Stroke</i> , <b>2013</b> , 44, 2623-2627	6.7	15
109	Mechanistic characterization and crystal structure of a small molecule inactivator bound to plasminogen activator inhibitor-1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, E4941-9	11.5	20
108	The functional dissonance of platelets. <i>Blood</i> , <b>2012</b> , 120, 1154-5	2.2	1
107	uPA binding to PAI-1 induces corneal myofibroblast differentiation on vitronectin <b>2012</b> , 53, 4765-75		12
106	Association of Alzheimer disease pathology with abnormal lipid metabolism: the Hisayama study. <i>Neurology</i> , <b>2012</b> , 78, 1280	6.5	6
105	Platelet-derived growth factor C deficiency in C57BL/6 mice leads to abnormal cerebral vascularization, loss of neuroependymal integrity, and ventricular abnormalities. <i>American Journal of Pathology</i> , <b>2012</b> , 180, 1136-1144	5.8	27
104	Impaired fibrinolytic system in ApoE gene-deleted mice with hyperlipidemia augments deep vein thrombosis. <i>Journal of Vascular Surgery</i> , <b>2012</b> , 55, 815-22	3.5	34
103	PAI-1 promotes the accumulation of exudate macrophages and worsens pulmonary fibrosis following type II alveolar epithelial cell injury. <i>Journal of Pathology</i> , <b>2012</b> , 228, 170-80	9.4	47
102	Myeloid mineralocorticoid receptor during experimental ischemic stroke: effects of model and sex. <i>Journal of the American Heart Association</i> , <b>2012</b> , 1, e002584	6	17
101	The tissue-type plasminogen activator-plasminogen activator inhibitor 1 complex promotes neurovascular injury in brain trauma: evidence from mice and humans. <i>Brain</i> , <b>2012</b> , 135, 3251-64	11.2	66
100	Matrix-bound PAI-1 supports cell blebbing via RhoA/ROCK1 signaling. <i>PLoS ONE</i> , <b>2012</b> , 7, e32204	3.7	26
99	The vitronectin-binding function of PAI-1 exacerbates lung fibrosis in mice. <i>Blood</i> , <b>2011</b> , 118, 2313-21	2.2	42
98	The thrombomodulin analog Solulin promotes reperfusion and reduces infarct volume in a thrombotic stroke model. <i>Journal of Thrombosis and Haemostasis</i> , <b>2011</b> , 9, 1174-82	15.4	25

97	Proteomic analysis of the <i>Vibrio cholerae</i> type II secretome reveals new proteins, including three related serine proteases. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 16555-66	5.4	84
96	Multifaceted role of plasminogen activator inhibitor-1 in regulating early remodeling of vein bypass grafts. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2011</b> , 31, 1781-7	9.4	31
95	Development of inhibitors of plasminogen activator inhibitor-1. <i>Methods in Enzymology</i> , <b>2011</b> , 501, 177-207		7
94	Low density lipoprotein receptor-related protein-1 (LRP1) regulates thrombospondin-2 (TSP2) enhancement of Notch3 signaling. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 23047-55	5.4	32
93	Characterization of a novel class of polyphenolic inhibitors of plasminogen activator inhibitor-1. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 7892-902	5.4	32
92	Sometimes a cigar is just a cigar. <i>Blood</i> , <b>2010</b> , 116, 1394-5	2.2	
91	Novel bis-arylsulfonamides and aryl sulfonimides as inactivators of plasminogen activator inhibitor-1 (PAI-1). <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2010</b> , 20, 966-70	2.9	8
90	Plasminogen activator inhibitor-1 and vitronectin expression level and stoichiometry regulate vascular smooth muscle cell migration through physiological collagen matrices. <i>Journal of Thrombosis and Haemostasis</i> , <b>2010</b> , 8, 1847-54	15.4	31
89	Antimetastatic potential of PAI-1-specific RNA aptamers. <i>Oligonucleotides</i> , <b>2009</b> , 19, 117-28		39
88	Therapeutic administration of plasminogen activator inhibitor-1 prevents hypoxic-ischemic brain injury in newborns. <i>Journal of Neuroscience</i> , <b>2009</b> , 29, 8669-74	6.6	41
87	Recombinant plasminogen activator inhibitor-1 inhibits intimal hyperplasia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2009</b> , 29, 1565-70	9.4	22
86	Mechanisms underlying the antifibrotic properties of noninhibitory PAI-1 (PAI-1R) in experimental nephritis. <i>American Journal of Physiology - Renal Physiology</i> , <b>2009</b> , 297, F1045-54	4.3	20
85	Tissue plasminogen activator-mediated PDGF signaling and neurovascular coupling in stroke. <i>Journal of Thrombosis and Haemostasis</i> , <b>2009</b> , 7 Suppl 1, 155-8	15.4	28
84	Self-regulation of inflammatory cell trafficking in mice by the leukocyte surface apyrase CD39. <i>Journal of Clinical Investigation</i> , <b>2009</b> , 119, 1136-49	15.9	89
83	Activation of PDGF-CC by tissue plasminogen activator impairs blood-brain barrier integrity during ischemic stroke. <i>Nature Medicine</i> , <b>2008</b> , 14, 731-7	50.5	343
82	Tissue-type plasminogen activator requires a co-receptor to enhance NMDA receptor function. <i>Journal of Neurochemistry</i> , <b>2008</b> , 107, 1091-101	6	87
81	PAI-1 and functional blockade of SNAI1 in breast cancer cell migration. <i>Breast Cancer Research</i> , <b>2008</b> , 10, R100	8.3	22
80	A PAI-1 mutant, PAI-1R, slows progression of diabetic nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2008</b> , 19, 329-38	12.7	72

79	Visceral adipose tissue inflammation accelerates atherosclerosis in apolipoprotein E-deficient mice. <i>Circulation</i> , <b>2008</b> , 117, 798-805	16.7	107
78	Structural differences between active forms of plasminogen activator inhibitor type 1 revealed by conformationally sensitive ligands. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 18147-57	5.4	21
77	Neuroserpin polymorphisms and stroke risk in a biracial population: the stroke prevention in young women study. <i>BMC Neurology</i> , <b>2007</b> , 7, 37	3.1	9
76	Mechanism of inactivation of plasminogen activator inhibitor-1 by a small molecule inhibitor. <i>Journal of Biological Chemistry</i> , <b>2007</b> , 282, 9288-96	5.4	72
75	The contributions of integrin affinity and integrin-cytoskeletal engagement in endothelial and smooth muscle cell adhesion to vitronectin. <i>Journal of Biological Chemistry</i> , <b>2007</b> , 282, 15679-89	5.4	26
74	Molecular regulation of the PAI-1 gene by hypoxia: contributions of Egr-1, HIF-1alpha, and C/EBPalpha. <i>FASEB Journal</i> , <b>2007</b> , 21, 935-49	0.9	96
73	Identification of a novel targeting sequence for regulated secretion in the serine protease inhibitor neuroserpin. <i>Biochemical Journal</i> , <b>2007</b> , 402, 25-34	3.8	25
72	Tissue-type plasminogen activator-mediated shedding of astrocytic low-density lipoprotein receptor-related protein increases the permeability of the neurovascular unit. <i>Blood</i> , <b>2007</b> , 109, 3270-8	2.2	142
71	Structure-function relationships of plasminogen activator inhibitor-1 and its potential as a therapeutic agent. <i>Current Drug Targets</i> , <b>2007</b> , 8, 971-81	3	39
70	Dual role for plasminogen activator inhibitor type 1 as soluble and as matricellular regulator of epithelial alveolar cell wound healing. <i>American Journal of Pathology</i> , <b>2006</b> , 169, 1624-32	5.8	40
69	Effect of pharmacologic plasminogen activator inhibitor-1 inhibition on cell motility and tumor angiogenesis. <i>Journal of Thrombosis and Haemostasis</i> , <b>2006</b> , 4, 2710-5	15.4	61
68	Endocytic receptor LRP together with tPA and PAI-1 coordinates Mac-1-dependent macrophage migration. <i>EMBO Journal</i> , <b>2006</b> , 25, 1860-70	13	144
67	Noninhibitory PAI-1 enhances plasmin-mediated matrix degradation both in vitro and in experimental nephritis. <i>Kidney International</i> , <b>2006</b> , 70, 515-22	9.9	18
66	A soluble Fn14-Fc decoy receptor reduces infarct volume in a murine model of cerebral ischemia. <i>American Journal of Pathology</i> , <b>2005</b> , 166, 511-20	5.8	106
65	A specific role of integrin Mac-1 in accelerated macrophage efflux to the lymphatics. <i>Blood</i> , <b>2005</b> , 106, 3234-41	2.2	88
64	The apoE isoform binding properties of the VLDL receptor reveal marked differences from LRP and the LDL receptor. <i>Journal of Lipid Research</i> , <b>2005</b> , 46, 1721-31	6.3	121
63	A mechanism for assembly of complexes of vitronectin and plasminogen activator inhibitor-1 from sedimentation velocity analysis. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 28711-20	5.4	21
62	New functions for an old enzyme: nonhemostatic roles for tissue-type plasminogen activator in the central nervous system. <i>Experimental Biology and Medicine</i> , <b>2004</b> , 229, 1097-104	3.7	56

61	Mouse DESC1 is located within a cluster of seven DESC1-like genes and encodes a type II transmembrane serine protease that forms serpin inhibitory complexes. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 46981-94	5.4	37
60	Conservation of critical functional domains in murine plasminogen activator inhibitor-1. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 17914-20	5.4	26
59	Mutants of plasminogen activator inhibitor-1 designed to inhibit neutrophil elastase and cathepsin G are more effective in vivo than their endogenous inhibitors. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 29981-7	5.4	17
58	Characterization and comparative evaluation of a structurally unique PAI-1 inhibitor exhibiting oral in-vivo efficacy. <i>Journal of Thrombosis and Haemostasis</i> , <b>2004</b> , 2, 1422-8	15.4	38
57	Tissue-type plasminogen activator and neuroserpin: a well-balanced act in the nervous system?. <i>Trends in Cardiovascular Medicine</i> , <b>2004</b> , 14, 173-80	6.9	43
56	Serpin mutagenesis. <i>Methods</i> , <b>2004</b> , 32, 130-40	4.6	9
55	Tissue plasminogen activator and neuroserpin are widely expressed in the human central nervous system. <i>Thrombosis and Haemostasis</i> , <b>2004</b> , 92, 358-68	7	70
54	Neuroserpin: a selective inhibitor of tissue-type plasminogen activator in the central nervous system. <i>Thrombosis and Haemostasis</i> , <b>2004</b> , 91, 457-64	7	68
53	Sequences within domain II of the urokinase receptor critical for differential ligand recognition. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 29925-32	5.4	21
52	Mapping of a conformational epitope on plasminogen activator inhibitor-1 by random mutagenesis. Implications for serpin function. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 16329-35	5.4	30
51	The low density lipoprotein receptor-related protein modulates protease activity in the brain by mediating the cellular internalization of both neuroserpin and neuroserpin-tissue-type plasminogen activator complexes. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 50250-8	5.4	48
50	Impaired fibrinolysis in multiple sclerosis: a role for tissue plasminogen activator inhibitors. <i>Brain</i> , <b>2003</b> , 126, 1590-8	11.2	70
49	Plasminogen activator inhibitor-1 in tumor growth, angiogenesis and vascular remodeling. <i>Current Pharmaceutical Design</i> , <b>2003</b> , 9, 1545-64	3.3	142
48	Progressive ankylosis (Ank) protein is expressed by neurons and Ank immunohistochemical reactivity is increased by limbic seizures. <i>Laboratory Investigation</i> , <b>2003</b> , 83, 1025-32	5.9	24
47	Old dogs and new tricks: proteases, inhibitors, and cell migration. <i>Science Signaling</i> , <b>2003</b> , 2003, pe24	8.8	29
46	A mutant, noninhibitory plasminogen activator inhibitor type 1 decreases matrix accumulation in experimental glomerulonephritis. <i>Journal of Clinical Investigation</i> , <b>2003</b> , 112, 379-88	15.9	53
45	Tissue-type plasminogen activator induces opening of the blood-brain barrier via the LDL receptor-related protein. <i>Journal of Clinical Investigation</i> , <b>2003</b> , 112, 1533-40	15.9	237
44	A mutant, noninhibitory plasminogen activator inhibitor type 1 decreases matrix accumulation in experimental glomerulonephritis. <i>Journal of Clinical Investigation</i> , <b>2003</b> , 112, 379-388	15.9	101

43	Tissue-type plasminogen activator induces opening of the blood-brain barrier via the LDL receptor-related protein. <i>Journal of Clinical Investigation</i> , <b>2003</b> , 112, 1533-1540	15.9	371
42	Plasminogen promotes sarcoma growth and suppresses the accumulation of tumor-infiltrating macrophages. <i>Oncogene</i> , <b>2002</b> , 21, 8830-42	9.2	22
41	Structural similarity of the covalent complexes formed between the serpin plasminogen activator inhibitor-1 and the arginine-specific proteinases trypsin, LMW u-PA, HMW u-PA, and t-PA: use of site-specific fluorescent probes of local environment. <i>Protein Science</i> , <b>2002</b> , 11, 1182-91	6.3	14
40	Platelet-derived growth factor (PDGF)-induced tyrosine phosphorylation of the low density lipoprotein receptor-related protein (LRP). Evidence for integrated co-receptor function between LRP and the PDGF. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 15499-506	5.4	197
39	Acyl-enzyme complexes between tissue-type plasminogen activator and neuroserpin are short-lived in vitro. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 46852-7	5.4	49
38	Adjuvant treatment with neuroserpin increases the therapeutic window for tissue-type plasminogen activator administration in a rat model of embolic stroke. <i>Circulation</i> , <b>2002</b> , 106, 740-5	16.7	117
37	Association between conformational mutations in neuroserpin and onset and severity of dementia. <i>Lancet, The</i> , <b>2002</b> , 359, 2242-7	4.0	126
36	Regulation of seizure spreading by neuroserpin and tissue-type plasminogen activator is plasminogen-independent. <i>Journal of Clinical Investigation</i> , <b>2002</b> , 109, 1571-1578	15.9	98
35	Regulation of seizure spreading by neuroserpin and tissue-type plasminogen activator is plasminogen-independent. <i>Journal of Clinical Investigation</i> , <b>2002</b> , 109, 1571-8	15.9	51
34	Plasminogen activator inhibitor-1 regulates tumor growth and angiogenesis. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 33964-8	5.4	196
33	Endothelial cells inhibit flow-induced smooth muscle cell migration: role of plasminogen activator inhibitor-1. <i>Circulation</i> , <b>2001</b> , 103, 597-603	16.7	81
32	Inhibition of angiogenesis in vivo by plasminogen activator inhibitor-1. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 8135-41	5.4	133
31	Neuroserpin mutation S52R causes neuroserpin accumulation in neurons and is associated with progressive myoclonus epilepsy. <i>Journal of Neuropathology and Experimental Neurology</i> , <b>2000</b> , 59, 1070-86	3.1	54
30	Neuroserpin reduces cerebral infarct volume and protects neurons from ischemia-induced apoptosis. <i>Blood</i> , <b>2000</b> , 96, 569-576	2.2	229
29	Type 1 plasminogen activator inhibitor binds to fibrin via vitronectin. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 19788-94	5.4	54
28	Partitioning of serpin-proteinase reactions between stable inhibition and substrate cleavage is regulated by the rate of serpin reactive center loop insertion into beta-sheet A. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 5839-44	5.4	83
27	Neuroserpin reduces cerebral infarct volume and protects neurons from ischemia-induced apoptosis. <i>Blood</i> , <b>2000</b> , 96, 569-576	2.2	28
26	Familial dementia caused by polymerization of mutant neuroserpin. <i>Nature</i> , <b>1999</b> , 401, 376-9	50.4	306



25	The active conformation of plasminogen activator inhibitor 1, a target for drugs to control fibrinolysis and cell adhesion. <i>Structure</i> , <b>1999</b> , 7, 111-8	5.2	136
24	Familial encephalopathy with neuroserpin inclusion bodies. <i>American Journal of Pathology</i> , <b>1999</b> , 155, 1901-13	5.8	104
23	. <i>Nature</i> , <b>1999</b> , 401, 376-379	50.4	92
22	Beyond fibrinolysis: the role of plasminogen activator inhibitor-1 and vitronectin in vascular wound healing. <i>Trends in Cardiovascular Medicine</i> , <b>1998</b> , 8, 175-80	6.9	24
21	Novel approaches to thrombolysis based on modulation of endogenous fibrinolysis. <i>Coronary Artery Disease</i> , <b>1998</b> , 9, 99-104	1.4	2
20	Plasminogen activator inhibitor-1 contains a cryptic high affinity binding site for the low density lipoprotein receptor-related protein. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 6358-66	5.4	99
19	Neuroserpin, a brain-associated inhibitor of tissue plasminogen activator is localized primarily in neurons. Implications for the regulation of motor learning and neuronal survival. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 33062-7	5.4	168
18	Characterization of the binding of different conformational forms of plasminogen activator inhibitor-1 to vitronectin. Implications for the regulation of pericellular proteolysis. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 7676-80	5.4	94
17	Serpin conformational change in ovalbumin. Enhanced reactive center loop insertion through hinge region mutations. <i>Biochemistry</i> , <b>1997</b> , 36, 5432-40	3.2	60
16	The role of reactive-center loop mobility in the serpin inhibitory mechanism. <i>Advances in Experimental Medicine and Biology</i> , <b>1997</b> , 425, 99-108	3.6	3
15	The serpin PAI-1 inhibits cell migration by blocking integrin alpha V beta 3 binding to vitronectin. <i>Nature</i> , <b>1996</b> , 383, 441-3	50.4	591
14	Plasminogen activator inhibitor-1 and vitronectin promote the cellular clearance of thrombin by low density lipoprotein receptor-related proteins 1 and 2. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 8215-20	5.4	51
13	Serpin-protease complexes are trapped as stable acyl-enzyme intermediates. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 25309-12	5.4	199
12	The acid stabilization of plasminogen activator inhibitor-1 depends on protonation of a single group that affects loop insertion into beta-sheet A. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 27942-7	5.4	59
11	Identification of tissue-type plasminogen activator-specific plasminogen activator inhibitor-1 mutants. Evidence that second sites of interaction contribute to target specificity. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 9301-6	5.4	20
10	A fluorescent probe study of plasminogen activator inhibitor-1. Evidence for reactive center loop insertion and its role in the inhibitory mechanism. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 5395-8	5.4	106
9	Role of the catalytic serine in the interactions of serine proteinases with protein inhibitors of the serpin family. Contribution of a covalent interaction to the binding energy of serpin-proteinase complexes. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 30007-17	5.4	72
8	Purification of active human plasminogen activator inhibitor 1 from Escherichia coli. Comparison with natural and recombinant forms purified from eucaryotic cells. <i>FEBS Journal</i> , <b>1989</b> , 186, 523-33		86

7	The organization of the human-plasminogen-activator-inhibitor-1 gene. Implications on the evolution of the serine-protease inhibitor family. <i>FEBS Journal</i> , <b>1988</b> , 176, 609-16		60
6	Cloning and sequence of a cDNA coding for the human beta-migrating endothelial-cell-type plasminogen activator inhibitor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1986</b> , 83, 6776-80	11.5	328
5	Fibrinolytic system of cultured endothelial cells: regulation by plasminogen activator inhibitor. <i>Journal of Cellular Biochemistry</i> , <b>1986</b> , 32, 273-80	4.7	26
4	Inactivation of plasminogen activator inhibitor by oxidants. <i>Biochemistry</i> , <b>1986</b> , 25, 6351-5	3.2	118
3	Activated protein C stimulates the fibrinolytic activity of cultured endothelial cells and decreases antiactivator activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1985</b> , 82, 1121-5	11.5	147
2	Reverse fibrin autography: a method to detect and partially characterize protease inhibitors after sodium dodecyl sulfate--polyacrylamide gel electrophoresis. <i>Analytical Biochemistry</i> , <b>1984</b> , 137, 454-63	3.1	147
1	Plasminogen Activators in Ischemic Stroke 127-156		3