Katja Seipel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8678536/publications.pdf

Version: 2024-02-01

		933447	996975
15	248	10	15
papers	citations	h-index	g-index
15	15	15	379
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	sBCMA Plasma Level Dynamics and Anti-BCMA CAR-T-Cell Treatment in Relapsed Multiple Myeloma. Current Issues in Molecular Biology, 2022, 44, 1463-1471.	2.4	14
2	Glofitamab Treatment in Relapsed or Refractory DLBCL after CAR T-Cell Therapy. Cancers, 2022, 14, 2516.	3.7	15
3	BMI1-Inhibitor PTC596 in Combination with MCL1 Inhibitor S63845 or MEK Inhibitor Trametinib in the Treatment of Acute Leukemia. Cancers, 2021, 13, 581.	3.7	12
4	Rationale for a Combination Therapy with the STAT5 Inhibitor AC-4-130 and the MCL1 Inhibitor S63845 in the Treatment of FLT3-Mutated or TET2-Mutated Acute Myeloid Leukemia. International Journal of Molecular Sciences, 2021, 22, 8092.	4.1	5
5	(2R,3S)-Dihydroxybutanoic Acid Synthesis as a Novel Metabolic Function of Mutant Isocitrate Dehydrogenase 1 and 2 in Acute Myeloid Leukemia. Cancers, 2020, 12, 2842.	3.7	6
6	RNA Targeting in Acute Myeloid Leukemia. ACS Pharmacology and Translational Science, 2020, 3, 1225-1232.	4.9	6
7	Analysis of IL-6 serum levels and CAR T cell-specific digital PCR in the context of cytokine release syndrome. Experimental Hematology, 2020, 88, 7-14.e3.	0.4	21
8	MN1, FOXP1 and hsa-miR-181a-5p as prognostic markers in acute myeloid leukemia patients treated with intensive induction chemotherapy and autologous stem cell transplantation. Leukemia Research, 2020, 89, 106296.	0.8	18
9	Rationale for a Combination Therapy Consisting of MCL1- and MEK-Inhibitors in Acute Myeloid Leukemia. Cancers, 2019, 11, 1779.	3.7	20
10	The Cellular p53 Inhibitor MDM2 and the Growth Factor Receptor FLT3 as Biomarkers for Treatment Responses to the MDM2-Inhibitor Idasanutlin and the MEK1 Inhibitor Cobimetinib in Acute Myeloid Leukemia. Cancers, 2018, 10, 170.	3.7	20
11	MDM2- and FLT3-inhibitors in the treatment of <i>FLT3</i> -ITD acute myeloid leukemia, specificity and efficacy of NVP-HDM201 and midostaurin. Haematologica, 2018, 103, 1862-1872.	3.5	28
12	Increased fibrinogen levels at diagnosis are associated with adverse outcome in patients with acute myeloid leukemia. Hematological Oncology, 2017, 35, 789-796.	1.7	19
13	Consolidation with autologous stem cell transplantation in first remission is safe and effective in AML patients above 65 years. Leukemia Research, 2017, 53, 28-34.	0.8	23
14	Inactivation of the p53–KLF4–CEBPA Axis in Acute Myeloid Leukemia. Clinical Cancer Research, 2016, 22, 746-756.	7.0	40
15	Functional interplay of SP family members and nuclear factor Y is essential for transcriptional activation of the human Calreticulin gene. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2015, 1849, 1188-1197.	1.9	1