

Ismet Cok

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8678782/publications.pdf>

Version: 2024-02-01

49
papers

1,015
citations

394286

19
h-index

454834

30
g-index

50
all docs

50
docs citations

50
times ranked

1310
citing authors

#	ARTICLE	IF	CITATIONS
1	Biomonitoring of bisphenol A, 4-nonylphenol, and 4-t-octylphenol in Turkish population: exposure and risk assessment. <i>Environmental Science and Pollution Research</i> , 2022, 29, 26250-26262.	2.7	8
2	Establishment of rapid, sensitive, and quantitative liquid chromatography–electrospray ionization–tandem mass spectrometry method coupled with liquid–liquid extraction for measurement of urinary bisphenol A, 4-octylphenol, and 4-nonylphenol. <i>Rapid Communications in Mass Spectrometry</i> , 2021, 35, e9084.	0.7	7
3	Assessment of Bisphenol A Levels in Preschool Children: Results of a Human Biomonitoring Study in Ankara, Turkey. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2020, 12, 86-94.	0.4	9
4	Psychoactive Bath Salts and Neurotoxicity Risk. <i>Turkish Journal of Pharmaceutical Sciences</i> , 2020, 17, 235-241.	0.6	11
5	New psychoactive substances in Turkey: Narcotics cases assessed by the Council of Forensic Medicine between 2016 and 2017 in Ankara, Turkey. <i>Forensic Science International</i> , 2019, 294, 113-123.	1.3	18
6	The role of DENND1A and CYP19A1 gene variants in individual susceptibility to obesity in Turkish population—a preliminary study. <i>Molecular Biology Reports</i> , 2018, 45, 2193-2199.	1.0	5
7	Assessment of types of synthetic cannabinoids in narcotic cases assessed by the Council of Forensic Medicine between 2011–2015, Ankara, Turkey. <i>Forensic Science International</i> , 2017, 280, 124-129.	1.3	11
8	Evaluation of the endocrine-disrupting effects of homosalate (HMS) and 2-ethylhexyl 4-dimethylaminobenzoate (OD-PABA) in rat pups during the prenatal, lactation, and early postnatal periods. <i>Toxicology and Industrial Health</i> , 2017, 33, 775-791.	0.6	10
9	An investigation of the mutagenic activity of salamide—a major impurity of hydrochlorothiazide. <i>Toxicology Mechanisms and Methods</i> , 2016, 26, 644-649.	1.3	2
10	Urinary cotinine levels of electronic cigarette (e-cigarette) users. <i>Toxicology Mechanisms and Methods</i> , 2016, 26, 441-445.	1.3	27
11	Blood levels of polychlorinated biphenyls and organochlorinated pesticides in women from Istanbul, Turkey. <i>Environmental Monitoring and Assessment</i> , 2015, 187, 132.	1.3	14
12	Determination of the impurities in drug products containing montelukast and in silico/in vitro genotoxicological assessments of sulfoxide impurity. <i>Toxicology Letters</i> , 2015, 238, 90-99.	0.4	9
13	Blood concentrations and risk assessment of persistent organochlorine compounds in newborn boys in Turkey. A pilot study. <i>Environmental Science and Pollution Research</i> , 2015, 22, 19896-19904.	2.7	9
14	Determination of urinary levels of Bisphenol A in a Turkish population. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 8443-8452.	1.3	30
15	PyHase Software Features Applied on the Evaluation of Chemicals in Human Breast Milk Samples in Turkey. , 2014, , 343-357.		0
16	CombiSimilarity, an innovative method to compare environmental and health data sets with different attribute sizes example: Eighteen Organochlorine Pesticides in soil and human breast milk samples. <i>Ecotoxicology and Environmental Safety</i> , 2014, 105, 29-35.	2.9	4
17	Development and validation of an LC–MS/MS method for simultaneous quantitative analysis of free and conjugated bisphenol A in human urine. <i>Biomedical Chromatography</i> , 2014, 28, 686-693.	0.8	19
18	DISPERSIVE LIQUID-LIQUID MICROEXTRACTION BASED ON SOLIDIFICATION OF FLOATING ORGANIC DROP COMBINED WITH COUNTER-ELECTROSMOTIC FLOW NORMAL STACKING MODE IN CAPILLARY ELECTROPHORESIS FOR THE DETERMINATION OF BISPHENOL A IN WATER AND URINE SAMPLES. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2013, 36, 2855-2870.	0.5	11

#	ARTICLE	IF	CITATIONS
19	Evaluation of organochlorine pesticides in breast milk samples in Turkey applying features of the partial order technique. <i>International Journal of Environmental Health Research</i> , 2013, 23, 226-246.	1.3	10
20	Effects of Smoking during Pregnancy on DNA Damage and ROS Level Consequences in Maternal and Newborns' Blood. <i>Arhiv Za Higijenu Rada I Toksikologiju</i> , 2013, 64, 35-46.	0.4	13
21	Analysis of human milk to assess exposure to PAHs, PCBs and organochlorine pesticides in the vicinity Mediterranean city Mersin, Turkey. <i>Environment International</i> , 2012, 40, 63-69.	4.8	99
22	Evaluation of DNA Damage in Common Carp (<i>Cyprinus carpio</i>) by Comet Assay for Determination of Possible Pollution in Lake Mogan (Ankara). <i>Scientific World Journal</i> , The, 2011, 11, 1455-1461.	0.8	19
23	Polychlorinated Biphenyl and Organochlorine Pesticide Levels in Human Breast Milk from the Mediterranean city Antalya, Turkey. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2011, 86, 423-427.	1.3	34
24	An in vivo assessment of the genotoxic potential of bisphenol A and 4-tert-octylphenol in rats. <i>Archives of Toxicology</i> , 2011, 85, 995-1001.	1.9	43
25	Determination of organochlorine pesticide and polychlorinated biphenyl levels in adipose tissue of infertile men. <i>Environmental Monitoring and Assessment</i> , 2010, 162, 301-309.	1.3	14
26	Determination of 7-ethoxyresorufin-o-deethylase (EROD) induction in leaping mullet (<i>Liza saliens</i>) from the highly contaminated Aliaga Bay, Turkey. <i>Environmental Monitoring and Assessment</i> , 2010, 165, 87-96.	1.3	12
27	Genotoxicity of anti-tumor necrosis factor therapy in patients with juvenile idiopathic arthritis. <i>Arthritis Care and Research</i> , 2010, 62, 73-77.	1.5	12
28	Polychlorinated dibenzo-p-dioxins, dibenzofurans and polychlorinated biphenyls levels in human breast milk from different regions of Turkey. <i>Chemosphere</i> , 2009, 76, 1563-1571.	4.2	41
29	Concentrations of Polychlorinated Dibenzo-p-Dioxins (PCDDs), Polychlorinated Dibenzofurans (PCDFs), and Dioxin-Like PCBs in Adipose Tissue of Infertile Men. <i>Archives of Environmental Contamination and Toxicology</i> , 2008, 55, 143-152.	2.1	20
30	Concentration of polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans and dioxin-like PCBs in human adipose tissue from Turkish men. <i>Chemosphere</i> , 2007, 66, 1955-1961.	4.2	27
31	The Contamination Levels of Organochlorine Pesticides in Water and Sediment Samples in Uluabat Lake, Turkey. <i>Environmental Monitoring and Assessment</i> , 2006, 118, 383-391.	1.3	33
32	Levels and Trends of Chlorinated Pesticides in Human Breast Milk from Ankara Residents: Comparison of Concentrations in 1984 and 2002. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2004, 72, 522-529.	1.3	17
33	Assessment of DNA damage in glue sniffers by use of the alkaline comet assay. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2004, 557, 131-136.	0.9	8
34	Polychlorinated biphenyl levels in adipose tissue of primiparous women in Turkey. <i>Environment International</i> , 2004, 30, 7-10.	4.8	32
35	Assessment of DNA damage in glue sniffers by use of the alkaline comet assay. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2004, 557, 131-6.	0.4	1
36	Determination of urinary hippuric acid and o-cresol levels as biological indicators of toluene exposure in shoe-workers and glue sniffers. <i>Biomarkers</i> , 2003, 8, 119-127.	0.9	15

#	ARTICLE	IF	CITATIONS
37	The Organochlorine Pesticide Residues and Antioxidant Enzyme Activities in Human Breast Tumors: Is There Any Association?. <i>Breast Cancer Research and Treatment</i> , 2002, 72, 173-182.	1.1	45
38	Immunohistochemical Localization and Differential Expression of Cytochrome P450 3A27 in the Gastrointestinal Tract of Rainbow Trout. <i>Toxicology and Applied Pharmacology</i> , 2001, 177, 94-102.	1.3	34
39	Determination of coumarin metabolism in Turkish population. <i>Human and Experimental Toxicology</i> , 2001, 20, 179-184.	1.1	13
40	Urinary cotinine levels of smokeless tobacco (MaraE powder) users. <i>Human and Experimental Toxicology</i> , 2000, 19, 650-655.	1.1	24
41	Organochlorine Pesticide Contaminants in Human Milk Samples Collected in Tebriz (Iran). <i>Bulletin of Environmental Contamination and Toxicology</i> , 1999, 63, 444-450.	1.3	37
42	Organochlorine Pesticide Residue Levels in Human Adipose Tissue of Residents of Manisa (Turkey), 1995-1996. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1998, 61, 311-316.	1.3	15
43	Cloning, Sequencing, and Tissue Expression of CYP3A27, a New Member of the CYP3A Subfamily from Embryonic and Adult Rainbow Trout Livers. <i>Archives of Biochemistry and Biophysics</i> , 1998, 360, 53-61.	1.4	47
44	Expression of CYP2M1, CYP2K1, and CYP3A27 in Brain, Blood, Small Intestine, and Other Tissues of Rainbow Trout. <i>Biochemical and Biophysical Research Communications</i> , 1998, 244, 790-795.	1.0	21
45	Biological monitoring of n-hexane exposure in shoe workers. <i>Biomarkers</i> , 1997, 2, 25-28.	0.9	6
46	Organochlorine Pesticide Residues in Human Breast Milk from Agricultural Regions of Turkey, 1995-1996. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1997, 59, 577-582.	1.3	62
47	Polymorphic N-acetylation capacity in breast cancer patients. <i>International Journal of Cancer</i> , 1990, 46, 1138-1139.	2.3	17
48	N-Acetyltransferase Phenotype of Patients with Bladder Cancer. <i>Human Toxicology</i> , 1986, 5, 333-335.	0.9	36
49	Determination of the acetylator phenotype in a Turkish population. <i>Clinical Genetics</i> , 1986, 29, 185-186.	1.0	4