

Alex Burdorf

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8679058/alex-burdorf-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

426 papers	15,564 citations	66 h-index	102 g-index
452 ext. papers	17,898 ext. citations	3.9 avg, IF	6.84 L-index

#	Paper	IF	Citations
426	Socio-economic determinants of healthcare costs in early life: a register-based study in the Netherlands.. <i>International Journal for Equity in Health</i> , 2022 , 21, 5	4.6	0
425	The association of specific industry-related air pollution with occurrence of chronic diseases: A register-based study.. <i>Environmental Research</i> , 2022 , 209, 112872	7.9	0
424	Moving from intention to behaviour: a randomised controlled trial protocol for an app-based physical activity intervention (i2be).. <i>BMJ Open</i> , 2022 , 12, e053711	3	1
423	Associations of university student life challenges with mental health and self-rated health: A longitudinal study with 6 months follow-up. <i>Journal of Affective Disorders</i> , 2022 , 296, 250-257	6.6	2
422	The influence of organizational factors, eldercare worker characteristics and care situation on the use of assistive devices during resident handling in eldercare work. <i>Applied Ergonomics</i> , 2022 , 98, 103533	4.2	1
421	Study design of PerfectFit@Night, a workplace health promotion program to improve sleep, fatigue, and recovery of night shift workers in the healthcare sector.. <i>BMC Public Health</i> , 2022 , 22, 779	4.1	0
420	Associations of within-individual changes in working conditions, health behaviour and BMI with work ability and self-rated health: a fixed effects analysis among Dutch workers.. <i>BMJ Open</i> , 2022 , 12, e058574	3	0
419	Factors affecting return to work after surgical treatment of trapeziometacarpal joint osteoarthritis. <i>Journal of Hand Surgery: European Volume</i> , 2021 , 46, 979-984	1.4	0
418	Industry mobility and disability benefits in heavy manual jobs: A cohort study of Swedish construction workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 217-223	4.3	0
417	Dust exposure and the impact on hospital readmission of farming and wood industry workers for asthma and chronic obstructive pulmonary disease (COPD). <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 163-168	4.3	0
416	Industry mobility and disability benefits in heavy manual jobs: A cohort study of Swedish construction workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 217-223	4.3	0
415	Dust exposure and the impact on hospital readmission of farming and wood industry workers for asthma and chronic obstructive pulmonary disease (COPD). <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 163-168	4.3	0
414	Working conditions and health behavior as causes of educational inequalities in self-rated health: an inverse odds weighting approach. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 127-135	4.3	3
413	The influence of occupational class and physical workload on working life expectancy among older employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 5-14	4.3	6
412	The influence of chronic diseases and multimorbidity on entering paid employment among unemployed persons - a longitudinal register-based study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 208-216	4.3	3
411	Mental health among university students: The associations of effort-reward imbalance and overcommitment with psychological distress. <i>Journal of Affective Disorders</i> , 2021 , 282, 953-961	6.6	8
410	The influence of industry-related air pollution on birth outcomes in an industrialized area. <i>Environmental Pollution</i> , 2021 , 269, 115741	9.3	5

409	Effects of Childhood-onset Systemic Lupus Erythematosus on Academic Achievements and Employment in Adult Life. <i>Journal of Rheumatology</i> , 2021 , 48, 915-923	4.1	1
408	Effects of changes in early retirement policies on labor force participation: the differential effects for vulnerable groups. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 224-232	4.3	0
407	Organophosphate and carbamate insecticide exposure is related to lung function change among smallholder farmers: a prospective study. <i>Thorax</i> , 2021 ,	7.3	3
406	Influence of lifestyle risk factors on work ability and sick leave in a general working population in Norway: a 5-year longitudinal study. <i>BMJ Open</i> , 2021 , 11, e045678	3	0
405	A framework for exploring non-response patterns over time in health surveys. <i>BMC Medical Research Methodology</i> , 2021 , 21, 37	4.7	2
404	Assessing public support for extending smoke-free policies beyond enclosed public places and workplaces: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2021 , 11, e040167	3	3
403	Socioeconomic inequalities in the food environment and body composition among school-aged children: a fixed-effects analysis. <i>International Journal of Obesity</i> , 2021 , 45, 2554-2561	5.5	2
402	Effect of smoke-free policies in outdoor areas and private places on children's tobacco smoke exposure and respiratory health: a systematic review and meta-analysis. <i>Lancet Public Health</i> , 2021 , 6, e566-e578	22.4	4
401	Occurrence and timing of withdrawal of life-sustaining measures in traumatic brain injury patients: a CENTER-TBI study. <i>Intensive Care Medicine</i> , 2021 , 47, 1115-1129	14.5	1
400	Assessment of correlates of hand hygiene compliance among final year medical students: a cross-sectional study in the Netherlands. <i>BMJ Open</i> , 2020 , 10, e029484	3	6
399	Are workplace health promotion programmes effective for all socioeconomic groups? A systematic review. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 589-596	2.1	9
398	Does reduced employment protection increase the employment disadvantage of workers with low education and poorer health?. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 851-857	5.1	2
397	Chronic diseases and multimorbidity among unemployed and employed persons in the Netherlands: a register-based cross-sectional study. <i>BMJ Open</i> , 2020 , 10, e035037	3	6
396	The prevalence and risk of Female Genital Mutilation/Cutting among migrant women and girls in the Netherlands: An extrapolation method. <i>PLoS ONE</i> , 2020 , 15, e0230919	3.7	5
395	Educational differences in duration of working life and loss of paid employment: working life expectancy in The Netherlands. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 77-84	4.3	17
394	Trajectories from Work to Early Exit from Paid Employment 2020 , 71-83		1
393	Health-improving interventions for obtaining employment in unemployed job seekers. <i>The Cochrane Library</i> , 2020 , 1, CD013152	5.2	3
392	Mortality in persons with disability pension due to common mental disorders: A cohort study of Swedish construction workers. <i>Scandinavian Journal of Public Health</i> , 2020 , 48, 832-838	3	1

391	Impact of expanding smoke-free policies beyond enclosed public places and workplaces on children's tobacco smoke exposure and respiratory health: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2020 , 10, e038234	3	1
390	Hosting elite sport events to target recreational sport participation: an interrupted time series analysis. <i>International Journal of Sport Policy and Politics</i> , 2020 , 12, 531-543	1.6	3
389	The influence of unhealthy behaviours on early exit from paid employment among workers with a chronic disease: A prospective study using the Lifelines cohort. <i>Preventive Medicine</i> , 2020 , 139, 106228	4.3	2
388	Socio-economic inequalities in the effectiveness of workplace health promotion programmes on body mass index: An individual participant data meta-analysis. <i>Obesity Reviews</i> , 2020 , 21, e13101	10.6	6
387	Influence of changing working conditions on exit from paid employment among workers with a chronic disease. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 628-633	2.1	4
386	Exposure to cholinesterase inhibiting insecticides and blood glucose level in a population of Ugandan smallholder farmers. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 713-720	2.1	7
385	Stress among medical students: factor structure of the University Stress Scale among Italian students. <i>BMJ Open</i> , 2020 , 10, e035255	3	1
384	Socioeconomic inequalities in effectiveness of and compliance to workplace health promotion programs: an individual participant data (IPD) meta-analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 112	8.4	4
383	PERSONALISED Incentives for Supporting Tobacco cessation (PERSIST) among healthcare employees: a randomised controlled trial protocol. <i>BMJ Open</i> , 2020 , 10, e037799	3	0
382	Stress among university students: factorial structure and measurement invariance of the Italian version of the Effort-Reward Imbalance student questionnaire. <i>BMC Psychology</i> , 2019 , 7, 68	2.8	7
381	Income inequality and psychological distress at neighbourhood and municipality level: An analysis in the Netherlands. <i>Health and Place</i> , 2019 , 56, 1-8	4.6	6
380	Promoting work ability through exercise programmes. <i>Lancet Public Health</i> , 2019 , 4, e316-e317	22.4	0
379	New physical activity spaces in deprived neighborhoods: Does it change outdoor play and sedentary behavior? A natural experiment. <i>Health and Place</i> , 2019 , 58, 102151	4.6	5
378	Associations of screen work with neck and upper extremity symptoms: a systematic review with meta-analysis. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 502-509	2.1	16
377	Occupational biomechanical risk factors for radial nerve entrapment in a 13-year prospective study among male construction workers. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 326-331	2.1	4
376	Evaluation of Implementing a Home-Based Fall Prevention Program among Community-Dwelling Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	6
375	Physical workload and obesity have a synergistic effect on work ability among construction workers. <i>International Archives of Occupational and Environmental Health</i> , 2019 , 92, 855-864	3.2	15
374	Socioeconomic inequalities in reach, compliance and effectiveness of lifestyle interventions among workers: protocol for an individual participant data meta-analysis and equity-specific reanalysis. <i>BMJ Open</i> , 2019 , 9, e025463	3	4

373	The impact of depressive symptoms on exit from paid employment in Europe: a longitudinal study with 4 years follow-up. <i>European Journal of Public Health</i> , 2019 , 29, 134-139	2.1	8
372	Risk Factors for Low Back Pain: A Population-Based Longitudinal Study. <i>Arthritis Care and Research</i> , 2019 , 71, 290-299	4.7	49
371	Patterns in the Occurrence and Duration of Musculoskeletal Pain and Interference with Work among Eldercare Workers-A One-Year Longitudinal Study with Measurements Every Four Weeks. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	1
370	A systematic review of the effect of infrastructural interventions to promote cycling: strengthening causal inference from observational data. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 93	8.4	19
369	Occupational biomechanical risk factors for surgically treated ulnar nerve entrapment in a prospective study of male construction workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 63-72	4.3	6
368	The contribution of work and lifestyle factors to socioeconomic inequalities in self-rated health - a systematic review. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 114-125	4.3	22
367	Early part-time sick leave results in considerable savings in social security costs at national level: an analysis based on a quasi-experiment in Finland. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 203-208	4.3	4
366	The contribution of health to educational inequalities in exit from paid employment in five European regions. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 346-355	4.3	11
365	Trajectories from Work to Early Exit from Paid Employment 2019 , 1-13		
364	P.2.29 Does a change in working conditions influence labour force participation among workers with a chronic disease?. <i>Occupational and Environmental Medicine</i> , 2019 , 76, A94.3-A95	2.1	
363	Health-related educational inequalities in paid employment across 26 European countries in 2005-2014: repeated cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e024823	3	6
362	Did an urban perinatal health programme in Rotterdam, the Netherlands, reduce adverse perinatal outcomes? Register-based retrospective cohort study. <i>BMJ Open</i> , 2019 , 9, e031357	3	2
361	Educational inequalities in the impact of chronic diseases on exit from paid employment among older workers: a 7-year prospective study in the Netherlands. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 718-725	2.1	8
360	A nationwide follow-up study of occupational organic dust exposure and risk of chronic obstructive pulmonary disease (COPD). <i>Occupational and Environmental Medicine</i> , 2019 , 76, 105-113	2.1	11
359	Influence of chronic diseases on societal participation in paid work, volunteering and informal caregiving in Europe: a 12-year follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 136-141	5.1	7
358	Health-related behaviours mediate the relation between ethnicity and (mental) health in the Netherlands. <i>Ethnicity and Health</i> , 2019 , 24, 287-300	2.2	6
357	Danish Observational Study of Eldercare work and musculoskeletal disorders (DOSES): a prospective study at 20 nursing homes in Denmark. <i>BMJ Open</i> , 2018 , 8, e019670	3	19
356	Inter-rater reliability of direct observations of the physical and psychosocial working conditions in eldercare: An evaluation in the DOSES project. <i>Applied Ergonomics</i> , 2018 , 69, 93-103	4.2	8

355	The effect of industry-related air pollution on lung function and respiratory symptoms in school children. <i>Environmental Health</i> , 2018 , 17, 30	6	38
354	Targeted social care for highly vulnerable pregnant women: protocol of the Mothers of Rotterdam cohort study. <i>BMJ Open</i> , 2018 , 8, e020199	3	4
353	Influence of an Interdisciplinary Re-employment Programme Among Unemployed Persons with Mental Health Problems on Health, Social Participation and Paid Employment. <i>Journal of Occupational Rehabilitation</i> , 2018 , 28, 147-157	3.6	6
352	Effectiveness of the blended-care lifestyle intervention iPerfectFit: a cluster randomised trial in employees at risk for cardiovascular diseases. <i>BMC Public Health</i> , 2018 , 18, 766	4.1	18
351	The mediating role of risk perception in the association between industry-related air pollution and health. <i>PLoS ONE</i> , 2018 , 13, e0196783	3.7	12
350	Quality of motivational interviewing matters: the effect on participation in health-promotion activities in a cluster randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 414-422	4.3	6
349	Scientific basis of ISO standards on biomechanical risk factors. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 323-329	4.3	13
348	Authors' Response: Letter to the Editor concerning OCRA as preferred method in ISO standards on biomechanical risk factors. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 439-440	4.3	3
347	Health-improving interventions for obtaining employment in unemployed job seekers. <i>The Cochrane Library</i> , 2018 ,	5.2	78
346	Does lifestyle matter for sickness absence?. <i>Lancet Public Health</i> , 2018 , 3, e513-e514	22.4	1
345	Sinonasal cancer in The Netherlands: Follow-up of a population-based study 1989-2014 and incidence of occupation-related adenocarcinoma. <i>Head and Neck</i> , 2018 , 40, 2462-2468	4.2	3
344	Economic Evaluations of Falls Prevention Programs for Older Adults: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 2197-2204	5.6	16
343	Sick leave in workers with arm, neck and/or shoulder complaints; defining occurrence and discriminative trajectories over a 2-year time period. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 114-122	2.1	7
342	Health insurance coverage, neonatal mortality and caesarean section deliveries: an analysis of vital registration data in Colombia. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 505-512	5.1	10
341	Influence of obesity and physical workload on disability benefits among construction workers followed up for 37 years. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 621-627	2.1	11
340	Associations between common diseases and work ability and sick leave among health care workers. <i>International Archives of Occupational and Environmental Health</i> , 2017 , 90, 685-693	3.2	27
339	Ethnic inequalities in psychological distress among urban residents in the Netherlands: A moderating role of neighborhood ethnic diversity?. <i>Health and Place</i> , 2017 , 46, 175-182	4.6	6
338	A prospective study on the variation in falling and fall risk among community-dwelling older citizens in 12 European countries. <i>BMJ Open</i> , 2017 , 7, e015827	3	24

337	Role Stress and Emotional Exhaustion Among Health Care Workers: The Buffering Effect of Supportive Coworker Climate in a Multilevel Perspective. <i>Journal of Occupational and Environmental Medicine</i> , 2017 , 59, e187-e193	2	12
336	Effect of reduced use of organic solvents on disability pension in painters. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 827-829	2.1	2
335	Current and new challenges in occupational lung diseases. <i>European Respiratory Review</i> , 2017 , 26,	9.8	39
334	A Blended Web-Based Gaming Intervention on Changes in Physical Activity for Overweight and Obese Employees: Influence and Usage in an Experimental Pilot Study. <i>JMIR Serious Games</i> , 2017 , 5, e6	3.4	4
333	The influence of poor health on competing exit routes from paid employment among older workers in 11 European countries. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 24-33	4.3	34
332	"Mental retirement?" Trajectories of work engagement preceding retirement among older workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 34-41	4.3	9
331	Legislative change enabling use of early part-time sick leave enhanced return to work and work participation in Finland. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 447-456	4.3	17
330	A research framework for the development and implementation of interventions preventing work-related musculoskeletal disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 526-539	4.3	48
329	The benefits of paid employment among persons with common mental health problems: evidence for the selection and causation mechanism. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 540-549	4.3	20
328	Company Policies on Working Hours and Night Work in Relation to Older Workers' Work Ability and Work Engagement: Results From a Dutch Longitudinal Study with 2-Year Follow-Up. <i>Journal of Occupational Rehabilitation</i> , 2016 , 26, 173-81	3.6	11
327	Quantifying the strength of the associations of prototype perceptions with behaviour, behavioural willingness and intentions: a meta-analysis. <i>Health Psychology Review</i> , 2016 , 10, 25-43	7.1	93
326	The concurrence of musculoskeletal pain and associated work-related factors: a cross sectional study. <i>BMC Public Health</i> , 2016 , 16, 628	4.1	29
325	The role of high-intensity physical exercise in the prevention of disability among community-dwelling older people. <i>BMC Geriatrics</i> , 2016 , 16, 183	4.1	3
324	Work-Related Determinants of Voice Complaints Among School Workers: An Eleven-Month Follow-Up Study. <i>American Journal of Speech-Language Pathology</i> , 2016 , 25, 590-597	3.1	8
323	Associations of multisite pain with healthcare utilization, sickness absence and restrictions at work. <i>International Archives of Occupational and Environmental Health</i> , 2016 , 89, 1039-46	3.2	25
322	Residential area characteristics and disabilities among Dutch community-dwelling older adults. <i>International Journal of Health Geographics</i> , 2016 , 15, 42	3.5	9
321	High resolution exposure modelling of heat and air pollution and the impact on mortality. <i>Environment International</i> , 2016 , 89-90, 102-9	12.9	26
320	Disability Trajectories in Patients With Complaints of Arm, Neck, and Shoulder (CANS) in Primary Care: Prospective Cohort Study. <i>Physical Therapy</i> , 2016 , 96, 972-84	3.3	7

319	Self-perceived health in older Europeans: Does the choice of survey matter?. <i>European Journal of Public Health</i> , 2016 , 26, 686-92	2.1	17
318	Work as treatment? The effectiveness of re-employment programmes for unemployed persons with severe mental health problems on health and quality of life: a systematic review and meta-analysis. <i>Occupational and Environmental Medicine</i> , 2016 , 73, 275-9	2.1	22
317	Socioeconomic Inequalities in Psychological Distress among Urban Adults: The Moderating Role of Neighborhood Social Cohesion. <i>PLoS ONE</i> , 2016 , 11, e0157119	3.7	27
316	Sustainable employability--definition, conceptualization, and implications: A perspective based on the capability approach. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016 , 42, 71-9	4.3	92
315	Occupational Exposure to Endocrine-Disrupting Chemicals and Birth Weight and Length of Gestation: A European Meta-Analysis. <i>Environmental Health Perspectives</i> , 2016 , 124, 1785-1793	8.4	58
314	Disability Pensions due to Skin Diseases: A Cohort Study in Swedish Construction Workers. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 232-6	2.2	5
313	The impact of a conditional cash transfer programme on determinants of child health: evidence from Colombia. <i>Public Health Nutrition</i> , 2016 , 19, 2629-42	3.3	14
312	Conditional cash transfers and the double burden of malnutrition among children in Colombia: a quasi-experimental study. <i>British Journal of Nutrition</i> , 2016 , 115, 1780-9	3.6	7
311	Cardiovascular disease, diabetes and early exit from paid employment in Europe; the impact of work-related factors. <i>International Journal of Cardiology</i> , 2016 , 215, 332-7	3.2	30
310	Healthcare costs and productivity costs of hand and wrist injuries by external cause: A population-based study in working-age adults in the period 2008-2012. <i>Injury</i> , 2016 , 47, 1478-82	2.5	13
309	Associations between self-perceived voice disorders in teachers, perceptual assessment by speech-language pathologists, and instrumental analysis. <i>International Journal of Speech-Language Pathology</i> , 2016 , 18, 550-559	2.1	3
308	Does rare use of assistive devices during patient handling increase the risk of low back pain? A prospective cohort study among female healthcare workers. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 335-42	3.2	11
307	Medical Costs and Productivity Costs Related to Voice Symptoms in Colombian Teachers. <i>Journal of Voice</i> , 2015 , 29, 776.e15-22	1.9	18
306	Social participation and depression in old age: a fixed-effects analysis in 10 European countries. <i>American Journal of Epidemiology</i> , 2015 , 182, 168-76	3.8	120
305	Effects of noise and acoustics in schools on vocal health in teachers. <i>Noise and Health</i> , 2015 , 17, 17-22	0.9	24
304	Effects of Newly Designed Hospital Buildings on Staff Perceptions: A Pre-Post Study to Validate Design Decisions. <i>Herd</i> , 2015 , 8, 77-97	2.4	13
303	Design and baseline characteristics of the PerfectFit study: a multicenter cluster-randomized trial of a lifestyle intervention in employees with increased cardiovascular risk. <i>BMC Public Health</i> , 2015 , 15, 715	4.1	4
302	Trends in inequalities in premature cancer mortality by educational level in Colombia, 1998-2007. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 408-15	5.1	26

301	Providing personal informal care to older European adults: should we care about the caregivers' health?. <i>Preventive Medicine</i> , 2015 , 70, 64-8	4.3	66
300	Increase in upper extremity fractures in young male soccer players in the Netherlands, 1998-2009. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015 , 25, 462-6	4.6	3
299	Associations of work-related factors and work engagement with mental and physical health: a 1-year follow-up study among older workers. <i>Journal of Occupational Rehabilitation</i> , 2015 , 25, 86-95	3.6	50
298	Acoustic Comfort in High-school Classrooms for Students and Teachers. <i>Energy Procedia</i> , 2015 , 78, 3096-3101	3.1	10
297	Complexiteit van cohortonderzoek naar alledaagse klachten. <i>Huisarts En Wetenschap</i> , 2015 , 58, 302-304	0.1	
296	Structural neighbourhood conditions, social cohesion and psychological distress in the Netherlands. <i>European Journal of Public Health</i> , 2015 , 25, 995-1001	2.1	25
295	The public health impact of economic fluctuations in a Latin American country: mortality and the business cycle in Colombia in the period 1980-2010. <i>International Journal for Equity in Health</i> , 2015 , 14, 48	4.6	7
294	Explaining young adults' drinking behaviour within an augmented Theory of Planned Behaviour: temporal stability of drinker prototypes. <i>British Journal of Health Psychology</i> , 2015 , 20, 305-23	8.3	11
293	The Prognostic Value of the Work Ability Index for Sickness Absence among Office Workers. <i>PLoS ONE</i> , 2015 , 10, e0126969	3.7	35
292	Do lifestyle, health and social participation mediate educational inequalities in frailty worsening?. <i>European Journal of Public Health</i> , 2015 , 25, 345-50	2.1	66
291	Poor Health as Cause and Consequence of Prolonged Unemployment: Mechanisms, Interventions, and Policy Recommendations. <i>Aligning Perspectives on Health, Safety and Well-being</i> , 2015 , 215-227	0.2	3
290	The influence of chronic health problems and work-related factors on loss of paid employment among older workers. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 1058-65	5.1	62
289	Emerging evidence that the ban on asbestos use is reducing the occurrence of pleural mesothelioma in Sweden. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 875-81	3	36
288	Knee joint replacement and individual susceptibility for progression of knee osteoarthritis and tibial cartilage volume loss: not only genes run in the family. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1817-8	6.2	1
287	Reliability of Nationwide Prevalence Estimates of Dementia: A Critical Appraisal Based on Brazilian Surveys. <i>PLoS ONE</i> , 2015 , 10, e0131979	3.7	1
286	Educational Inequalities in Exit from Paid Employment among Dutch Workers: The Influence of Health, Lifestyle and Work. <i>PLoS ONE</i> , 2015 , 10, e0134867	3.7	40
285	Protective Behaviour of Citizens to Transport Accidents Involving Hazardous Materials: A Discrete Choice Experiment Applied to Populated Areas nearby Waterways. <i>PLoS ONE</i> , 2015 , 10, e0142507	3.7	5
284	Drinker prototype alteration and cue reminders as strategies in a tailored web-based intervention reducing adults' alcohol consumption: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2015 , 17, e35	7.6	19

283	Maternal occupation during pregnancy, birth weight, and length of gestation: combined analysis of 13 European birth cohorts. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 384-396	4.3	32
282	Evaluation of occupational health interventions using a randomized controlled trial: challenges and alternative research designs. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 491-503	4.3	57
281	Educational differences in trajectories of self-rated health before, during, and after entering or leaving paid employment in the European workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 441-50	4.3	31
280	ICF from a Population Health Perspective: The Impact of Chronic Disease on Work Participation and Its Consequences for Intervention and Treatment. <i>Handbooks in Health, Work, and Disability</i> , 2015 , 43-53		
279	Influence of health on job-search behavior and re-employment: the role of job-search cognitions and coping resources. <i>Journal of Occupational Rehabilitation</i> , 2014 , 24, 670-9	3.6	18
278	Duurzame arbeidsparticipatie vermindert gezondheidsverschillen in Nederland. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2014 , 92, 97-98	0.2	
277	The effect of lifting during work on low back pain: a health impact assessment based on a meta-analysis. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 871-7	2.1	146
276	Health-related quality of life after upper extremity injuries and predictors for suboptimal outcome. <i>Injury</i> , 2014 , 45, 1752-8	2.5	31
275	Barriers and facilitators for participation in health promotion programs among employees: a six-month follow-up study. <i>BMC Public Health</i> , 2014 , 14, 573	4.1	40
274	The effect of urban green on small-area (healthy) life expectancy. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, 999-1002	5.1	32
273	Occupational asbestos exposure and risk of esophageal, gastric and colorectal cancer in the prospective Netherlands Cohort Study. <i>International Journal of Cancer</i> , 2014 , 135, 1970-7	7.5	29
272	The influence of lifestyle and gender on sickness absence in Brazilian workers. <i>BMC Public Health</i> , 2014 , 14, 317	4.1	12
271	Characteristics of residential areas and transportation walking among frail and non-frail Dutch elderly: does the size of the area matter?. <i>International Journal of Health Geographics</i> , 2014 , 13, 7	3.5	31
270	Incidence of low back pain related occupational diseases in the Netherlands. <i>European Journal of Pain</i> , 2014 , 18, 873-82	3.7	15
269	The importance of internal health beliefs for employees' participation in health promotion programs. <i>Preventive Medicine</i> , 2014 , 67, 330-4	4.3	11
268	Factors associated with voice-related quality of life among teachers with voice complaints. <i>Journal of Communication Disorders</i> , 2014 , 52, 134-42	1.9	14
267	Risky music listening, permanent tinnitus and depression, anxiety, thoughts about suicide and adverse general health. <i>PLoS ONE</i> , 2014 , 9, e98912	3.7	23
266	Evaluation of the validity of job exposure matrix for psychosocial factors at work. <i>PLoS ONE</i> , 2014 , 9, e108987	3.7	30

265	Lifestyle factors, direct and indirect costs for a Brazilian airline company. <i>Revista De Saude Publica</i> , 2014 , 48, 949-57	2.4	3
264	The Impact of Health on Labour Participation: Mechanisms, Interventions and Policy Recommendations. <i>Regions</i> , 2014 , 294, 14-15	0.7	
263	How needs and preferences of employees influence participation in health promotion programs: a six-month follow-up study. <i>BMC Public Health</i> , 2014 , 14, 1277	4.1	11
262	(2) Incidentie van aan lage rugpijn gerelateerde beroepsziekten Nederland: een prospectieve cohortstudie. <i>Tijdschrift Voor Bedrijfs- En Verzekeringsgeneeskunde</i> , 2014 , 22, 422-430	0	
261	Aan lage rugpijn gerelateerde beroepsziekten in Nederland: (1) Een instrument voor de beoordeling van de werkgerelateerdheid van specifieke lage rugklachten. <i>Tijdschrift Voor Bedrijfs- En Verzekeringsgeneeskunde</i> , 2014 , 22, 371-375	0	1
260	Trends in overweight among women differ by occupational class: results from 33 low- and middle-income countries in the period 1992-2009. <i>International Journal of Obesity</i> , 2014 , 38, 97-105	5.5	16
259	Reproducibility of urinary bisphenol A concentrations measured during pregnancy in the Generation R Study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2014 , 24, 532-6	6.7	25
258	Aanpak van overmatig alcoholgebruik onder volwassenen in een RCT. <i>Verslaving</i> , 2014 , 11, 214-227		
257	An Evidence-Based Multidisciplinary Practice Guideline to Reduce the Workload due to Lifting for Preventing Work-Related Low Back Pain. <i>Annals of Occupational and Environmental Medicine</i> , 2014 , 26, 16	1.3	39
256	The contribution of work engagement to self-perceived health, work ability, and sickness absence beyond health behaviors and work-related factors. <i>Journal of Occupational and Environmental Medicine</i> , 2014 , 56, 892-7	2	44
255	Occupational asbestos exposure and risk of pleural mesothelioma, lung cancer, and laryngeal cancer in the prospective Netherlands cohort study. <i>Journal of Occupational and Environmental Medicine</i> , 2014 , 56, 6-19	2	38
254	Influence of poor health on exit from paid employment: a systematic review. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 295-301	2.1	227
253	Urban form and psychosocial factors: do they interact for leisure-time walking?. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 293-301	1.2	15
252	Influence of work-related characteristics and work ability on changing employer or leaving the profession among nursing staff. <i>Journal of Nursing Management</i> , 2014 , 22, 1065-75	4.9	15
251	Socioeconomic inequalities in premature mortality in Colombia, 1998-2007: the double burden of non-communicable diseases and injuries. <i>Preventive Medicine</i> , 2014 , 64, 41-7	4.3	26
250	Associations between weather conditions and clinical symptoms in patients with hip osteoarthritis: a 2-year cohort study. <i>Pain</i> , 2014 , 155, 808-813	8	37
249	How work impairments and reduced work ability are associated with health care use in workers with musculoskeletal disorders, cardiovascular disorders or mental disorders. <i>Journal of Occupational Rehabilitation</i> , 2014 , 24, 631-9	3.6	13
248	Patient transfers and assistive devices: prospective cohort study on the risk for occupational back injury among healthcare workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 74-81	4.3	49

247	Health, job characteristics, skills, and social and financial factors in relation to early retirement--results from a longitudinal study in the Netherlands. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 186-94	4.3	56
246	Heavy work and disability pension - a long term follow-up of Swedish construction workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 335-42	4.3	40
245	Occupational asbestos exposure and risk of oral cavity and pharyngeal cancer in the prospective Netherlands Cohort Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 420-7	4.3	7
244	The influence of chronic health problems on work ability and productivity at work: a longitudinal study among older employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 473-82	4.3	60
243	The influence of perceived health on labour participation among long term unemployed. <i>Journal of Occupational Rehabilitation</i> , 2013 , 23, 300-8	3.6	17
242	How do older employees with health problems remain productive at work?: a qualitative study. <i>Journal of Occupational Rehabilitation</i> , 2013 , 23, 115-24	3.6	13
241	Workplace health promotion: a meta-analysis of effectiveness. <i>American Journal of Preventive Medicine</i> , 2013 , 44, 406-415	6.1	310
240	The influence of re-employment on quality of life and self-rated health, a longitudinal study among unemployed persons in the Netherlands. <i>BMC Public Health</i> , 2013 , 13, 503	4.1	44
239	Pathways through which health influences early retirement: a qualitative study. <i>BMC Public Health</i> , 2013 , 13, 292	4.1	48
238	Clustering of drinker prototype characteristics: what characterizes the typical drinker?. <i>British Journal of Psychology</i> , 2013 , 104, 382-99	4	23
237	Sick leave due to back pain in a cohort of young workers. <i>International Archives of Occupational and Environmental Health</i> , 2013 , 86, 887-99	3.2	3
236	The role of lifestyle, health, and work in educational inequalities in sick leave and productivity loss at work. <i>International Archives of Occupational and Environmental Health</i> , 2013 , 86, 619-27	3.2	26
235	Consequences of inflammatory arthritis for workplace productivity loss and sick leave: a systematic review. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 493-505	2.4	43
234	The influence of individual and organisational factors on nurses' behaviour to use lifting devices in healthcare. <i>Applied Ergonomics</i> , 2013 , 44, 532-7	4.2	32
233	Conservative interventions for treating work-related complaints of the arm, neck or shoulder in adults. <i>The Cochrane Library</i> , 2013 , CD008742	5.2	32
232	Comparing health outcomes in SHARE with other European surveys. <i>BMC Proceedings</i> , 2013 , 7, S2	2.3	
231	De associaties tussen een verminderde inzetbaarheid en frequentie en kosten van medische zorg. <i>Tijdschrift Voor Bedrijfs- En Verzekeringsgeneeskunde</i> , 2013 , 21, 298-304	0	1
230	Efficient assessment of exposure to manual lifting using company data. <i>Applied Ergonomics</i> , 2013 , 44, 360-5	4.2	8

229	The impact of nursing homes on small-area life expectancies. <i>Health and Place</i> , 2013 , 19, 25-32	4.6	10
228	Equity-specific effects of 26 Dutch obesity-related lifestyle interventions. <i>American Journal of Preventive Medicine</i> , 2013 , 44, e57-66	6.1	51
227	Voice disorders in teachers and their associations with work-related factors: a systematic review. <i>Journal of Communication Disorders</i> , 2013 , 46, 143-55	1.9	100
226	Fetal growth and prenatal exposure to bisphenol A: the generation R study. <i>Environmental Health Perspectives</i> , 2013 , 121, 393-8	8.4	113
225	Small-area health comparisons using health-adjusted life expectancies: a Bayesian random-effects approach. <i>Health and Place</i> , 2013 , 23, 70-8	4.6	18
224	34 Does social participation decrease depressive symptoms in old age? 2013 , 391-402		2
223	Comparing JEMs in population-based studies: what if expert assessment and measurements are not available? AuthorsResponse. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 519	2.1	1
222	Why some walk and others don't: exploring interactions of perceived safety and social neighborhood factors with psychosocial cognitions. <i>Health Education Research</i> , 2013 , 28, 220-33	1.8	40
221	Assessment of the impact of lifting device use on low back pain and musculoskeletal injury claims among nurses. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 491-7	2.1	45
220	Reply: response to the letter by Drs Berman and Case. <i>Annals of Occupational Hygiene</i> , 2013 , 57, 675-7		1
219	Trends in overweight by educational level in 33 low- and middle-income countries: the role of parity, age at first birth and breastfeeding. <i>Obesity Reviews</i> , 2013 , 14, 806-17	10.6	22
218	Associations between abstainer, moderate and heavy drinker prototypes and drinking behaviour in young adults. <i>Psychology and Health</i> , 2013 , 28, 1407-23	2.9	17
217	Differential effects of mental and physical health and coping style on work ability: a 1-year follow-up study among aging workers. <i>Journal of Occupational and Environmental Medicine</i> , 2013 , 55, 1238-43	2	24
216	Is retirement good for your health? A systematic review of longitudinal studies. <i>BMC Public Health</i> , 2013 , 13, 1180	4.1	128
215	The impact of increasing health insurance coverage on disparities in mortality: health care reform in Colombia, 1998-2007. <i>American Journal of Public Health</i> , 2013 , 103, e100-6	5.1	17
214	Cardiovascular disease risk in adults with spastic bilateral cerebral palsy. <i>Journal of Rehabilitation Medicine</i> , 2013 , 45, 866-72	3.4	38
213	Determinants of participation in a web-based health risk assessment and consequences for health promotion programs. <i>Journal of Medical Internet Research</i> , 2013 , 15, e151	7.6	13
212	Poor health, unhealthy behaviors, and unfavorable work characteristics influence pathways of exit from paid employment among older workers in Europe: a four year follow-up study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 125-33	4.3	136

211	The effect of ill health and socioeconomic status on labor force exit and re-employment: a prospective study with ten years follow-up in the Netherlands. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 134-43	4.3	125
210	Patient handling and risk for developing persistent low-back pain among female healthcare workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 164-9	4.3	40
209	Do work factors modify the association between chronic health problems and sickness absence among older employees?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 477-85	4.3	31
208	The contribution of overweight, obesity, and lack of physical activity to exit from paid employment: a meta-analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 233-40	4.3	82
207	Work Absenteeism and Productivity Loss at Work 2013 , 31-41		8
206	Mixtures of endocrine disrupting contaminants modelled on human high end exposures: an exploratory study in rats. <i>Journal of Developmental and Physical Disabilities</i> , 2012 , 35, 303-16		77
205	The influence of ergonomic devices on mechanical load during patient handling activities in nursing homes. <i>Annals of Occupational Hygiene</i> , 2012 , 56, 708-18		18
204	Risky music-listening behaviors and associated health-risk behaviors. <i>Pediatrics</i> , 2012 , 129, 1097-103	7.4	22
203	Occupational exposure to chemical substances and time to pregnancy: a systematic review. <i>Human Reproduction Update</i> , 2012 , 18, 284-300	15.8	60
202	Socioeconomic inequalities in occupational, leisure-time, and transport related physical activity among European adults: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 116	8.4	279
201	Cost-effectiveness of a long-term Internet-delivered worksite health promotion programme on physical activity and nutrition: a cluster randomized controlled trial. <i>Health Education Research</i> , 2012 , 27, 399-410	1.8	39
200	Productivity costs and medical costs among working patients with knee osteoarthritis. <i>Arthritis Care and Research</i> , 2012 , 64, 853-61	4.7	69
199	Moral issues in workplace health promotion. <i>International Archives of Occupational and Environmental Health</i> , 2012 , 85, 327-31	3.2	29
198	Estimating trends in quartz exposure in Swedish iron foundries--predicting past and present exposures. <i>Annals of Occupational Hygiene</i> , 2012 , 56, 362-72		11
197	Comparison of Bayesian random-effects and traditional life expectancy estimations in small-area applications. <i>American Journal of Epidemiology</i> , 2012 , 176, 929-37	3.8	19
196	Low back pain: doesn't work matter at all?. <i>Occupational Medicine</i> , 2012 , 62, 152-3; author reply 153-4	2.1	7
195	Physically demanding work, fetal growth and the risk of adverse birth outcomes. The Generation R Study. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 543-50	2.1	37
194	Quality of evidence must guide risk assessment of asbestos. <i>Annals of Occupational Hygiene</i> , 2012 , 56, 879-87		9

193	Intrauterine exposure to mild analgesics during pregnancy and the occurrence of cryptorchidism and hypospadias in the offspring: the Generation R Study. <i>Human Reproduction</i> , 2012 , 27, 1191-201	5.7	91
192	Socio-demographic determinants of worsening in frailty among community-dwelling older people in 11 European countries. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 1116-21	5.1	88
191	Comparison of expert and job-exposure matrix-based retrospective exposure assessment of occupational carcinogens in The Netherlands Cohort Study. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 745-51	2.1	34
190	Occupational exposure to chemicals and fetal growth: the Generation R Study. <i>Human Reproduction</i> , 2012 , 27, 910-20	5.7	56
189	Congenital heart defects and parental occupational exposure to chemicals. <i>Human Reproduction</i> , 2012 , 27, 1510-7	5.7	56
188	Work-related maternal risk factors and the risk of pregnancy induced hypertension and preeclampsia during pregnancy. The Generation R Study. <i>PLoS ONE</i> , 2012 , 7, e39263	3.7	19
187	Development and validation of a job exposure matrix for physical risk factors in low back pain. <i>PLoS ONE</i> , 2012 , 7, e48680	3.7	42
186	Initial and sustained participation in an internet-delivered long-term worksite health promotion program on physical activity and nutrition. <i>Journal of Medical Internet Research</i> , 2012 , 14, e43	7.6	49
185	Applying quality criteria to exposure in asbestos epidemiology increases the estimated risk. <i>Annals of Occupational Hygiene</i> , 2011 , 55, 565-8		13
184	Occupational exposure to endocrine disruptors and time to pregnancy among couples in a large birth cohort study: the Generation R Study. <i>Fertility and Sterility</i> , 2011 , 95, 2067-72	4.8	15
183	Low back pain: we cannot afford ignoring work. <i>Spine Journal</i> , 2011 , 11, 164; author reply 165-6	4	19
182	A meta-analysis of asbestos and lung cancer: is better quality exposure assessment associated with steeper slopes of the exposure-response relationships?. <i>Environmental Health Perspectives</i> , 2011 , 119, 1547-55	8.4	54
181	Occupational rhinitis in bell pepper greenhouse workers: determinants of leaving work and the effects of subsequent allergen avoidance on health-related quality of life. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 903-8	9.3	23
180	Sports participation, perceived neighborhood safety, and individual cognitions: how do they interact?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 76	8.4	21
179	Work and health, a blind spot in curative healthcare? A pilot study. <i>Journal of Occupational Rehabilitation</i> , 2011 , 21, 304-12	3.6	10
178	The importance of job control for workers with decreased work ability to remain productive at work. <i>International Archives of Occupational and Environmental Health</i> , 2011 , 84, 705-12	3.2	63
177	Sports participation, perceived neighborhood safety, and individual cognitions: how do they interact?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 114	8.4	3
176	The effects of work-related maternal risk factors on time to pregnancy, preterm birth and birth weight: the Generation R Study. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 197-204	2.1	68

175	The effect of re-employment on perceived health. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 639-44	5.1	74
174	Occupational activities associated with a reported history of malaria among women working in small-scale agriculture in South Africa. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011 , 85, 805-10	3.2	6
173	Individual and organisational determinants of use of ergonomic devices in healthcare. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 659-65	2.1	29
172	A high physical workload and high job demands hamper the good prognosis in physical functioning in persons with early inflammatory joint conditions. <i>Rheumatology</i> , 2011 , 50, 789-98	3.9	3
171	The role of obesity and lifestyle behaviours in a productive workforce. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 134-9	2.1	80
170	Spontaneous miscarriages and infant deaths among female farmers in rural South Africa. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011 , 37, 227-36	4.3	19
169	Assessment of cancer risks due to environmental exposure to asbestos. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2010 , 20, 478-85	6.7	26
168	Occupational allergy to bell pepper pollen in greenhouses in the Netherlands, an 8-year follow-up study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010 , 65, 1423-9	9.3	12
167	Occupational medicine in The Netherlands. <i>Occupational Medicine</i> , 2010 , 60, 314	2.1	3
166	The effects of timing on the cost-effectiveness of interventions for workers on sick leave due to low back pain. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 744-50	2.1	26
165	The impact of ill health on exit from paid employment in Europe among older workers. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 845-52	2.1	107
164	Pesticide safety training and practices in women working in small-scale agriculture in South Africa. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 823-8	2.1	38
163	Employment status and the risk of pregnancy complications: the Generation R Study. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 387-94	2.1	22
162	Is human fecundity declining in Western countries?. <i>Human Reproduction</i> , 2010 , 25, 1348-53	5.7	33
161	Re: Bakker EW, Verhagen AP, van Trijffel E, et al. Spinal mechanical load as a risk factor for low back pain: a systematic review of prospective cohort studies. <i>Spine</i> 2009; 34:E281-93. <i>Spine</i> , 2010 , 35, E1011-2; author reply E1012-3	3.3	3
160	Influence of health and work on early retirement. <i>Journal of Occupational and Environmental Medicine</i> , 2010 , 52, 576-83	2	118
159	Conservative interventions for treating work-related complaints of the arm, neck or shoulder in adults 2010 ,		1
158	Sickness absence in patients with arm, neck and shoulder complaints presenting in physical therapy practice: 6 months follow-up. <i>Manual Therapy</i> , 2010 , 15, 476-81		23

157	Is early retirement good for your health?. <i>BMJ, The</i> , 2010 , 341, c6089	5.9	12
156	Demographic, behavioral, and psychosocial correlates of using the website component of a worksite physical activity and healthy nutrition promotion program: a longitudinal study. <i>Journal of Medical Internet Research</i> , 2010 , 12, e44	7.6	31
155	The role of assessment of biomechanical exposure at the workplace in the prevention of musculoskeletal disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010 , 36, 1-2	4.3	28
154	Associations between work-related factors and specific disorders of the shoulder--a systematic review of the literature. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010 , 36, 189-201	4.3	267
153	Effectiveness of a health promotion programme for long-term unemployed subjects with health problems: a randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 893-9	5.1	13
152	Determinants of implementation of primary preventive interventions on patient handling in healthcare: a systematic review. <i>Occupational and Environmental Medicine</i> , 2009 , 66, 353-60	2.1	64
151	Higher free testosterone level is associated with faster visual processing and more flanker interference in older men. <i>Psychoneuroendocrinology</i> , 2009 , 34, 546-54	5	15
150	Changes in physical health among participants in a multidisciplinary health programme for long-term unemployed persons. <i>BMC Public Health</i> , 2009 , 9, 197	4.1	10
149	Physical characteristics of the back are not predictive of low back pain in healthy workers: a prospective study. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 2	2.8	17
148	Productivity loss in the workforce: associations with health, work demands, and individual characteristics. <i>American Journal of Industrial Medicine</i> , 2009 , 52, 49-56	2.7	88
147	Musculoskeletal pain in women working in small-scale agriculture in South Africa. <i>American Journal of Industrial Medicine</i> , 2009 , 52, 202-9	2.7	35
146	Ethnic differences in unemployment and ill health. <i>International Archives of Occupational and Environmental Health</i> , 2009 , 82, 1023-30	3.2	10
145	The hypothalamus-pituitary-testis axis in boys during the first six months of life: a comparison of cryptorchidism and hypospadias cases with controls. <i>Journal of Developmental and Physical Disabilities</i> , 2009 , 32, 453-61		37
144	Response: the hypothalamus-pituitary-testis axis in cryptorchid boys. <i>Journal of Developmental and Physical Disabilities</i> , 2009 , 32, 90-90		
143	Equal task, equal exposure? Are men and women with the same tasks equally exposed to awkward working postures?. <i>Ergonomics</i> , 2009 , 52, 1079-86	2.9	19
142	Determinants of participation in worksite health promotion programmes: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009 , 6, 26	8.4	271
141	Associations between work-related factors and specific disorders at the elbow: a systematic literature review. <i>Rheumatology</i> , 2009 , 48, 528-36	3.9	147
140	Associations between work-related factors and the carpal tunnel syndrome--a systematic review. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009 , 35, 19-36	4.3	140

139	Impact of work-related factors, lifestyle, and work ability on sickness absence among Dutch construction workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009 , 35, 325-33	4.3	140
138	Cardiovascular disease risk factors and the relationships with physical activity, aerobic fitness, and body fat in adolescents and young adults with myelomeningocele. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 2167-73	2.8	49
137	Urinary metabolite concentrations of organophosphorous pesticides, bisphenol A, and phthalates among pregnant women in Rotterdam, the Netherlands: the Generation R study. <i>Environmental Research</i> , 2008 , 108, 260-7	7.9	243
136	No midpregnancy fall in diastolic blood pressure in women with a low educational level: the Generation R Study. <i>Hypertension</i> , 2008 , 52, 645-51	8.5	29
135	Exposure to metalworking fluid aerosols and determinants of exposure. <i>Annals of Occupational Hygiene</i> , 2008 , 52, 597-605		19
134	Linking expert judgement and trends in occupational exposure into a job-exposure matrix for historical exposure to asbestos in the Netherlands. <i>Annals of Occupational Hygiene</i> , 2008 , 52, 397-403		11
133	Agricultural activities, pesticide use and occupational hazards among women working in small scale farming in Northern KwaZulu-Natal, South Africa. <i>International Journal of Occupational and Environmental Health</i> , 2008 , 14, 218-24		18
132	Influence of modified work on recurrence of sick leave due to musculoskeletal complaints. <i>Journal of Rehabilitation Medicine</i> , 2008 , 40, 576-81	3.4	17
131	Risk factors for sickness absence due to low back pain and prognostic factors for return to work in a cohort of shipyard workers. <i>European Spine Journal</i> , 2008 , 17, 1185-92	2.7	46
130	The influence of psychosocial factors at work and life style on health and work ability among professional workers. <i>International Archives of Occupational and Environmental Health</i> , 2008 , 81, 1029-36 ^{3,2}		104
129	Unemployment and retirement and ill-health: a cross-sectional analysis across European countries. <i>International Archives of Occupational and Environmental Health</i> , 2008 , 82, 39-45	3.2	176
128	Work and sick leave among patients with early inflammatory joint conditions. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1458-66		30
127	Prevention of work-related airway allergies; summary of the advice from the Health Council of the Netherlands. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008 , 63, 1593-6	9.3	16
126	Workplace Health Promotion Aiming at Safe Working Environments for Pregnant Women 2008 , 243-253		
125	The importance of solid employment for health. <i>Scandinavian Journal of Work, Environment and Health</i> , 2008 , 34, 81-2	4.3	6
124	Predictors of sick leave and reduced productivity at work among persons with early inflammatory joint conditions. <i>Scandinavian Journal of Work, Environment and Health</i> , 2008 , 34, 420-9	4.3	29
123	The (cost-)effectiveness of an individually tailored long-term worksite health promotion programme on physical activity and nutrition: design of a pragmatic cluster randomised controlled trial. <i>BMC Public Health</i> , 2007 , 7, 259	4.1	26
122	Occupational risk factors for work-related disorders in greenhouse workers. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2007 , 15, 265-277	1.4	12

121	The effects of mechanised equipment on physical load among road workers and floor layers in the construction industry. <i>International Journal of Industrial Ergonomics</i> , 2007 , 37, 133-143	2.9	21
120	Invited Point of View: The art of conducting workplace intervention studies. <i>International Journal of Industrial Ergonomics</i> , 2007 , 37, 175-176	2.9	6
119	The effect of individual counselling and education on work ability and disability pension: a prospective intervention study in the construction industry. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 792-7	2.1	28
118	Asbestos exposure and differences in occurrence of peritoneal mesothelioma between men and women across countries. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 839-42	2.1	21
117	Effectiveness of a back pain prevention program: a cluster randomized controlled trial in an occupational setting. <i>Spine</i> , 2007 , 32, 711-9	3.3	29
116	Exercise proves effective in a systematic review of work-related complaints of the arm, neck, or shoulder. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 110-7	5.7	60
115	Low-back pain definitions in occupational studies were categorized for a meta-analysis using Delphi consensus methods. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 625-33	5.7	32
114	Social and psychological factors influenced the course of arm, neck and shoulder complaints. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 839-48	5.7	102
113	Focus and future of occupational health journals. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007 , 33, 241-3	4.3	4
112	Influence of work-related factors and individual characteristics on work ability among Dutch construction workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007 , 33, 351-7	4.3	93
111	Consequences of rheumatoid arthritis for performance of social roles--a literature review. <i>Journal of Rheumatology</i> , 2007 , 34, 1248-60	4.1	58
110	Musculoskeletal disorders in shipyard industry: prevalence, health care use, and absenteeism. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 88	2.8	44
109	Qualitative evaluation of a form for standardized information exchange between orthopedic surgeons and occupational physicians. <i>BMC Health Services Research</i> , 2006 , 6, 144	2.9	7
108	The prognostic value of depressive symptoms, fear-avoidance, and self-efficacy for duration of lost-time benefits in workers with musculoskeletal disorders. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 794-801	2.1	43
107	The effect of high physical load at work on physical function at old age. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 437	2.1	1
106	Effects of occupational exposure on the reproductive system: core evidence and practical implications. <i>Occupational Medicine</i> , 2006 , 56, 516-20	2.1	35
105	Predicting the long term course of low back pain and its consequences for sickness absence and associated work disability. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 522-9	2.1	52
104	2006 William P. Yant Award lecture. The contribution of occupational hygiene to public health: new opportunities to demonstrate its importance. <i>Journal of Occupational and Environmental Hygiene</i> , 2006 , 3, D120-5	2.9	2

103	Treatment of arm, neck, and/or shoulder complaints in physical therapy practice. <i>Spine</i> , 2006 , 31, E584-93	3.3	15
102	Prognostic factors for duration of sickness absence due to musculoskeletal disorders. <i>Clinical Journal of Pain</i> , 2006 , 22, 212-21	3.5	130
101	Determinants for improvement in different back pain measures and their influence on the duration of sickness absence. <i>Spine</i> , 2006 , 31, 1477-83	3.3	11
100	Modelling the effects of exposure to whole-body vibration on low-back pain and its long-term consequences for sickness absence and associated work disability. <i>Journal of Sound and Vibration</i> , 2006 , 298, 480-491	3.9	9
99	The role of physical workload and pain related fear in the development of low back pain in young workers: evidence from the BelCoBack Study; results after one year of follow up. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 45-52	2.1	62
98	The relations between psychosocial factors at work and health status among workers in home care organizations. <i>International Journal of Behavioral Medicine</i> , 2006 , 13, 183-92	2.6	23
97	Treatment of impingement syndrome: a systematic review of the effects on functional limitations and return to work. <i>Journal of Occupational Rehabilitation</i> , 2006 , 16, 7-25	3.6	77
96	A comparative analysis on musculoskeletal disorders between Greek and Dutch nursing personnel. <i>International Archives of Occupational and Environmental Health</i> , 2006 , 79, 82-8	3.2	75
95	High incidence and recurrence of shoulder and neck pain in nursing home employees was demonstrated during a 2-year follow-up. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 407-13	5.7	75
94	In a controlled trial training general practitioners and occupational physicians to collaborate did not influence sickleave of patients with low back pain. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 75-82	5.7	30
93	Health problems lead to considerable productivity loss at work among workers with high physical load jobs. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 517-23	5.7	164
92	Measuring productivity changes in economic evaluation: setting the research agenda. <i>Pharmacoeconomics</i> , 2005 , 23, 47-54	4.4	75
91	Risk factors for musculoskeletal symptoms and ensuing health care use and sick leave. <i>Spine</i> , 2005 , 30, 1550-6	3.3	92
90	Health status, its perceptions, and effect on return to work and recurrent sick leave. <i>Spine</i> , 2005 , 30, 1086-92	3.3	28
89	An evaluation of methods assessing the physical demands of manual lifting in scaffolding. <i>Applied Ergonomics</i> , 2005 , 36, 213-22	4.2	42
88	The cryptorchidism prevalence among infants in the general population of Rotterdam, the Netherlands. <i>Journal of Developmental and Physical Disabilities</i> , 2005 , 28, 248-52		26
87	Explaining differences in incidence rates of pleural mesothelioma between Sweden and the Netherlands. <i>International Journal of Cancer</i> , 2005 , 113, 298-301	7.5	16
86	Identification of determinants of exposure: consequences for measurement and control strategies. <i>Occupational and Environmental Medicine</i> , 2005 , 62, 344-50	2.1	30

85	Workshop report. <i>Scandinavian Journal of Work, Environment and Health</i> , 2005 , 31, 237-243	4.3	46
84	Reduced productivity after sickness absence due to musculoskeletal disorders and its relation to health outcomes. <i>Scandinavian Journal of Work, Environment and Health</i> , 2005 , 31, 367-74	4.3	45
83	Assessing the work-relatedness of nonspecific low-back pain. <i>Scandinavian Journal of Work, Environment and Health</i> , 2005 , 31, 237-43	4.3	8
82	Development of a decision model to identify workers at risk of long-term disability in the construction industry. <i>Scandinavian Journal of Work, Environment and Health</i> , 2005 , 31 Suppl 2, 31-6	4.3	12
81	Maternal and paternal risk factors for cryptorchidism and hypospadias: a case-control study in newborn boys. <i>Environmental Health Perspectives</i> , 2004 , 112, 1570-6	8.4	191
80	Ethnic differences in disability risk between Dutch and Turkish scaffolders. <i>Journal of Occupational Health</i> , 2004 , 46, 391-7	2.3	15
79	Impact of musculoskeletal co-morbidity of neck and upper extremities on healthcare utilisation and sickness absence for low back pain. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 806-10	2.1	57
78	Asbestos, asbestos-related diseases, and compensation claims in The Netherlands. <i>International Journal of Occupational and Environmental Health</i> , 2004 , 10, 159-65		6
77	Workplace interventions. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 287-8	2.1	7
76	Dose-response relations between occupational exposures to physical and psychosocial factors and the risk of low back pain. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 972-9	2.1	75
75	Barriers for early return-to-work of workers with musculoskeletal disorders according to occupational health physicians and human resource managers. <i>Journal of Occupational Rehabilitation</i> , 2004 , 14, 31-41	3.6	30
74	Occupational exposure to chemical agents in the paper industry. <i>International Archives of Occupational and Environmental Health</i> , 2004 , 77, 451-60	3.2	21
73	Prevalence and incidence of shoulder pain in the general population; a systematic review. <i>Scandinavian Journal of Rheumatology</i> , 2004 , 33, 73-81	1.9	685
72	Prevalence, incidence, and recurrence of low back pain in scaffolders during a 3-year follow-up study. <i>Spine</i> , 2004 , 29, E101-6	3.3	69
71	Patterns of care for low back pain in a working population. <i>Spine</i> , 2004 , 29, 1362-8	3.3	42
70	Interrelationships between pain, disability, general health, and quality of life and associations with work-related and individual factors: a study among workers on sickness absence for 2 to 6 weeks for musculoskeletal complaints. <i>Spine</i> , 2004 , 29, 2178-83	3.3	13
69	Different risk factors for musculoskeletal complaints and musculoskeletal sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004 , 30, 56-63	4.3	73
68	Work-related risk factors for the incidence and recurrence of shoulder and neck complaints among nursing-home and elderly-care workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004 , 30, 279-86	4.3	73

67	Werk en verzuim bij aspecifieke lage rugklachten 2004 , 238-243		4
66	Mental work demands protect against cognitive impairment: MAAS prospective cohort study. <i>Experimental Aging Research</i> , 2003 , 29, 33-45	1.7	105
65	Occupational characteristics of cases with asbestos-related diseases in The Netherlands. <i>Annals of Occupational Hygiene</i> , 2003 , 47, 485-92		25
64	Efficient one-day sampling of mechanical job exposure data--a study based on upper trapezius activity in cleaners and office workers. <i>AIHA Journal: A Journal for the Science of Occupational and Environmental Health and Safety</i> , 2003 , 64, 196-211		55
63	Radiographic abnormalities among construction workers exposed to quartz containing dust. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 410-7	2.1	15
62	. <i>Spine</i> , 2003 , 28, 1340-1346	3.3	4
61	Risk factors for sickness absence because of low back pain among scaffolders: a 3-year follow-up study. <i>Spine</i> , 2003 , 28, 1340-6	3.3	37
60	Risk factors for musculoskeletal disorders among nursing personnel in Greek hospitals. <i>International Archives of Occupational and Environmental Health</i> , 2003 , 76, 289-94	3.2	121
59	Inhibin B: a novel marker of spermatogenesis. <i>Annals of Medicine</i> , 2003 , 35, 12-20	1.5	60
58	Effects of measurement strategy and statistical analysis on dose-response relations between physical workload and low back pain. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 942-7	2.1	18
57	Update of predictions of mortality from pleural mesothelioma in the Netherlands. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 50-5	2.1	58
56	Commentary: variability in workplace exposures and the design of efficient measurement and control strategies. <i>Annals of Occupational Hygiene</i> , 2003 , 47, 95-9		16
55	Model for the work-relatedness of low-back pain. <i>Scandinavian Journal of Work, Environment and Health</i> , 2003 , 29, 431-40	4.3	180
54	Prevalence of occupational allergy to Chrysanthemum pollen in greenhouses in the Netherlands. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2002 , 57, 835-40	9.3	41
53	Prevalence of occupational allergy to bell pepper pollen in greenhouses in the Netherlands. <i>Clinical and Experimental Allergy</i> , 2002 , 32, 434-40	4.1	37
52	A high hypospadias rate in The Netherlands. <i>Human Reproduction</i> , 2002 , 17, 1112-5	5.7	95
51	Sources of bias in studies among infertility clients. <i>American Journal of Epidemiology</i> , 2002 , 156, 86-92	3.8	29
50	Statistical power and measurement allocation in ergonomic intervention studies assessing upper trapezius EMG amplitude. A case study of assembly work. <i>Journal of Electromyography and Kinesiology</i> , 2002 , 12, 45-57	2.5	85

49	Serratus anterior paralysis as an occupational injury in scaffolders: two case reports. <i>American Journal of Industrial Medicine</i> , 2001 , 40, 710-3	2.7	12
48	Factors associated with medical care-seeking due to low-back pain in scaffolders. <i>American Journal of Industrial Medicine</i> , 2001 , 40, 275-81	2.7	48
47	Influence of measurement accuracy on the application of the 1991 NIOSH equation. <i>Applied Ergonomics</i> , 2001 , 32, 91-9	4.2	21
46	Prognostic factors for respiratory sickness absence and return to work among blue collar workers and office personnel. <i>Occupational and Environmental Medicine</i> , 2001 , 58, 246-52	2.1	41
45	Interrelations of risk factors and low back pain in scaffolders. <i>Occupational and Environmental Medicine</i> , 2001 , 58, 597-603	2.1	62
44	Group-based measurement strategies in exposure assessment explored by bootstrapping. <i>Scandinavian Journal of Work, Environment and Health</i> , 2001 , 27, 125-32	4.3	41
43	Consensus report. <i>Scandinavian Journal of Work, Environment and Health</i> , 2001 , 27, 354-357	4.3	18
42	A novel approach for evaluating level, frequency and duration of lumbar posture simultaneously during work. <i>Scandinavian Journal of Work, Environment and Health</i> , 2001 , 27, 373-80	4.3	24
41	Return to work after sickness absence due to back disorders--a systematic review on intervention strategies. <i>International Archives of Occupational and Environmental Health</i> , 2000 , 73, 339-48	3.2	67
40	Strategies to Identify Lifting Tasks in Scaffolding with Highest Priority for Intervention. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2000 , 44, 5-667-5-670	0.4	
39	Lumbar Posture during Work among Nurses and Office Workers and the Relation to Back Problems: Statistical Analysis of Angle-vs-Time Data. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2000 , 44, 5-465-5-468	0.4	
38	The Role of Epidemiological Studies in Ergonomics Research. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2000 , 44, 5-545-5-547	0.4	
37	Design of Ergonomic Intervention Studies Using Exposure Variability Data [An Example Based on Assembly Work EMG. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2000 , 44, 5-618-5-618	0.4	2
36	Assessment of occupational exposures in a general population: comparison of different methods. <i>Occupational and Environmental Medicine</i> , 1999 , 56, 145-51	2.1	98
35	Epidemiologic evidence on manual materials handling as a risk factor for back disorders:a systematic review. <i>International Journal of Industrial Ergonomics</i> , 1999 , 24, 389-404	2.9	127
34	Assessment of exposure to pushing and pulling in epidemiological field studies: an overview of methods, exposure measures, and measurement strategies. <i>International Journal of Industrial Ergonomics</i> , 1999 , 24, 417-429	2.9	46
33	Occupationally related exposures and reduced semen quality: a case-control study. <i>Fertility and Sterility</i> , 1999 , 71, 690-6	4.8	90
32	In musculoskeletal epidemiology are we asking the unanswerable in questionnaires on physical load?. <i>Scandinavian Journal of Work, Environment and Health</i> , 1999 , 25, 81-3	4.3	51

31	Stepwise health surveillance for bronchial irritability syndrome in workers at risk of occupational respiratory disease. <i>Occupational and Environmental Medicine</i> , 1998 , 55, 119-25	2.1	6
30	Prognostic factors for musculoskeletal sickness absence and return to work among welders and metal workers. <i>Occupational and Environmental Medicine</i> , 1998 , 55, 490-5	2.1	67
29	Physical load as risk factor for musculoskeletal complaints among tank terminal workers. <i>AIHA Journal</i> , 1997 , 58, 489-97		28
28	Intraindividual variability and redundancy of semen parameters. <i>Epidemiology</i> , 1997 , 8, 99-103	3.1	37
27	Application of design analysis to solution generation: Hand-arm vibrations in foundation pile head removal in the construction industry. <i>Safety Science</i> , 1997 , 27, 85-98	5.8	9
26	Challenges in assessing risk factors in epidemiologic studies on back disorders. <i>American Journal of Industrial Medicine</i> , 1997 , 32, 142-52	2.7	51
25	Advancing epidemiologic studies of occupational injury--approaches and future directions. <i>American Journal of Industrial Medicine</i> , 1997 , 32, 180-3	2.7	12
24	Physical load in ship maintenance: hazard evaluation by means of a workplace survey. <i>Applied Ergonomics</i> , 1997 , 28, 213-9	4.2	20
23	Positive and negative evidence of risk factors for back disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 1997 , 23, 243-56	4.3	404
22	The influence of personal variables on work-related low-back disorders and implications for future research. <i>Journal of Occupational and Environmental Medicine</i> , 1997 , 39, 748-59	2	80
21	Reliability of a questionnaire on sickness absence with specific attention to absence due to back pain and respiratory complaints. <i>Occupational and Environmental Medicine</i> , 1996 , 53, 58-62	2.1	66
20	Design of strategies to assess lumbar posture during work. <i>International Journal of Industrial Ergonomics</i> , 1996 , 18, 239-249	2.9	30
19	Choosing optimal values of FEV1 and FEV1/FVC for surveillance for respiratory disorders in occupational populations. <i>Journal of Occupational and Environmental Medicine</i> , 1996 , 38, 673-80	2	3
18	Simultaneous measurements of posture and movements of head and trunk by continuous three-dimensional registration. <i>Ergonomics</i> , 1995 , 38, 2563-2575	2.9	3
17	Isodynamic evaluation of trunk muscles and low-back pain among workers in a steel factory. <i>Ergonomics</i> , 1995 , 38, 2107-17	2.9	6
16	Reducing random measurement error in assessing postural load on the back in epidemiologic surveys. <i>Scandinavian Journal of Work, Environment and Health</i> , 1995 , 21, 15-23	4.3	62
15	Sources of variance in exposure to nonneutral trunk postures in varying work situations. <i>Scandinavian Journal of Work, Environment and Health</i> , 1995 , 21, 215-22	4.3	19
14	Re: "What happens to your manuscript: characteristics of papers published in volume 138". <i>American Journal of Epidemiology</i> , 1994 , 140, 578-9	3.8	

13	Relations between respiratory symptoms and sickness among workers in the animal feed industry. <i>Occupational and Environmental Medicine</i> , 1994 , 51, 440-6	2.1	11
12	SHIFTING CONCEPTS IN ASSESSMENT OF OCCUPATIONAL EXPOSURES. <i>Annals of Occupational Hygiene</i> , 1993 , 37, 447-450		8
11	The effect of seat suspension on exposure to whole-body vibration of professional drivers. <i>Annals of Occupational Hygiene</i> , 1993 , 37, 45-55		21
10	Occupational Hygiene around the World: Perspectives on Occupational Hygiene in Sweden. <i>Journal of Occupational and Environmental Hygiene</i> , 1993 , 8, 1005-1009		0
9	Bias in risk estimates from variability of exposure to postural load on the back in occupational groups. <i>Scandinavian Journal of Work, Environment and Health</i> , 1993 , 19, 50-4	4.3	36
8	Measurement of trunk bending during work by direct observation and continuous measurement. <i>Applied Ergonomics</i> , 1992 , 23, 263-7	4.2	67
7	Sources of variance in exposure to postural load on the back in occupational groups. <i>Scandinavian Journal of Work, Environment and Health</i> , 1992 , 18, 361-7	4.3	27
6	Exposure assessment of risk factors for disorders of the back in occupational epidemiology. <i>Scandinavian Journal of Work, Environment and Health</i> , 1992 , 18, 1-9	4.3	105
5	Exposure to vibration and self-reported health complaints of riveters in the aircraft industry. <i>Annals of Occupational Hygiene</i> , 1991 , 35, 287-98		21
4	Postural load and back pain of workers in the manufacturing of prefabricated concrete elements. <i>Ergonomics</i> , 1991 , 34, 909-18	2.9	87
3	Comparison of methods for the assessment of postural load on the back. <i>Scandinavian Journal of Work, Environment and Health</i> , 1991 , 17, 425-9	4.3	83
2	An epidemiological study of low-back pain in crane operators. <i>Ergonomics</i> , 1990 , 33, 981-7	2.9	46
1	Exposure to shock and vibration and symptoms in workers using impact power tools. <i>Annals of Occupational Hygiene</i> , 1989 , 33, 85-96		15