

Gustavo G Zarini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8679587/publications.pdf>

Version: 2024-02-01

71
papers

139
citations

1478505

6
h-index

1372567

10
g-index

71
all docs

71
docs citations

71
times ranked

203
citing authors

#	ARTICLE	IF	CITATIONS
1	Lifestyle Behaviors and Self-Rated Health: The Living for Health Program. <i>Journal of Environmental and Public Health</i> , 2014, 2014, 1-9.	0.9	32
2	Osteoporosis, Activities of Daily Living Skills, Quality of Life, and Dietary Adequacy of Congregate Meal Participants. <i>Geriatrics (Switzerland)</i> , 2018, 3, 24.	1.7	15
3	Genetic Associations ofPPARGC1Awith Type 2 Diabetes: Differences among Populations with African Origins. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-10.	2.3	13
4	Health Indicators of US Older Adults Who Received or Did Not Receive Meals Funded by the Older Americans Act. <i>Journal of Aging Research</i> , 2017, 2017, 1-8.	0.9	8
5	Sex Differences, Cocaine Use, and Liver Fibrosis Among African Americans in the Miami Adult Studies on HIV Cohort. <i>Journal of Women's Health</i> , 2020, 29, 1176-1183.	3.3	8
6	Validation and Refinement of Noninvasive Methods to Assess Hepatic Fibrosis: Magnetic Resonance Elastography Versus Enhanced Liver Fibrosis Index. <i>Digestive Diseases and Sciences</i> , 2020, 65, 1252-1257.	2.3	7
7	Cognitive Impairment among People Who Use Heroin and Fentanyl: Findings from the Miami Adult Studies on HIV (MASH) Cohort. <i>Journal of Psychoactive Drugs</i> , 2021, 53, 215-223.	1.7	6
8	Acculturation and Diabetes Self-management of Cuban Americans: Is Age a Protective Factor?. <i>Ageing International</i> , 2012, 37, 195-209.	1.3	5
9	Health-Related Characteristics of Older Adults Who Attend Congregate Meal Sites in the United States. <i>Geriatrics (Switzerland)</i> , 2017, 2, 22.	1.7	5
10	The association of depression and perceived stress with beta cell function between African and Haitian Americans with and without type 2 diabetes. <i>Journal of Diabetes Mellitus</i> , 2013, 03, 236-243.	0.3	5
11	Cross-sectional analysis of unhealthy foods, race/ethnicity, sex and cardiometabolic risk factors in U.S. adults. <i>Nutrition and Dietetics</i> , 2018, 75, 474-480.	1.8	4
12	Parental Perceptions of Child's Medical Care and Neighborhood and Child's Behavioral Risk Factors for Obesity in U.S. Children by Body Mass Index Classification. <i>Journal of Environmental and Public Health</i> , 2019, 2019, 1-10.	0.9	4
13	The Effect of Vitamin D Supplementation on Blood Lipids in Minorities with Type 2 Diabetes. <i>International Journal of Diabetes and Clinical Research</i> , 2018, 5, .	0.2	4
14	Use of Homeostatic Model Assessment Indexes for the Identification of Metabolic Syndrome and Insulin Resistance among Cuban-Americans: A Cross Sectional Study. <i>British Journal of Medicine and Medical Research</i> , 2014, 4, 4824-4833.	0.2	3
15	Relationship of Omega-3 Fatty Acids on C-Reactive Protein and Homocysteine in Haitian and African Americans with and without Type 2 Diabetes. <i>Journal of Nutrition & Food Sciences</i> , 2013, 03, .	1.0	3
16	Obesity and Serum High Sensitivity C-Reactive Protein Levels Among Elderly Turkish Immigrants in the Netherlands with Type 2 Diabetes. <i>Ageing International</i> , 2014, 39, 68-80.	1.3	1
17	Validation of a Sun Exposure Questionnaire Among Subjects with Type 2 Diabetes Residing in South Florida. <i>Journal of Immigrant and Minority Health</i> , 2016, 18, 228-233.	1.6	1
18	Relationship between Glycemic Control and C-Reactive Protein in Cuban-Americans with Type 2 Diabetes Mellitus. <i>FASEB Journal</i> , 2008, 22, 1098.3.	0.5	1

#	ARTICLE	IF	CITATIONS
19	Diet intake, fat behavior, and physical activity of Hispanic adolescents: a pilot study. FASEB Journal, 2006, 20, A147.	0.5	1
20	Homocysteine levels and 10-year coronary heart disease risk among Cuban-Americans with and without type 2 diabetes. FASEB Journal, 2008, 22, 1081.6.	0.5	1
21	Diet, Health factors Cuban Americans w/wo T2DM. FASEB Journal, 2009, 23, 550.6.	0.5	1
22	Increased adiponectin among Cuban American type 2 diabetics with metabolic syndrome. FASEB Journal, 2009, 23, 547.8.	0.5	1
23	Diabetes Self-Management Cuban Americans. FASEB Journal, 2009, 23, 550.9.	0.5	1
24	The Association between Insufficient Vitamin D Levels, Ethnicity and Diabetes Status. FASEB Journal, 2011, 25, 1002.21.	0.5	1
25	Association between depression and smoking in African-Americans with type 2 diabetes. FASEB Journal, 2012, 26, 1057.10.	0.5	1
26	Obesity and serum high sensitivity C-reactive protein in Turkish immigrants with type 2 diabetes. FASEB Journal, 2012, 26, 817.2.	0.5	1
27	Dietary folate and vitamin B6 intake insufficiencies among Cubans, Haitians and African-Americans with type 2 diabetes. FASEB Journal, 2012, 26, 1018.5.	0.5	1
28	Prevalence of Gly482Ser polymorphism of PPARGC1A in Cuban Americans. FASEB Journal, 2013, 27, 1212.1.	0.5	1
29	Microalbuminuria and hypertension among Turkish immigrants in the Netherlands with type 2 diabetes. FASEB Journal, 2013, 27, 841.18.	0.5	1
30	Association between serum vitamin D and insulin resistance in African Americans with type 2 diabetes (1030.3). FASEB Journal, 2014, 28, 1030.3.	0.5	1
31	Relationship of triglyceride levels with A1C and adiponectin in Haitian Americans with type 2 diabetes (1029.4). FASEB Journal, 2014, 28, .	0.5	1
32	Is Personalized Dietary Therapy Effective for Individuals With Irritable Bowel Syndrome?. American Journal of Lifestyle Medicine, 2023, 17, 317-325.	1.9	1
33	Psychosocial and Cardiovascular Disease Risk Factors among Cuban Americans with and without Type 2 Diabetes.. FASEB Journal, 2007, 21, A698.	0.5	0
34	High Fruit and Vegetable Intakes are Associated with Lower Homocysteine Levels in Cuban-Americans. FASEB Journal, 2008, 22, 702.28.	0.5	0
35	Glycemic index (GI) and glycemic load (GL) on plasma high-density lipoprotein cholesterol (HDL) in Cuban Americans with and without type 2 diabetes (T2D).. FASEB Journal, 2009, 23, 722.4.	0.5	0
36	Can the alternate healthy eating index (AHEI) score predict health outcomes for Cuban Americans with and without type 2 diabetes?. FASEB Journal, 2009, 23, 214.7.	0.5	0

#	ARTICLE	IF	CITATIONS
37	Association of the Slc30a8 rs13266634 polymorphism with type 2 diabetes and central obesity in a Cuban-American population. FASEB Journal, 2009, 23, LB517.	0.5	0
38	The association between hypertension and poor glycemic control with microalbuminuria among Cuban-Americans with type 2 diabetes. FASEB Journal, 2009, 23, 547.7.	0.5	0
39	Use of HbA 1c in Screening for Cuban-Americans with Undiagnosed Type 2 Diabetes. FASEB Journal, 2010, 24, 932.8.	0.5	0
40	Comparison of Vitamin D status in Cuban-Americans with and without type 2 diabetes. FASEB Journal, 2010, 24, 932.9.	0.5	0
41	Understanding the Differences in Pulse Pressure in two Minority Groups: Haitians & Cubans. FASEB Journal, 2010, 24, 932.5.	0.5	0
42	Differences in Dietary Patterns among Haitian and African Americans with and without Type 2 Diabetes. FASEB Journal, 2011, 25, 991.12.	0.5	0
43	Association of Diet Quality with Depression in Cuban-Americans with Type 2 Diabetes. FASEB Journal, 2011, 25, 991.13.	0.5	0
44	Comparison of Cardiovascular Disease Risk Factors among Haitian and African Americans with Type 2 Diabetes. FASEB Journal, 2011, 25, 982.12.	0.5	0
45	Relationship between Vitamin D Levels and LDL Cholesterol across Tri-ethnic Minorities with and without Type 2 Diabetes. FASEB Journal, 2011, 25, 971.28.	0.5	0
46	Relation between HOMA-IR and Anthropometric Measures of Obesity and Inflammatory Markers. FASEB Journal, 2011, 25, 1095.15.	0.5	0
47	Abdominal obesity and inflammation in tri-ethnic population with and without type 2 diabetes in South Florida. FASEB Journal, 2012, 26, 819.39.	0.5	0
48	Association between TaqI vitamin D receptor (VDR) gene polymorphism and LDL-C in Cuban Americans. FASEB Journal, 2012, 26, 526.6.	0.5	0
49	Hypertension, glycemic control and microalbuminuria in Haitian Americans and African Americans. FASEB Journal, 2012, 26, 876.3.	0.5	0
50	Association between total fat intake and depressive symptoms in Cuban Americans with and without type 2 diabetes. FASEB Journal, 2012, 26, 812.4.	0.5	0
51	Relationship between obesity markers and blood pressure among African Americans with and without T2D. FASEB Journal, 2012, 26, .	0.5	0
52	Following a diet and hemoglobin A1C in Cuban Americans with and without type 2 diabetes. FASEB Journal, 2012, 26, 635.4.	0.5	0
53	Association between HOMA-B and A1C levels in Haitian Americans with type 2 diabetes. FASEB Journal, 2012, 26, 869.9.	0.5	0
54	Effect of omega-3 fatty acid intake on homocysteine in African and Haitian Americans with type 2 diabetes. FASEB Journal, 2013, 27, 615.11.	0.5	0

#	ARTICLE	IF	CITATIONS
55	Use of HOMA indexes for the identification of metabolic syndrome and insulin resistance among Cuban-Americans. FASEB Journal, 2013, 27, 615.12.	0.5	0
56	Relationship between blood pressure and serum 25-hydroxyvitamin D among a young multi-ethnic group living in South Florida. FASEB Journal, 2013, 27, 615.14.	0.5	0
57	Effect of omega-3 fatty acid intake on C-reactive proteins in African and Haitian Americans with type 2 diabetes. FASEB Journal, 2013, 27, 615.8.	0.5	0
58	Cooking Show and Tell: An educational tool for improving vegetable preference among first graders. FASEB Journal, 2013, 27, 843.5.	0.5	0
59	Relationship between 25-hydroxyvitamin D and adiponectin levels in Blacks. FASEB Journal, 2013, 27, 841.4.	0.5	0
60	Effect of medical advice for diet on diabetes self-management and glycemic control for Haitian and African Americans with type 2 diabetes. FASEB Journal, 2013, 27, 615.13.	0.5	0
61	Quantitative measures of forearm skin color and self-reported sun exposure scores predict serum 25(OH)D concentrations in a young multi-ethnic population living in South Florida, US.. FASEB Journal, 2013, 27, 245.7.	0.5	0
62	Serum 25-hydroxy vitamin D is associated with blood total cholesterol and diastolic blood pressure in a young multi-ethnic group living in South Florida (1041.15). FASEB Journal, 2014, 28, 1041.15.	0.5	0
63	Association between ghrelin and triglyceride levels in Blacks with and without type 2 diabetes (1029.5). FASEB Journal, 2014, 28, 1029.5.	0.5	0
64	Abnormal pulse pressure and microalbuminuria in Haitian Americans with type 2 diabetes (1029.6). FASEB Journal, 2014, 28, 1029.6.	0.5	0
65	Body mass index and serum vitamin D levels in Cuban, African, and Haitian Americans with type 2 diabetes (1029.7). FASEB Journal, 2014, 28, 1029.7.	0.5	0
66	Relationship between Intake of Phylloquinone (Vitamin K1) with Blood Lipids and Biomarkers of Glucose Homeostasis in Haitian Americans and African Americans With and Without Type 2 Diabetes. FASEB Journal, 2015, 29, 902.8.	0.5	0
67	Validation of a Sun Exposure Questionnaire among Subjects with Type 2 Diabetes Residing in South Florida. FASEB Journal, 2015, 29, 902.5.	0.5	0
68	The Effect of Vitamin D Supplementation on Glucose Homeostasis among African Americans and Hispanics with Type 2 Diabetes. FASEB Journal, 2015, 29, 259.8.	0.5	0
69	Pulse Pressure and Blood Triglyceride Levels among a Young Multi-Ethnic Group Living in South Florida. FASEB Journal, 2015, 29, 584.7.	0.5	0
70	The Relationship Between Caffeine Consumption and Type 2 Diabetes Markers in Three Minority Ethnicities With or Without Diabetes. FASEB Journal, 2015, 29, 588.3.	0.5	0
71	Relationship between Microalbuminuria and Serum Vitamin D Levels in African Americans with Type 2 Diabetes. FASEB Journal, 2015, 29, 902.6.	0.5	0