

Francisco-Javier Bermudez-Silva

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8681309/francisco-javier-bermudez-silva-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

3,324
citations

33
h-index

56
g-index

88
ext. papers

3,666
ext. citations

5.3
avg. IF

4.61
L-index

#	Paper	IF	Citations
77	NR5A2/LRH-1 regulates the PTGS2-PGE2-PTGER1 pathway contributing to pancreatic islet survival and function. <i>IScience</i> , 2022 , 104345	6.1	2
76	Abnormal cannabidiol ameliorates inflammation preserving pancreatic beta cells in mouse models of experimental type 1 diabetes and beta cell damage. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 145, 112361	7.5	1
75	(+)-trans-Cannabidiol-2-hydroxy pentyl is a dual CBR antagonist/CBR agonist that prevents diabetic nephropathy in mice. <i>Pharmacological Research</i> , 2021 , 169, 105492	10.2	4
74	The metabesity factor HMG20A potentiates astrocyte survival and reactive astrogliosis preserving neuronal integrity. <i>Theranostics</i> , 2021 , 11, 6983-7004	12.1	5
73	miR-21 mimic blocks obesity in mice: A novel therapeutic option. <i>Molecular Therapy - Nucleic Acids</i> , 2021 , 26, 401-416	10.7	3
72	The Atypical Cannabinoid Abn-CBD Reduces Inflammation and Protects Liver, Pancreas, and Adipose Tissue in a Mouse Model of Prediabetes and Non-alcoholic Fatty Liver Disease. <i>Frontiers in Endocrinology</i> , 2020 , 11, 103	5.7	7
71	Oxidative and inflammatory effects of pulmonary rehabilitation in patients with bronchiectasis. A prospective, randomized study. <i>Nutricion Hospitalaria</i> , 2020 , 37, 6-13	1	1
70	213-OR: Obesity-Induced Astrogliosis Is Regulated by the Diabesity Factor HMG20A. <i>Diabetes</i> , 2020 , 69, 213-OR	0.9	
69	Non-animal-derived monoclonal antibodies are not ready to substitute current hybridoma technology. <i>Nature Methods</i> , 2020 , 17, 1069-1070	21.6	7
68	Dissecting the Brain/Islet Axis in Metabesity. <i>Genes</i> , 2019 , 10,	4.2	7
67	Inadequate control of thyroid hormones sensitizes to hepatocarcinogenesis and unhealthy aging. <i>Aging</i> , 2019 , 11, 7746-7779	5.6	5
66	miR-20b, miR-296, and Let-7f Expression in Human Adipose Tissue is Related to Obesity and Type 2 Diabetes. <i>Obesity</i> , 2019 , 27, 245-254	8	13
65	LRH-1 agonism favours an immune-islet dialogue which protects against diabetes mellitus. <i>Nature Communications</i> , 2018 , 9, 1488	17.4	31
64	The type 2 diabetes-associated HMG20A gene is mandatory for islet beta cell functional maturity. <i>Cell Death and Disease</i> , 2018 , 9, 279	9.8	24
63	LH-21 and abnormal cannabidiol improve β cell function in isolated human and mouse islets through GPR55-dependent and -independent signalling. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 930-942	6.7	13
62	The cannabinoid ligand LH-21 reduces anxiety and improves glucose handling in diet-induced obese pre-diabetic mice. <i>Scientific Reports</i> , 2017 , 7, 3946	4.9	16
61	Comparison of the Effects of Goat Dairy and Cow Dairy Based Breakfasts on Satiety, Appetite Hormones, and Metabolic Profile. <i>Nutrients</i> , 2017 , 9,	6.7	6

60	The cannabinoid CB1 receptor and mTORC1 signalling pathways interact to modulate glucose homeostasis in mice. <i>DMM Disease Models and Mechanisms</i> , 2016 , 9, 51-61	4.1	21
59	RPL13A and EEF1A1 Are Suitable Reference Genes for qPCR during Adipocyte Differentiation of Vascular Stromal Cells from Patients with Different BMI and HOMA-IR. <i>PLoS ONE</i> , 2016 , 11, e0157002	3.7	19
58	Cannabinoids, eating behaviour, and energy homeostasis. <i>Drug Testing and Analysis</i> , 2014 , 6, 52-8	3.5	19
57	Leucine supplementation modulates fuel substrates utilization and glucose metabolism in previously obese mice. <i>Obesity</i> , 2014 , 22, 713-20	8	29
56	Oleoylethanolamide dose-dependently attenuates cocaine-induced behaviours through a PPAR α receptor-independent mechanism. <i>Addiction Biology</i> , 2013 , 18, 78-87	4.6	30
55	Diet-dependent modulation of hippocampal expression of endocannabinoid signaling-related proteins in cannabinoid antagonist-treated obese rats. <i>European Journal of Neuroscience</i> , 2013 , 37, 105-115	3.5	18
54	Description of a bivalent cannabinoid ligand with hypophagic properties. <i>Archiv Der Pharmazie</i> , 2013 , 346, 171-9	4.3	11
53	Leucine supplementation protects from insulin resistance by regulating adiposity levels. <i>PLoS ONE</i> , 2013 , 8, e74705	3.7	46
52	Cocaine self-administration differentially modulates the expression of endogenous cannabinoid system-related proteins in the hippocampus of Lewis vs. Fischer 344 rats. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 1277-93	5.8	27
51	Overexpression of cannabinoid CB2 receptor in the brain induces hyperglycaemia and a lean phenotype in adult mice. <i>Journal of Neuroendocrinology</i> , 2012 , 24, 1106-19	3.8	40
50	The atypical cannabinoid O-1602 stimulates food intake and adiposity in rats. <i>Diabetes, Obesity and Metabolism</i> , 2012 , 14, 234-43	6.7	33
49	Attenuation of cocaine-induced conditioned locomotion is associated with altered expression of hippocampal glutamate receptors in mice lacking LPA1 receptors. <i>Psychopharmacology</i> , 2012 , 220, 27-42	4.7	39
48	Anti-obesity efficacy of LH-21, a cannabinoid CB(1) receptor antagonist with poor brain penetration, in diet-induced obese rats. <i>British Journal of Pharmacology</i> , 2012 , 165, 2274-91	8.6	44
47	Ulcerative colitis impairs the acylethanolamide-based anti-inflammatory system reversal by 5-aminosalicylic acid and glucocorticoids. <i>PLoS ONE</i> , 2012 , 7, e37729	3.7	23
46	Adiponectin promoter activator NP-1 reduces body weight and hepatic steatosis in high-fat diet-fed animals. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 302, E817-30	6	10
45	The role of the endocannabinoid system in eating disorders: pharmacological implications. <i>Behavioural Pharmacology</i> , 2012 , 23, 526-36	2.4	33
44	The role of the endocannabinoid system in the neuroendocrine regulation of energy balance. <i>Journal of Psychopharmacology</i> , 2012 , 26, 114-24	4.6	93
43	Distribution of diacylglycerol lipase alpha, an endocannabinoid synthesizing enzyme, in the rat forebrain. <i>Neuroscience</i> , 2011 , 192, 112-31	3.9	25

42	Endocannabinoid system and psychiatry: in search of a neurobiological basis for detrimental and potential therapeutic effects. <i>Frontiers in Behavioral Neuroscience</i> , 2011 , 5, 63	3.5	80
41	Expression of the cannabinoid system in muscle: effects of a high-fat diet and CB1 receptor blockade. <i>Biochemical Journal</i> , 2011 , 433, 175-85	3.8	50
40	Obesity-dependent cannabinoid modulation of proliferation in adult neurogenic regions. <i>European Journal of Neuroscience</i> , 2011 , 33, 1577-86	3.5	37
39	Reduction of body weight, liver steatosis and expression of stearyl-CoA desaturase 1 by the isoflavone daidzein in diet-induced obesity. <i>British Journal of Pharmacology</i> , 2011 , 164, 1899-915	8.6	76
38	A role for the putative cannabinoid receptor GPR55 in the islets of Langerhans. <i>Journal of Endocrinology</i> , 2011 , 211, 177-85	4.7	90
37	Estradiol decreases cortical reactive astrogliosis after brain injury by a mechanism involving cannabinoid receptors. <i>Cerebral Cortex</i> , 2011 , 21, 2046-55	5.1	38
36	The Endocannabinoid System as Pharmacological Target Derived from Its CNS Role in Energy Homeostasis and Reward. Applications in Eating Disorders and Addiction. <i>Pharmaceuticals</i> , 2011 , 4, 1101-1136	5.2	10
35	Maternal deprivation has sexually dimorphic long-term effects on hypothalamic cell-turnover, body weight and circulating hormone levels. <i>Hormones and Behavior</i> , 2010 , 58, 808-19	3.7	41
34	The endocannabinoid system, eating behavior and energy homeostasis: the end or a new beginning?. <i>Pharmacology Biochemistry and Behavior</i> , 2010 , 95, 375-82	3.9	127
33	Early maternal deprivation induces changes on the expression of 2-AG biosynthesis and degradation enzymes in neonatal rat hippocampus. <i>Brain Research</i> , 2010 , 1349, 162-73	3.7	40
32	Synthesis of fatty acid amides of catechol metabolites that exhibit antiobesity properties. <i>ChemMedChem</i> , 2010 , 5, 1781-7	3.7	7
31	Endocannabinoid system in the adult rat circumventricular areas: an immunohistochemical study. <i>Journal of Comparative Neurology</i> , 2010 , 518, 3065-85	3.4	40
30	A sensitive method to analyse the effect of putative regulatory ligands on the release of glycoprotein from primary cultures of dispersed bovine subcommissural organ cells. <i>Journal of Neuroscience Methods</i> , 2010 , 191, 239-43	3	1
29	Effects of the endogenous PPAR-alpha agonist, oleoylethanolamide on MDMA-induced cognitive deficits in mice. <i>Synapse</i> , 2010 , 64, 379-89	2.4	35
28	Opposite clinical phenotypes of glucokinase disease: Description of a novel activating mutation and contiguous inactivating mutations in human glucokinase (GCK) gene. <i>Molecular Endocrinology</i> , 2009 , 23, 1983-9		27
27	Rapid non-genomic regulation of Ca ²⁺ signals and insulin secretion by PPAR alpha ligands in mouse pancreatic islets of Langerhans. <i>Journal of Endocrinology</i> , 2009 , 200, 127-38	4.7	26
26	Sex-dependent alterations in response to maternal deprivation in rats. <i>Psychoneuroendocrinology</i> , 2009 , 34 Suppl 1, S217-26	5	74
25	Early maternal deprivation induces gender-dependent changes on the expression of hippocampal CB(1) and CB(2) cannabinoid receptors of neonatal rats. <i>Hippocampus</i> , 2009 , 19, 623-32	3.5	111

24	Oleoylethanolamide exerts partial and dose-dependent neuroprotection of substantia nigra dopamine neurons. <i>Neuropharmacology</i> , 2009 , 56, 653-64	5.5	53
23	The role of the pancreatic endocannabinoid system in glucose metabolism. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2009 , 23, 87-102	6.5	29
22	Ulcerative colitis induces changes on the expression of the endocannabinoid system in the human colonic tissue. <i>PLoS ONE</i> , 2009 , 4, e6893	3.7	78
21	Central versus peripheral antagonism of cannabinoid CB1 receptor in obesity: effects of LH-21, a peripherally acting neutral cannabinoid receptor antagonist, in Zucker rats. <i>Journal of Neuroendocrinology</i> , 2008 , 20 Suppl 1, 116-23	3.8	70
20	Effects of adolescent nicotine and SR 147778 (Surinabant) administration on food intake, somatic growth and metabolic parameters in rats. <i>Neuropharmacology</i> , 2008 , 54, 194-205	5.5	21
19	Critical role of the endocannabinoid system in the regulation of food intake and energy metabolism, with phylogenetic, developmental, and pathophysiological implications. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2008 , 8, 220-30	2.2	45
18	Presence of functional cannabinoid receptors in human endocrine pancreas. <i>Diabetologia</i> , 2008 , 51, 476-483	8.3	153
17	Immunohistochemical description of the endogenous cannabinoid system in the rat cerebellum and functionally related nuclei. <i>Journal of Comparative Neurology</i> , 2008 , 509, 400-21	3.4	114
16	Liver expression of proteins controlling interferon-mediated signalling as predictive factors in the response to therapy in patients with hepatitis C virus infection. <i>Journal of Pathology</i> , 2007 , 213, 347-55	9.4	6
15	Plasma visfatin concentrations in severely obese subjects are increased after intestinal bypass. <i>Obesity</i> , 2007 , 15, 2391-5	8	41
14	Cannabinoid CB1 receptor antagonism markedly increases dopamine receptor-mediated stereotypies. <i>European Journal of Pharmacology</i> , 2007 , 559, 180-3	5.3	26
13	Role of cannabinoid CB2 receptors in glucose homeostasis in rats. <i>European Journal of Pharmacology</i> , 2007 , 565, 207-11	5.3	89
12	Genetic impairment of frontocortical endocannabinoid degradation and high alcohol preference. <i>Neuropsychopharmacology</i> , 2007 , 32, 117-26	8.7	129
11	Regulation of brain anandamide by acute administration of ethanol. <i>Biochemical Journal</i> , 2007 , 404, 97-104	9.4	87
10	Cannabinoid receptors regulate Ca(2+) signals and insulin secretion in pancreatic beta-cell. <i>Cell Calcium</i> , 2006 , 39, 155-62	4	220
9	Activation of cannabinoid CB1 receptors induces glucose intolerance in rats. <i>European Journal of Pharmacology</i> , 2006 , 531, 282-4	5.3	81
8	The endocannabinoid system: physiology and pharmacology. <i>Alcohol and Alcoholism</i> , 2005 , 40, 2-14	3.5	229
7	Cannabinoid CB1 receptor antagonism reduces conditioned reinstatement of ethanol-seeking behavior in rats. <i>European Journal of Neuroscience</i> , 2005 , 21, 2243-51	3.5	124

6	Acute delta9-tetrahydrocannabinol exposure facilitates quinpirole-induced hyperlocomotion. <i>Pharmacology Biochemistry and Behavior</i> , 2005 , 81, 71-7	3.9	14
5	Oleyethanolamide impairs glucose tolerance and inhibits insulin-stimulated glucose uptake in rat adipocytes through p38 and JNK MAPK pathways. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005 , 289, E923-9	6	47
4	The subcommissural organ expresses D2, D3, D4, and D5 dopamine receptors. <i>Cell and Tissue Research</i> , 2004 , 317, 65-77	4.2	10
3	Bovine subcommissural organ displays spontaneous and synchronous intracellular calcium oscillations. <i>Brain Research</i> , 2003 , 977, 90-6	3.7	3
2	Neurogenesis in explants from the walls of the lateral ventricle of adult bovine brain: role of endogenous IGF-1 as a survival factor. <i>European Journal of Neuroscience</i> , 2003 , 17, 205-11	3.5	27
1	Quantification of the secretory glycoproteins of the subcommissural organ by a sensitive sandwich ELISA with a polyclonal antibody and a set of monoclonal antibodies against the bovine Reissner's fiber. <i>Cell and Tissue Research</i> , 1998 , 294, 407-13	4.2	11