

# Anna Mucha-MaÅ,ecka

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8681855/publications.pdf>

Version: 2024-02-01

37  
papers

338  
citations

840119

11  
h-index

887659

17  
g-index

42  
all docs

42  
docs citations

42  
times ranked

614  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic potential of Akt, pAkt(Ser473) and pAkt(Thr308) immunoreactivity in relation to HPV prevalence in head and neck squamous cell carcinoma patients. <i>Pathology Research and Practice</i> , 2022, 229, 153684.	1.0	4
2	Lack of CD44 and Sox-2 Overexpression as Two Independent Favourable Prognostic Factors in HPV Positive Patients with Oropharyngeal Cancers. <i>Pathobiology</i> , 2022, , 1-9.	1.9	1
3	Adjuvant combined therapy with trastuzumab in patients with HER2-positive breast cancer and cardiac alterations: implications for optimal cardio-oncology care. <i>Polish Archives of Internal Medicine</i> , 2022, , .	0.3	3
4	Biomarkers of Trastuzumab-Induced Cardiac Toxicity in HER2- Positive Breast Cancer Patient Population. <i>Cancers</i> , 2022, 14, 3353.	1.7	4
5	Assessment of HPV16 infection in patients with laryngeal cancer. <i>Polish Journal of Pathology</i> , 2021, 72, 64-74.	0.1	0
6	Lack of CD44 overexpression and application of concurrent chemoradiotherapy with cisplatin independently indicate excellent prognosis in patients with HPV-positive oropharyngeal cancer. <i>Tumor Biology</i> , 2021, 43, 99-113.	0.8	3
7	Prognostic factors in elderly patients with T1 glottic cancer treated with radiotherapy. <i>Scientific Reports</i> , 2021, 11, 17717.	1.6	2
8	Low frequency of HPV positivity in breast tumors among patients from south-central Poland. <i>Infectious Agents and Cancer</i> , 2021, 16, 67.	1.2	3
9	EGFR/PI3K/Akt/mTOR pathway in head and neck squamous cell carcinoma patients with different HPV status. <i>Polish Journal of Pathology</i> , 2021, 72, 296-314.	0.1	12
10	Complex grade III astrocytoma with granular cells and PXA features in a patient with tuberous sclerosis complex (Bourneville-Pringle syndrome) - case report and review of literature. <i>Polish Journal of Pathology</i> , 2021, 72, 180-184.	0.1	0
11	Active HPV infection and its influence on survival in head and neck squamous-cell cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 1677-1692.	1.2	22
12	Radiotherapy in lymphoepithelioma-like carcinoma of the skin: review of the literature and report of a recurrent and metastatic case. <i>Strahlentherapie Und Onkologie</i> , 2019, 195, 1028-1032.	1.0	6
13	Prognostic factors in patients with T1 glottic cancer treated with radiotherapy. <i>Strahlentherapie Und Onkologie</i> , 2019, 195, 792-804.	1.0	22
14	Radiation-induced anaplastic astrocytoma following treatment of medulloblastoma. <i>Folia Neuropathologica</i> , 2019, 57, 80-86.	0.5	1
15	Differences in the prognosis of HPV16-positive patients with squamous cell carcinoma of head and neck according to viral load and expression of P16. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 63-73.	1.2	16
16	Comet assay is not useful to predict normal tissue response after radiochemotherapy in cervical and larynx cancer patients. <i>Polish Journal of Pathology</i> , 2018, 69, 410-421.	0.1	3
17	Prognostic role of lymphatic vessel density and lymphovascular invasion in chemotherapy-naive and chemotherapy-treated patients with invasive breast cancer. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 1435-1447.	0.0	6
18	Methods and results of locoregional treatment of brain metastases in patients with non-small cell lung cancer. <i>Wspolczesna Onkologia</i> , 2016, 5, 358-364.	0.7	2

#	ARTICLE	IF	CITATIONS
19	HPV16 detection by qPCR method in relation to quantity and quality of DNA extracted from archival formalin fixed and paraffin embedded head and neck cancer tissues by three commercially available kits. <i>Journal of Virological Methods</i> , 2016, 236, 157-163.	1.0	12
20	Survival of breast cancer patients according to changes in expression of selected markers between primary tumor and lymph node metastases. <i>Biomarkers in Medicine</i> , 2016, 10, 219-228.	0.6	10
21	Histopathological factors influencing results of combined treatment in patients with laryngeal cancer. <i>Polish Journal of Pathology</i> , 2015, 3, 260-268.	0.1	0
22	Postoperative irradiation in patients with pT3-4N0 laryngeal cancer: results and prognostic factors. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 673-679.	0.8	13
23	Potential survival markers in cancer patients undergoing chemotherapy. <i>Clinical and Experimental Medicine</i> , 2015, 15, 381-387.	1.9	3
24	BG&Kil-67 Index as a Supplementary Marker to MIB-1 Index, Enabling More Precise Distinction Between Luminal A and B Subtypes of Breast Carcinoma and Eliminating the Problem of Membranous/Cytoplasmic MIB-1 Staining. <i>American Journal of Clinical Pathology</i> , 2015, 143, 419-429.	0.4	3
25	Distribution of Podoplanin-Positive Tumor Vessels Predicts Disease-Specific Survival of Node-Positive Breast Cancer Patients Treated with Anthracyclines and/or Taxanes. <i>Cancer Investigation</i> , 2014, 32, 168-177.	0.6	2
26	Triple-negative, Basal Marker-expressing, and High-grade Breast Carcinomas are Characterized by High Lymphatic Vessel Density and the Expression of Podoplanin in Stromal Fibroblasts. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2014, 22, 10-16.	0.6	14
27	CD44/CD24 as potential prognostic markers in node-positive invasive ductal breast cancer patients treated with adjuvant chemotherapy. <i>Journal of Molecular Histology</i> , 2014, 45, 35-45.	1.0	24
28	High-dose radiotherapy alone for patients with T4-stage laryngeal cancer. <i>Strahlentherapie Und Onkologie</i> , 2013, 189, 632-638.	1.0	8
29	Long-term follow-up in adult patients with low-grade glioma (WHO II) postoperatively irradiated. Analysis of prognostic factors. <i>Reports of Practical Oncology and Radiotherapy</i> , 2012, 17, 141-145.	0.3	12
30	Prognostic value of the interval from surgery to initiation of radiation therapy in correlation with some histo-clinical parameters in patients with malignant supratentorial gliomas. <i>Wspolczesna Onkologia</i> , 2012, 1, 34-37.	0.7	17
31	Lymphangiogenesis assessed using three methods is related to tumour grade, breast cancer subtype and expression of basal marker. <i>Polish Journal of Pathology</i> , 2012, 3, 165-171.	0.1	6
32	Palliative thoracic radiotherapy in non-small cell lung cancer. An analysis of 1250 patients. Palliation of symptoms, tolerance and toxicity. <i>Lung Cancer</i> , 2011, 71, 344-349.	0.9	55
33	Impact of HPV infection on the clinical outcome of p-CAIR trial in head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 721-726.	0.8	25
34	Hematogenous metastases in patients with Stage I or II endometrial carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2011, 187, 806-811.	1.0	12
35	Prognostic and predictive significance of p53, EGFr, Ki-67 in larynx preservation treatment. <i>Reports of Practical Oncology and Radiotherapy</i> , 2010, 15, 87-92.	0.3	10
36	Postoperative treatment of patients with anaplastic oligodendrogliomas. Thirty years' experience of the Maria Skłodowska-Curie Memorial Centre in Kraków, 1975&quot2000. <i>Reports of Practical Oncology and Radiotherapy</i> , 2007, 12, 217-223.	0.3	0

#	ARTICLE	IF	CITATIONS
37	231. Synchronous and metachronous bilateral breast cancer – A comparison of clinical, histopathological features of the first and second primary breast cancer and BRCA 1 and 2 mutations. Reports of Practical Oncology and Radiotherapy, 2003, 8, S298-S299.	0.3	0