## Anja G Declercq

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8682339/publications.pdf

Version: 2024-02-01

94 papers

1,836 citations

304602 22 h-index 302012 39 g-index

102 all docs  $\begin{array}{c} 102 \\ \\ \text{docs citations} \end{array}$ 

102 times ranked

2764 citing authors

#	Article	IF	CITATIONS
1	Risk Factors for Malnutrition in Older Adults: A Systematic Review of the Literature Based on Longitudinal Data. Advances in Nutrition, 2016, 7, 507-522.	2.9	387
2	The determinants of informal caregivers' burden in the care of frail older persons: a dynamic and role-related perspective. Aging and Mental Health, 2017, 21, 838-843.	1.5	71
3	Healthcare professionals' acceptance of BelRAI, a web-based system enabling person-centred recording and data sharing across care settings with interRAI instruments: a UTAUT analysis. BMC Medical Informatics and Decision Making, 2013, 13, 129.	1.5	70
4	The Health and Well-Being of Older Adults with Dual Sensory Impairment (DSI) in Four Countries. PLoS ONE, 2016, 11, e0155073.	1.1	68
5	Quality of life of residents with dementia in traditional versus small-scale long-term care settings: A quasi-experimental study. International Journal of Nursing Studies, 2012, 49, 931-940.	2.5	60
6	Home―and Communityâ€Based Occupational Therapy Improves Functioning in Frail Older People: A Systematic Review. Journal of the American Geriatrics Society, 2017, 65, 1863-1869.	1.3	59
7	Advance care planning for nursing home residents with dementia: Influence of â€we DECide' on policy and practice. Patient Education and Counseling, 2017, 100, 139-146.	1.0	51
8	Substantial between-country differences in organising community care for older people in Europe—a review. European Journal of Public Health, 2016, 26, 213-219.	0.1	48
9	Quality indicators for community care for older people: A systematic review. PLoS ONE, 2018, 13, e0190298.	1.1	45
10	Street-Level Strategies of Child Welfare Social Workers in Flanders: The Use of Electronic Client Records in Practice. British Journal of Social Work, 2016, 46, 1249-1265.	0.9	42
11	Interventions to delay institutionalization of frail older persons: design of a longitudinal study in the home care setting. BMC Public Health, 2012, 12, 615.	1.2	37
12	Interactions between drugs and geriatric syndromes in nursing home and home care: results from Shelter and IBenC projects. Aging Clinical and Experimental Research, 2018, 30, 1015-1021.	1.4	37
13	Professional Caregivers' Mental Health Problems and Burnout in Small-Scale and Traditional Long Term Care Settings for Elderly People With Dementia in The Netherlands and Belgium. Journal of the American Medical Directors Association, 2012, 13, 486.e7-486.e11.	1.2	33
14	Collaborative approach to Optimise MEdication use for Older people in Nursing homes (COME-ON): study protocol of a cluster controlled trial. Implementation Science, 2015, 11, 35.	2.5	32
15	Organizational home care models across Europe: A cross sectional study. International Journal of Nursing Studies, 2018, 77, 39-45.	2.5	32
16	Caring for a frail older person: the association between informal caregiver burden and being unsatisfied with support from family and friends. Age and Ageing, 2019, 48, 658-664.	0.7	32
17	Polypharmacy in Home Care in Europe: Cross-Sectional Data from the IBenC Study. Drugs and Aging, 2018, 35, 145-152.	1.3	31
18	Evaluations of Home Care Interventions for Frail Older Persons Using the interRAI Home Care Instrument: A Systematic Review of the Literature. Journal of the American Medical Directors Association, 2015, 16, 173.e1-173.e10.	1.2	29

#	Article	IF	CITATIONS
19	Exploring Home Care Interventions for Frail Older People in Belgium: A Comparative Effectiveness Study. Journal of the American Geriatrics Society, 2016, 64, 2251-2256.	1.3	27
20	Study protocol for †we DECide': implementation of advance care planning for nursing home residents with dementia. Journal of Advanced Nursing, 2015, 71, 1156-1168.	1.5	25
21	Patient Characteristics Associated With Prognostic Awareness: A Study of a Canadian Palliative Care Population Using the InterRAI Palliative Care Instrument. Journal of Pain and Symptom Management, 2015, 49, 716-725.	0.6	24
22	Palliative care needs and symptoms of nursing home residents with and without dementia: A crossâ€sectional study. Geriatrics and Gerontology International, 2017, 17, 1501-1507.	0.7	24
23	Improving shared decision-making in advance care planning: Implementation of a cluster randomized staff intervention in dementia care. Patient Education and Counseling, 2020, 103, 839-847.	1.0	23
24	Bifurcated commitment, priorities, and social contagion: the dynamics and correlates of volunteering within a university student population. British Journal of Sociology of Education, 2005, 26, 523-538.	1.1	22
25	Advance care planning for nursing home residents with dementia: policy vs. practice. Journal of Advanced Nursing, 2016, 72, 569-581.	1.5	22
26	Fall determinants and home modifications by occupational therapists to prevent falls. Canadian Journal of Occupational Therapy, 2018, 85, 79-87.	0.8	22
27	Hearing the Voice of the Resident in Long-Term Care Facilities—An Internationally Based Approach to Assessing Quality of Life. Journal of the American Medical Directors Association, 2018, 19, 207-215.	1.2	22
28	Association between oral health and general health indicators in older adults. Scientific Reports, 2018, 8, 8871.	1.6	21
29	Quality of life of residents with dementia in long-term care settings in the Netherlands and Belgium: design of a longitudinal comparative study in traditional nursing homes and small-scale living facilities. BMC Geriatrics, $2011, 11, 20$ .	1.1	19
30	Family caregiver perspectives on social relations of elderly residents with dementia in smallâ€scale versus traditional longâ€term care settings in the Netherlands and Belgium. Journal of Clinical Nursing, 2012, 21, 3106-3116.	1.4	19
31	A Comparative Analysis of Comprehensive Geriatric Assessments forÂNursing Home Residents Receiving Palliative Care: AÂSystematicÂReview. Journal of the American Medical Directors Association, 2014, 15, 467-476.	1.2	19
32	The interRAI Acute Care instrument incorporated in an eHealth system for standardized and web-based geriatric assessment: strengths, weaknesses, opportunities and threats in the acute hospital setting. BMC Geriatrics, 2013, 13, 90.	1.1	18
33	Social and functional health of home care clients with different levels of cognitive impairments. Aging and Mental Health, 2017, 21, 18-23.	1.5	18
34	â€We DECide optimized' - training nursing home staff in shared decision-making skills for advance care planning conversations in dementia care: protocol of a pretest-posttest cluster randomized trial. BMC Geriatrics, 2019, 19, 33.	1.1	16
35	The oral healthâ related section of the interRAI: Evaluation of test content validity by expert rating and assessment of potential reasons for inaccurate assessments based on focus group discussions with caregivers. Gerodontology, 2019, 36, 382-394.	0.8	15
36	Development of a novel benchmark method to identify and characterize best practices in home care across six European countries: design, baseline, and rationale of the IBenC project. BMC Health Services Research, 2019, 19, 310.	0.9	15

#	Article	IF	Citations
37	Shared decision-making in advance care planning for persons with dementia in nursing homes: a cross-sectional study. BMC Geriatrics, 2020, 20, 381.	1.1	15
38	Convergent validity of the interRAI-HC for societal costs estimates in comparison with the RUD Lite instrument in community dwelling older adults. BMC Health Services Research, 2016, 16, 440.	0.9	14
39	Agitation in dementia and the role of spatial and sensory interventions: experiences of professional and family caregivers. Scandinavian Journal of Caring Sciences, 2016, 30, 281-289.	1.0	13
40	Cross-Country Validation of the Association Between Oral Health and General Health in Community-Dwelling Older Adults. Journal of the American Medical Directors Association, 2019, 20, 1137-1142.e2.	1.2	13
41	The influence of municipal characteristics on the use of informal home care and home care services by the elderly Flemish. European Journal of Public Health, 2013, 23, 241-246.	0.1	10
42	Informed palliative care in nursing homes through the interRAI Palliative Care instrument: a study protocol based on the Medical Research Council framework. BMC Geriatrics, 2014, 14, 132.	1.1	10
43	A comprehensive grid to evaluate case management's expected effectiveness for community-dwelling frail older people: results from a multiple, embedded case study. BMC Geriatrics, 2015, 15, 67.	1.1	10
44	Health Care Assistants in Home Nursing. Home Health Care Management and Practice, 2016, 28, 51-56.	0.4	10
45	The Activity Profile of Home Nurses. Home Health Care Management and Practice, 2014, 26, 257-265.	0.4	9
46	Potential quality indicators for seriously ill home care clients: a cross-sectional analysis using Resident Assessment Instrument for Home Care (RAI-HC) data for Ontario. BMC Palliative Care, 2019, 18, 3.	0.8	9
47	How can social workers be meaningfully involved in palliative care? A scoping review on the prerequisites and how they can be realised in practice. Palliative Care and Social Practice, 2021, 15, 263235242110588.	0.6	9
48	Usefulness, feasibility and face validity of the interRAI Palliative Care instrument according to care professionals in nursing homes: A qualitative study. International Journal of Nursing Studies, 2016, 62, 90-99.	2.5	8
49	Does using the interRAI Palliative Care instrument reduce the needs and symptoms of nursing home residents receiving palliative care?. Palliative and Supportive Care, 2018, 16, 32-40.	0.6	8
50	Comparing the case-mix of frail older people at home and of those being admitted into residential care: a longitudinal study. BMC Geriatrics, 2020, 20, 195.	1.1	8
51	Assessment of oral health in older adults by non-dental professional caregiversâ€"development and validation of a photograph-supported oral healthâ€"related section for the interRAI suite of instruments. Clinical Oral Investigations, 2021, 25, 3475-3486.	1.4	8
52	Perspectives of older adults with a chronic condition on functioning, social participation and health: a qualitative study. BMC Geriatrics, 2021, 21, 418.	1.1	8
53	Missing Oral Health-Related Data in the interRAI-HC - Associations with Selected Variables of General Health and the Effect of Multiple Imputation on the Relationship between Oral and General Health. PLoS ONE, 2015, 10, e0146065.	1.1	8
54	A systematic review of questionnaires used to measure the time spent on family care for frail older people. International Journal of Care and Caring, 2017, 1, 227-245.	0.3	7

#	Article	IF	CITATIONS
55	Quality of Care and Job Satisfaction in the European Home Care Setting: Research Protocol. International Journal of Integrated Care, 2016, 16, 14.	0.1	7
56	Mental health, burnout and job satisfaction among professionals in sheltered living in Flanders. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 569-575.	1.6	6
57	Exploring the activity profile of health care assistants and nurses in home nursing. British Journal of Community Nursing, 2015, 20, 608-614.	0.2	6
58	Incomplete Assessments: Towards a Better Understanding of Causes and Solutions. The Case of the interRAI Home Care Instrument in Belgium. PLoS ONE, 2015, 10, e0123760.	1.1	6
59	The Development of BelRAI, a Web Application for Sharing Assessment Data on Frail Older People in Home Care, Nursing Homes, and Hospitals. Advances in Healthcare Information Systems and Administration Book Series, 0, , 202-226.	0.2	6
60	Evaluation of bottom-up interventions targeting community-dwelling frail older people in Belgium: methodological challenges and lessons for future comparative effectiveness studies. BMC Health Services Research, 2019, 19, 416.	0.9	5
61	Signs of Inequality? Variations in Providing Home Health Care Across Care Organizations and Across European Countries in the IBenC Study. Health Services Insights, 2019, 12, 117863291983763.	0.6	5
62	Factors associated with caregiver distress among home care clients in New Zealand: Evidence based on data from interRAI Home Care assessment. Australasian Journal on Ageing, 2022, 41, 237-246.	0.4	5
63	The Prevalence and Persistence of Dizziness in Older European Home Care Recipients: A Prospective Cohort Study. Journal of the American Medical Directors Association, 2020, 21, 338-343.e1.	1.2	4
64	Can the interRAI home care instrument be applied to the definition criteria of the Global Leadership Initiative on Malnutrition (GLIM)? A longitudinal study. Clinical Nutrition, 2020, 39, 3477-3482.	2.3	4
65	Towards a standardized approach of assessing social context of persons receiving home care in Flanders, Belgium: the development and test of a social supplement to the interRAI instruments. BMC Health Services Research, 2021, 21, 487.	0.9	4
66	Assessments of Heart Failure and Frailty-Related Health Instability Provide Complementary and Useful Information for Home-Care Planning and Prognosis. Canadian Journal of Cardiology, 2021, 37, 1767-1774.	0.8	4
67	Prognosis does not change the landscape: palliative home care clients experience high rates of pain and nausea, regardless of prognosis. BMC Palliative Care, 2021, 20, 165.	0.8	4
68	A multi-stage process to develop quality indicators for community-based palliative care using interRAI data. PLoS ONE, 2022, 17, e0266569.	1.1	4
69	QualiBuddy: an online tool to improve research skills in qualitative data analysis. Qualitative Research Journal, 2017, 17, 306-318.	0.4	3
70	Inter-organisational collaboration in palliative care trajectories for nursing home residents: A nation-wide mixed methods study among key persons. International Journal of Care Coordination, 2019, 22, 69-80.	0.3	3
71	Conceptualising relevant social context indicators for people receiving home care: A multiâ€method approach in Flanders, Belgium. Health and Social Care in the Community, 2021, , .	0.7	3
72	Predicting unplanned hospital visits in older home care recipients: a cross-country external validation study. BMC Geriatrics, 2021, 21, 551.	1,1	3

#	Article	IF	CITATIONS
73	Updating †Perceptions and opinions on the COVID-19 pandemic in Flanders, Belgium' with data of two additional waves of a longitudinal study. Data in Brief, 2022, 42, 108010.	0.5	3
74	The 24-h recall instrument for home nursing to measure the activity profile of home nurses: development and psychometric testing. Primary Health Care Research and Development, 2015, 16, 79-86.	0.5	2
75	Missing data at follow-up: The case of the interRAI home care assessment instrument in Belgium. European Geriatric Medicine, 2016, 7, 322-327.	1.2	1
76	The direct cost of disability of community-dwelling older persons in Belgium. Ageing and Society, 2021, 41, 2214-2241.	1,2	1
77	Development and evaluation of an intervention on suPpoRting infOrmal cAregivers of older people with early CogniTIVe declinE (PROACTIVE): a study protocol based on the Medical Research Council framework. BMJ Open, 2021, $11$ , e047529.	0.8	1
78	Benchmarking European Home Care Models for Older Persons on Societal Costs: The IBenC Study. Health Services Insights, 2021, 14, 117863292110224.	0.6	1
79	Examining Care Assessment Scores of Community-Dwelling Adults in Flanders, Belgium: The Role of Socio-Psychological and Assessor-Related Factors. International Journal of Environmental Research and Public Health, 2021, 18, 11845.	1.2	1
80	Informal Care for Persons with Dementia. , 2022, , 129-152.		1
81	Vroeger nadenken over later. Denkbeeld, 2015, 27, 30-32.	0.0	0
82	A Graphical Exploration of Oral Health-Related Quality of Life: Resident vs Caregiver Perceptions. Journal of the American Medical Directors Association, 2019, 20, 1180-1182.	1.2	0
83	Was Hospital Care Refused to Belgian Nursing Home Residents During COVID-19?. Journal of the American Medical Directors Association, 2021, 22, 1603-1605.	1.2	0
84	The involvement of the general practitioner in an interRAI assessment for the care of elderly in Flemish nursing homes and home care: an explorative study. International Journal of Integrated Care, 2013, 13, .	0.1	0
85	The effect of innovative home care projects on the perceived burden of informal caregivers: a follow up study. International Journal of Integrated Care, 2013, 13, .	0.1	0
86	Can case management be an asset to home care interventions in order to delay institutionalization of frail older persons? A Belgian longitudinal study. International Journal of Integrated Care, 2014, 14, .	0.1	0
87	Does the use of the interRAI Palliative Care instrument improve the quality of palliative care in nursing homes?. International Journal of Integrated Care, 2014, 14, .	0.1	0
88	A comparative analysis of comprehensive geriatric assessments for nursing home residents receiving palliative care: a systematic review. International Journal of Integrated Care, 2014, 14, .	0.1	0
89	Palliative care in nursing homes: a qualitative evaluation of the content comprehensiveness and the practical usability of the interRAI Palliative Care instrument. International Journal of Integrated Care, 2014, 14, .	0.1	0
90	The development and implementation of an integral framework of quality for the Flemish nursing homes: a process of culture change and collaborative efforts. International Journal of Integrated Care, 2014, 14, .	0.1	O

#	Article	IF	CITATIONS
91	Best practices for frail older persons and their care professionals in the European home care setting: study protocol. International Journal of Integrated Care, 2014, 14, .	0.1	0
92	Systems of Delivery of Health Care for Persons with Developmental Disabilities: The Case of Belgium. , $2016,  413-417.$		0
93	Development and Validation of a Prediction Model for 6-Month Societal Costs in Older Community Care-Recipients in Multiple Countries; the IBenC Study. Health Services Insights, 2020, 13, 117863292098046.	0.6	O
94	The Development of BelRAI, a Web Application for Sharing Assessment Data on Frail Older People in Home Care, Nursing Homes, and Hospitals., 0, , 457-483.		0