

# Xinquan Wang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8682664/xinquan-wang-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77  
papers

9,048  
citations

29  
h-index

95  
g-index

95  
ext. papers

12,249  
ext. citations

13  
avg, IF

6.59  
L-index

#	Paper	IF	Citations
77	Loss of Spike N370 glycosylation as an important evolutionary event for the enhanced infectivity of SARS-CoV-2.. <i>Cell Research</i> , <b>2022</b> ,	24.7	2
76	Characterization of SARS-CoV-2 Variants B.1.617.1 (Kappa), B.1.617.2 (Delta), and B.1.618 by Cell Entry and Immune Evasion.. <i>MBio</i> , <b>2022</b> , e0009922	7.8	3
75	RBD trimer mRNA vaccine elicits broad and protective immune responses against SARS-CoV-2 variants.. <i>IScience</i> , <b>2022</b> , 104043	6.1	3
74	Structural insights into the SARS-CoV-2 Omicron RBD-ACE2 interaction.. <i>Cell Research</i> , <b>2022</b> ,	24.7	7
73	A Potent and Protective Human Neutralizing Antibody Against SARS-CoV-2 Variants.. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 766821	8.4	5
72	Mutation Y453F in the spike protein of SARS-CoV-2 enhances interaction with the mink ACE2 receptor for host adaption. <i>PLoS Pathogens</i> , <b>2021</b> , 17, e1010053	7.6	6
71	Susceptibilities of human ACE2 genetic variants in coronavirus infection. <i>Journal of Virology</i> , <b>2021</b> , JVI01482212	14.8	2
70	A potent and protective human neutralizing antibody targeting a novel vulnerable site of Epstein-Barr virus. <i>Nature Communications</i> , <b>2021</b> , 12, 6624	17.4	3
69	A shedding-soluble form of interleukin-17 receptor D exacerbates collagen-induced arthritis through facilitating TNF-dependent receptor clustering. <i>Cellular and Molecular Immunology</i> , <b>2021</b> , 18, 1883-1895	15.4	4
68	Bat and pangolin coronavirus spike glycoprotein structures provide insights into SARS-CoV-2 evolution. <i>Nature Communications</i> , <b>2021</b> , 12, 1607	17.4	31
67	Functional and genetic analysis of viral receptor ACE2 orthologs reveals a broad potential host range of SARS-CoV-2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	73
66	Comparative analysis reveals the species-specific genetic determinants of ACE2 required for SARS-CoV-2 entry. <i>PLoS Pathogens</i> , <b>2021</b> , 17, e1009392	7.6	16
65	Structural basis for bivalent binding and inhibition of SARS-CoV-2 infection by human potent neutralizing antibodies. <i>Cell Research</i> , <b>2021</b> , 31, 517-525	24.7	20
64	Interleukin-17D regulates group 3 innate lymphoid cell function through its receptor CD93. <i>Immunity</i> , <b>2021</b> , 54, 673-686.e4	32.3	13
63	Structural basis of tetanus toxin neutralization by native human monoclonal antibodies. <i>Cell Reports</i> , <b>2021</b> , 35, 109070	10.6	4
62	The bat ACE2 and multiple animal orthologs are functional receptors for bat coronavirus RaTG13 and SARS-CoV-2. <i>Science Bulletin</i> , <b>2021</b> , 66, 1215-1227	10.6	9
61	Structural basis of severe acute respiratory syndrome coronavirus 2 infection. <i>Current Opinion in HIV and AIDS</i> , <b>2021</b> , 16, 74-81	4.2	3

60	Structural insight into a GH1 $\alpha$ -glucosidase from the oleaginous microalga, <i>Nannochloropsis oceanica</i> . <i>International Journal of Biological Macromolecules</i> , <b>2021</b> , 170, 196-206	7.9	2
59	Ultra-fast and onsite interrogation of Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) in waters via surface enhanced Raman scattering (SERS). <i>Water Research</i> , <b>2021</b> , 200, 117243	12.5	34
58	Potent and protective IGHV3-53/3-66 public antibodies and their shared escape mutant on the spike of SARS-CoV-2. <i>Nature Communications</i> , <b>2021</b> , 12, 4210	17.4	23
57	Analysis of SARS-CoV-2 variant mutations reveals neutralization escape mechanisms and the ability to use ACE2 receptors from additional species. <i>Immunity</i> , <b>2021</b> , 54, 1611-1621.e5	32.3	85
56	Characterization and structural basis of a lethal mouse-adapted SARS-CoV-2. <i>Nature Communications</i> , <b>2021</b> , 12, 5654	17.4	32
55	Antibody neutralization of SARS-CoV-2 through ACE2 receptor mimicry. <i>Nature Communications</i> , <b>2021</b> , 12, 250	17.4	45
54	Detection of SARS-CoV-2-Specific Humoral and Cellular Immunity in COVID-19 Convalescent Individuals. <i>Immunity</i> , <b>2020</b> , 52, 971-977.e3	32.3	707
53	Structure of the SARS-CoV-2 spike receptor-binding domain bound to the ACE2 receptor. <i>Nature</i> , <b>2020</b> , 581, 215-220	50.4	2961
52	Targeted inhibition of activated protein C by a non-active-site inhibitory antibody to treat hemophilia. <i>Nature Communications</i> , <b>2020</b> , 11, 2992	17.4	10
51	Cryo-EM structures of HKU2 and SARS-CoV spike glycoproteins provide insights into coronavirus evolution. <i>Nature Communications</i> , <b>2020</b> , 11, 3070	17.4	20
50	Crystallization and Structural Determination of the Receptor-Binding Domain of MERS-CoV Spike Glycoprotein. <i>Methods in Molecular Biology</i> , <b>2020</b> , 2099, 39-50	1.4	
49	ULK1 phosphorylates Exo70 to suppress breast cancer metastasis. <i>Nature Communications</i> , <b>2020</b> , 11, 117	17.4	20
48	High Selectivity of an $\alpha$ -Conotoxin Lv1A Analogue for $\alpha$ 7 Nicotinic Acetylcholine Receptors Is Mediated by $\alpha$ Functionally Important Residues. <i>Journal of Medicinal Chemistry</i> , <b>2020</b> , 63, 13656-13668	8.3	7
47	Human neutralizing antibodies elicited by SARS-CoV-2 infection. <i>Nature</i> , <b>2020</b> , 584, 115-119	50.4	982
46	Antibodies and vaccines against Middle East respiratory syndrome coronavirus. <i>Emerging Microbes and Infections</i> , <b>2019</b> , 8, 841-856	18.9	58
45	Single intranasal immunization with chimpanzee adenovirus-based vaccine induces sustained and protective immunity against MERS-CoV infection. <i>Emerging Microbes and Infections</i> , <b>2019</b> , 8, 760-772	18.9	30
44	Cardiac-specific ablation of glutaredoxin 3 leads to cardiac hypertrophy and heart failure. <i>Physiological Reports</i> , <b>2019</b> , 7, e14071	2.6	10
43	Structural and functional definition of a vulnerable site on the hemagglutinin of highly pathogenic avian influenza A virus H5N1. <i>Journal of Biological Chemistry</i> , <b>2019</b> , 294, 4290-4303	5.4	4

42	Structural definition of a neutralization epitope on the N-terminal domain of MERS-CoV spike glycoprotein. <i>Nature Communications</i> , <b>2019</b> , 10, 3068	17.4	94
41	Functional Relevance of Interleukin-1 Receptor Inter-domain Flexibility for Cytokine Binding and Signaling. <i>Structure</i> , <b>2019</b> , 27, 1296-1307.e5	5.2	2
40	Structural insights into the species preference of the influenza B virus NS1 protein in ISG15 binding. <i>Protein and Cell</i> , <b>2019</b> , 10, 681-687	7.2	5
39	Structural and functional characterization of HIV-1 cell fusion inhibitor T20. <i>Aids</i> , <b>2019</b> , 33, 1-11	3.5	29
38	Exceptional potency and structural basis of a T1249-derived lipopeptide fusion inhibitor against HIV-1, HIV-2, and simian immunodeficiency virus. <i>Journal of Biological Chemistry</i> , <b>2018</b> , 293, 5323-5334	5.4	22
37	Cryo-EM structure of the exocyst complex. <i>Nature Structural and Molecular Biology</i> , <b>2018</b> , 25, 139-146	17.6	69
36	Structural Insights into the Mechanisms of Action of Short-Peptide HIV-1 Fusion Inhibitors Targeting the Gp41 Pocket. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2018</b> , 8, 51	5.9	11
35	Structural Definition of a Unique Neutralization Epitope on the Receptor-Binding Domain of MERS-CoV Spike Glycoprotein. <i>Cell Reports</i> , <b>2018</b> , 24, 441-452	10.6	43
34	Cryo-EM structure of the SARS coronavirus spike glycoprotein in complex with its host cell receptor ACE2. <i>PLoS Pathogens</i> , <b>2018</b> , 14, e1007236	7.6	523
33	Complementary recognition of the receptor-binding site of highly pathogenic H5N1 influenza viruses by two human neutralizing antibodies. <i>Journal of Biological Chemistry</i> , <b>2018</b> , 293, 16503-16517	5.4	6
32	Ultrapotent Human Neutralizing Antibody Repertoires Against Middle East Respiratory Syndrome Coronavirus From a Recovered Patient. <i>Journal of Infectious Diseases</i> , <b>2018</b> , 218, 1249-1260	7	50
31	BMP restricts stemness of intestinal Lgr5 stem cells by directly suppressing their signature genes. <i>Nature Communications</i> , <b>2017</b> , 8, 13824	17.4	142
30	The crystal structure of Ac-AChBP in complex with $\alpha$ -conotoxin Lv1A reveals the mechanism of its selectivity towards different nAChR subtypes. <i>Protein and Cell</i> , <b>2017</b> , 8, 675-685	7.2	16
29	Selective oxidation of aliphatic C-H bonds in alkylphenols by a chemomimetic biocatalytic system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, E5129-E5137 <sup>11.5</sup>	11.5	13
28	Cryo-electron microscopy structures of the SARS-CoV spike glycoprotein reveal a prerequisite conformational state for receptor binding. <i>Cell Research</i> , <b>2017</b> , 27, 119-129	24.7	410
27	Structural insights into the substrate specificity of a glycoside hydrolase family 5 lichenase from sp. F32. <i>Biochemical Journal</i> , <b>2017</b> , 474, 3373-3389	3.8	14
26	Modelling of microbial polyhydroxyalkanoate surface binding protein PhaP for rational mutagenesis. <i>Microbial Biotechnology</i> , <b>2017</b> , 10, 1400-1411	6.3	7
25	Enfuvirtide (T20)-Based Lipopeptide Is a Potent HIV-1 Cell Fusion Inhibitor: Implications for Viral Entry and Inhibition. <i>Journal of Virology</i> , <b>2017</b> , 91,	6.6	39

24	From crystal structure of Botulinum toxin GIC in complex with Ac-AChBP to molecular determinants of its high selectivity for $\beta_2$ nAChR. <i>Scientific Reports</i> , <b>2016</b> , 6, 22349	4.9	35
23	Conformational Sampling and Binding Site Assessment of Suppression of Tumorigenicity 2 Ectodomain. <i>PLoS ONE</i> , <b>2016</b> , 11, e0146522	3.7	7
22	Structural Insights on PHA Binding Protein PhaP from <i>Aeromonas hydrophila</i> . <i>Scientific Reports</i> , <b>2016</b> , 6, 39424	4.9	19
21	Kinesin 1 Drives Autolysosome Tubulation. <i>Developmental Cell</i> , <b>2016</b> , 37, 326-336	10.2	79
20	One-step homozygosity in precise gene editing by an improved CRISPR/Cas9 system. <i>Cell Research</i> , <b>2016</b> , 26, 633-6	24.7	12
19	Nuclear glutaredoxin 3 is critical for protection against oxidative stress-induced cell death. <i>Free Radical Biology and Medicine</i> , <b>2015</b> , 85, 197-206	7.8	20
18	Structural basis for the neutralization of MERS-CoV by a human monoclonal antibody MERS-27. <i>Scientific Reports</i> , <b>2015</b> , 5, 13133	4.9	54
17	Tumor necrosis factor receptor 2 (TNFR2)–Interleukin-17 receptor D (IL-17RD) heteromerization reveals a novel mechanism for NF- $\kappa$ B activation. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 861-71	5.4	22
16	Comprehensive analysis of antibody recognition in convalescent humans from highly pathogenic avian influenza H5N1 infection. <i>Nature Communications</i> , <b>2015</b> , 6, 8855	17.4	31
15	Structural basis for the specific recognition of IL-18 by its alpha receptor. <i>FEBS Letters</i> , <b>2014</b> , 588, 3838-3843	5.3	11
14	A novel mechanism underlies caspase-dependent conversion of the dicer ribonuclease into a deoxyribonuclease during apoptosis. <i>Cell Research</i> , <b>2014</b> , 24, 218-32	24.7	10
13	Mammalian WTAP is a regulatory subunit of the RNA N6-methyladenosine methyltransferase. <i>Cell Research</i> , <b>2014</b> , 24, 177-89	24.7	1061
12	Potent neutralization of MERS-CoV by human neutralizing monoclonal antibodies to the viral spike glycoprotein. <i>Science Translational Medicine</i> , <b>2014</b> , 6, 234ra59	17.5	165
11	Structural studies of GDNF family ligands with their receptors-Insights into ligand recognition and activation of receptor tyrosine kinase RET. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , <b>2013</b> , 1834, 2205-12	4	40
10	Structure of MERS-CoV spike receptor-binding domain complexed with human receptor DPP4. <i>Cell Research</i> , <b>2013</b> , 23, 986-93	24.7	459
9	Crystal structure of human ISG15 protein in complex with influenza B virus NS1B. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 30258-30262	5.4	13
8	Structural and computational insights into the SARS-CoV-2 Omicron RBD-ACE2 interaction		4
7	Potent human neutralizing antibodies elicited by SARS-CoV-2 infection		211

6	Functional and Genetic Analysis of Viral Receptor ACE2 Orthologs Reveals a Broad Potential Host Range of SARS-CoV-2	30
5	Bat and pangolin coronavirus spike glycoprotein structures provide insights into SARS-CoV-2 evolution	1
4	Structural basis for bivalent binding and inhibition of SARS-CoV-2 infection by human potent neutralizing antibodies	2
3	Characterization and structural basis of a lethal mouse-adapted SARS-CoV-2	16
2	SARS-CoV-2 variants resist antibody neutralization and broaden host ACE2 usage	8
1	Characterization of SARS-CoV-2 variants B.1.617.1 (Kappa), B.1.617.2 (Delta) and B.1.618 on cell entry, host range, and sensitivity to convalescent plasma and ACE2 decoy receptor	2