## Michael J Crawford

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8683017/publications.pdf

Version: 2024-02-01

193 papers 8,641 citations

50170 46 h-index 85 g-index

206 all docs

206 docs citations

206 times ranked 7908 citing authors

#	Article	IF	CITATIONS
1	Systematic review of involving patients in the planning and development of health care. BMJ: British Medical Journal, 2002, 325, 1263-1263.	2.4	717
2	Classification, assessment, prevalence, and effect of personality disorder. Lancet, The, 2015, 385, 717-726.	6.3	443
3	Risperidone, haloperidol, and placebo in the treatment of aggressive challenging behaviour in patients with intellectual disability: a randomised controlled trial. Lancet, The, 2008, 371, 57-63.	6.3	309
4	Music therapy for depression. The Cochrane Library, 2017, 2017, CD004517.	1.5	291
5	The Social Functioning Questionnaire: A Rapid and Robust Measure of Perceived Functioning. International Journal of Social Psychiatry, 2005, 51, 265-275.	1.6	282
6	Prevalence of mental disorders in elderly people: The European MentDis_ICF65+ study. British Journal of Psychiatry, 2017, 210, 125-131.	1.7	261
7	Screening and referral for brief intervention of alcohol-misusing patients in an emergency department: a pragmatic randomised controlled trial. Lancet, The, 2004, 364, 1334-1339.	6.3	252
8	The Development of the ICD-11 Classification of Personality Disorders: An Amalgam of Science, Pragmatism, and Politics. Annual Review of Clinical Psychology, 2019, 15, 481-502.	6.3	211
9	The rationale for the reclassification of personality disorder in the 11th revision of the International Classification of Diseases (ICDâ€11). Personality and Mental Health, 2011, 5, 246-259.	0.6	208
10	Music therapy for depression. The Cochrane Library, 2008, , CD004517.	1.5	195
11	Patient experience of negative effects of psychological treatment: results of a national survey. British Journal of Psychiatry, 2016, 208, 260-265.	1.7	156
12	Patients or partners? Case studies of user involvement in the planning and delivery of adult mental health services in London. Social Science and Medicine, 2004, 58, 1973-1984.	1.8	153
13	Selecting outcome measures in mental health: the views of service users. Journal of Mental Health, 2011, 20, 336-346.	1.0	136
14	Music therapy for in-patients with schizophrenia. British Journal of Psychiatry, 2006, 189, 405-409.	1.7	126
15	Prevalence of health anxiety problems in medical clinics. Journal of Psychosomatic Research, 2011, 71, 392-394.	1.2	125
16	Qualitative Research in Psychiatry. Canadian Journal of Psychiatry, 2005, 50, 108-114.	0.9	119
17	Suicide rate 22 years after parasuicide: cohort study. BMJ: British Medical Journal, 2002, 325, 1155-1155.	2.4	116
18	Classifying Personality Disorder According to Severity. Journal of Personality Disorders, 2011, 25, 321-330.	0.8	110

#	Article	IF	CITATIONS
19	The Use of Psychotropic Medication in Patients With Emotionally Unstable Personality Disorder Under the Care of UK Mental Health Services. Journal of Clinical Psychiatry, 2015, 76, e512-e518.	1.1	106
20	Effects of Improvisational Music Therapy vs Enhanced Standard Care on Symptom Severity Among Children With Autism Spectrum Disorder. JAMA - Journal of the American Medical Association, 2017, 318, 525.	3.8	104
21	Group art therapy as an adjunctive treatment for people with schizophrenia: multicentre pragmatic randomised trial. BMJ: British Medical Journal, 2012, 344, e846-e846.	2.4	99
22	latrogenic harm from psychological therapies – time to move on. British Journal of Psychiatry, 2016, 208, 210-212.	1.7	99
23	Anxiety Disorders in Old Age: Psychiatric Comorbidities, Quality of Life, and Prevalence According to Age, Gender, and Country. American Journal of Geriatric Psychiatry, 2018, 26, 174-185.	0.6	99
24	Assessment and treatment of physical health problems among people with schizophrenia: national cross-sectional study. British Journal of Psychiatry, 2014, 205, 473-477.	1.7	98
25	The half-life of the †teachable moment' for alcohol misusing patients in the emergency department. Drug and Alcohol Dependence, 2005, 77, 205-208.	1.6	94
26	Providing continuity of care for people with severe mental illness. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 265-272.	1.6	89
27	The Effectiveness of Alcohol Screening and Brief Intervention in Emergency Departments: A Multicentre Pragmatic Cluster Randomized Controlled Trial. PLoS ONE, 2014, 9, e99463.	1.1	89
28	Cost-effectiveness of screening and referral to an alcohol health worker in alcohol misusing patients attending an accident and emergency department: A decision-making approach. Drug and Alcohol Dependence, 2006, 81, 47-54.	1.6	84
29	Service user involvement: impact and participation: a survey of service user and staff perspectives. BMC Health Services Research, 2014, 14, 491.	0.9	83
30	Democratic therapeutic community treatment for personality disorder: Randomised controlled trial. British Journal of Psychiatry, 2017, 210, 149-156.	1.7	83
31	Personality disorder: a new global perspective. World Psychiatry, 2010, 9, 56-60.	4.8	82
32	The Clinical Effectiveness and Cost-Effectiveness of Lamotrigine in Borderline Personality Disorder: A Randomized Placebo-Controlled Trial. American Journal of Psychiatry, 2018, 175, 756-764.	4.0	78
33	Development and Psychometric Properties of the Standardized Assessment of Severity of Personality Disorder (SASPD). Journal of Personality Disorders, 2018, 32, 44-56.	0.8	77
34	Psychosocial interventions following self-harm. British Journal of Psychiatry, 2007, 190, 11-17.	1.7	73
35	Impact of screening for risk of suicide: randomised controlled trial. British Journal of Psychiatry, 2011, 198, 379-384.	1.7	71
36	Workplace factors associated with mental health of healthcare workers during the COVID-19 pandemic: an international cross-sectional study. BMC Health Services Research, 2021, 21, 262.	0.9	71

#	Article	IF	CITATIONS
37	The successes and failures of the DSPD experiment: the assessment and management of severe personality disorder. Medicine, Science and the Law, 2010, 50, 95-99.	0.6	69
38	Music therapy for depression: it seems to work, but how?. British Journal of Psychiatry, 2011, 199, 92-93.	1.7	66
39	The Social Functioning Questionnaire: a rapid and robust measure of perceived functioning. International Journal of Social Psychiatry, 2005, 51, 265-75.	1.6	65
40	Quality of prescribing for schizophrenia: Evidence from a national audit in England and Wales. European Neuropsychopharmacology, 2014, 24, 499-509.	0.3	64
41	The Central Domains of Personality Pathology in Psychiatric Patients. Journal of Personality Disorders, 2011, 25, 364-377.	0.8	62
42	Clinical outcomes of staff training in positive behaviour support to reduce challenging behaviour in adults with intellectual disability: cluster randomised controlled trial. British Journal of Psychiatry, 2018, 212, 161-168.	1.7	61
43	Patient preference in psychological treatment and associations with self-reported outcome: national cross-sectional survey in England and Wales. BMC Psychiatry, 2016, 16, 4.	1.1	60
44	Preliminary studies of the ICD-11 classification of personality disorder in practice. Personality and Mental Health, 2014, 8, 254-263.	0.6	57
45	Dedicated community-based services for adults with personality disorder: Delphi study. British Journal of Psychiatry, 2008, 193, 342-343.	1.7	53
46	Ethnic minority inequalities in access to treatments for schizophrenia and schizoaffective disorders: findings from a nationally representative cross-sectional study. BMC Medicine, 2018, 16, 55.	2.3	51
47	Arts therapies for people with schizophrenia: an emerging evidence base. Evidence-Based Mental Health, 2007, 10, 69-70.	2.2	48
48	Engagement and retention in specialist services for people with personality disorder. Acta Psychiatrica Scandinavica, 2009, 119, 304-311.	2.2	48
49	The great divide: A qualitative investigation of factors influencing researcher access to potential randomised controlled trial participants in mental health settings. Journal of Mental Health, 2010, 19, 532-541.	1.0	48
50	Nidotherapy in the treatment of substance misuse, psychosis and personality disorder: secondary analysis of a controlled trial. The Psychiatrist, 2011, 35, 9-14.	0.3	48
51	Suicidal ideation and suicide attempts among ethnic minority groups in England: results of a national household survey. Psychological Medicine, 2005, 35, 1369-1377.	2.7	46
52	The assessment of dangerous and severe personality disorder: lessons from a randomised controlled trial linked to qualitative analysis. Journal of Forensic Psychiatry and Psychology, 2009, 20, 132-146.	0.6	46
53	Art therapy for people diagnosed with schizophrenia: Therapists' views about what changes, how and for whom. International Journal of Art Therapy: Inscape, 2011, 16, 70-80.	0.6	46
54	Thinking life is not worth living. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 351-356.	1.6	44

#	Article	IF	CITATIONS
55	Dialectical behaviour therapy <i>v.</i> mentalisation-based therapy for borderline personality disorder. Psychological Medicine, 2019, 49, 2060-2068.	2.7	44
56	Organisation and delivery of liaison psychiatry services in general hospitals in England: results of a national survey. BMJ Open, 2018, 8, e023091.	0.8	42
57	Not Listening To Patients - the Use and Misuse of Patient Satisfaction Studies. International Journal of Social Psychiatry, 1999, 45, 1-6.	1.6	41
58	Screening and brief interventions for hazardous alcohol use in accident and emergency departments: a randomised controlled trial protocol. BMC Health Services Research, 2009, 9, 114.	0.9	40
59	Neuroleptics in the treatment of aggressive challenging behaviour for people with intellectual disabilities: a randomised controlled trial (NACHBID). Health Technology Assessment, 2009, 13, iii-iv, ix-xi, 1-54.	1.3	39
60	THE PADDINGTON ALCOHOL TEST: A SHORT REPORT. Alcohol and Alcoholism, 2004, 39, 266-268.	0.9	38
61	Clinical and cost effectiveness of staff training in Positive Behaviour Support (PBS) for treating challenging behaviour in adults with intellectual disability: a cluster randomised controlled trial. BMC Psychiatry, 2014, 14, 219.	1.1	36
62	The treatment of challenging behaviour in intellectual disabilities: costâ€effectiveness analysis. Journal of Intellectual Disability Research, 2009, 53, 633-643.	1.2	35
63	The MATISSE study: a randomised trial of group art therapy for people with schizophrenia. BMC Psychiatry, 2010, 10, 65.	1.1	35
64	Measuring symptoms and diagnosing mental disorders in the elderly community: the test–retest reliability of the CIDI65+. International Journal of Methods in Psychiatric Research, 2015, 24, 116-129.	1.1	35
65	Are the views of members of mental health user groups representative of those of 'ordinary' patients? A cross-sectional survey of service users and providers. Journal of Mental Health, 2004, 13, 561-568.	1.0	34
66	Cognitive–behaviour therapy for health anxiety in medical patients (CHAMP): a randomised controlled trial with outcomes to 5 years. Health Technology Assessment, 2017, 21, 1-58.	1.3	34
67	Suicide following discharge from in-patient psychiatric care. Advances in Psychiatric Treatment, 2004, 10, 434-438.	0.6	31
68	Job Satisfaction and Burnout Among Staff Working in Community-Based Personality Disorder Services. International Journal of Social Psychiatry, 2010, 56, 196-206.	1.6	30
69	The effect of referral for brief intervention for alcohol misuse on repetition of deliberate self-harm: an exploratory randomized controlled trial. Psychological Medicine, 2010, 40, 1821-1828.	2.7	29
70	The Quantification of Violence Scale: a Simple Method of Recording Significant Violence. International Journal of Social Psychiatry, 2007, 53, 485-497.	1.6	28
71	CHAMP: Cognitive behaviour therapy for health anxiety in medical patients, a randomised controlled trial. BMC Psychiatry, 2011, 11, 99.	1.1	28
72	Therapist differences in a randomised trial of the outcome of cognitive behaviour therapy for health anxiety in medical patients. International Journal of Nursing Studies, 2015, 52, 686-694.	2.5	28

#	Article	IF	CITATIONS
73	Quality of life, level of functioning, and its relationship with mental and physical disorders in the elderly: results from the MentDis_ICF65+ study. Health and Quality of Life Outcomes, 2020, 18, 61.	1.0	28
74	Evaluating new treatments in psychiatry: the potential value of combining qualitative and quantitative research methods. International Review of Psychiatry, 2002, 14, 6-11.	1.4	27
75	Rangewide molecular structuring in the Utah sucker ( Catostomus ardens ). Molecular Ecology, 2006, 15, 2223-2238.	2.0	27
76	International multicentre randomised controlled trial of improvisational music therapy for children with autism spectrum disorder: TIME-A study. Health Technology Assessment, 2017, 21, 1-40.	1.3	27
77	Medication prescribed to people with personality disorder: the influence of patient factors and treatment setting. Acta Psychiatrica Scandinavica, 2011, 124, 396-402.	2.2	25
78	Provision and practice of art therapy for people with schizophrenia: Results of a national survey. Journal of Mental Health, 2011, 20, 328-335.	1.0	25
79	Alcohol use, abuse and dependence in an older European population: Results from the MentDis_ICF65+ study. PLoS ONE, 2018, 13, e0196574.	1.1	24
80	Lamotrigine for people with borderline personality disorder: a RCT. Health Technology Assessment, 2018, 22, 1-68.	1.3	24
81	Impact of personality status on the outcomes and cost of cognitive–behavioural therapy for health anxiety. British Journal of Psychiatry, 2016, 209, 244-250.	1.7	23
82	Predisposing, enabling, and need factors of service utilization in the elderly with mental health problems. International Psychogeriatrics, 2018, 30, 1027-1037.	0.6	23
83	Standard set of patient-reported outcomes for personality disorder. Quality of Life Research, 2021, 30, 3485-3500.	1.5	22
84	The clinical and cost-effectiveness of brief advice for excessive alcohol consumption among people attending sexual health clinics: a randomised controlled trial. Sexually Transmitted Infections, 2015, 91, 37-43.	0.8	21
85	Loss of relational continuity of care in schizophrenia: associations with patient satisfaction and quality of care. BJPsych Open, 2016, 2, 318-322.	0.3	21
86	An audit of the quality of inpatient care for adults with learning disability in the UK. BMJ Open, 2016, 6, e010480.	0.8	21
87	Lessons Learned from an Evaluation of Dedicated Communityâ€based Services for People with Personality Disorder. Mental Health Review Journal, 2007, 12, 55-64.	0.3	20
88	â€They can't solve the problem without us': a qualitative study of stakeholder perspectives on user involvement in drug treatment services in England. Health and Social Care in the Community, 2009, 17, 54-62.	0.7	20
89	Negative results in phase III trials of complex interventions: Cause for concern or just good science?. British Journal of Psychiatry, 2016, 209, 6-8.	1.7	20
90	Process evaluation of a randomised controlled trial of PBS-based staff training for challenging behaviour in adults with intellectual disability. PLoS ONE, 2019, 14, e0221507.	1.1	20

#	Article	IF	CITATIONS
91	Positive behaviour support training for staff for treating challenging behaviour in people with intellectual disabilities: a cluster RCT. Health Technology Assessment, 2018, 22, 1-110.	1.3	20
92	Prevalence and correlates of somatoform disorders in the elderly: Results of a European study. International Journal of Methods in Psychiatric Research, 2017, 26, .	1.1	18
93	Hazardous drinkers in the accident and emergency departmentWho accepts advice?. Emergency Medicine Journal, 2004, 21, 491-492.	0.4	17
94	User involvement in efforts to improve the quality of drug misuse services in England: A national survey. Drugs: Education, Prevention and Policy, 2009, 16, 364-377.	0.8	17
95	Involving users in the development of psychiatric services – no longer an option. Psychiatric Bulletin, 2001, 25, 84-86.	0.3	16
96	Open access community support groups for people with personality disorder: attendance and impact on use of other services. The Psychiatrist, 2010, 34, 177-181.	0.3	16
97	Relationship Between Price Paid for Off-Trade Alcohol, Alcohol Consumption and Income in England: A Cross-Sectional Survey. Alcohol and Alcoholism, 2012, 47, 738-742.	0.9	16
98	Schedule for personality assessment from notes and documents (SPANâ€DOC): Preliminary validation, links to the ICDâ€11 classification of personality disorder, and use in eating disorders. Personality and Mental Health, 2016, 10, 106-117.	0.6	16
99	Severe war-related trauma and personality pathology: a case-control study. BMC Psychiatry, 2017, 17, 100.	1.1	16
100	Posttraumatic Stress Disorder in Patients With Borderline Personality Disorder: Treatment Outcomes and Mediators. Journal of Traumatic Stress, 2018, 31, 899-908.	1.0	16
101	Service user perspectives of community mental health services for people with complex emotional needs: a co-produced qualitative interview study. BMC Psychiatry, 2022, 22, 55.	1.1	16
102	Use of blood alcohol concentration in resuscitation room patients. Emergency Medicine Journal, 2007, 24, 535-538.	0.4	15
103	Service provision for men with antisocial personality disorder who make contact with mental health services. Personality and Mental Health, 2009, 3, 165-171.	0.6	15
104	An Evaluation of New Services for Personality-Disordered Offenders: Staff and Service User Perspectives. International Journal of Social Psychiatry, 2010, 56, 186-195.	1.6	15
105	Moderating factors for the effectiveness of group art therapy for schizophrenia: secondary analysis of data from the MATISSE randomised controlled trial. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1703-1710.	1.6	15
106	In hospital, at home, or not at all. Psychiatric Bulletin, 2004, 28, 360-363.	0.3	14
107	Are recommendations for psychological treatment of borderline personality disorder in current UK guidelines justified? Systematic review and subgroup analysis. Personality and Mental Health, 2014, 8, 228-237.	0.6	14
108	Quality of physical health care among patients with personality disorder. Personality and Mental Health, 2015, 9, 319-329.	0.6	14

#	Article	IF	Citations
109	Psychoeducation and Problem Solving (PEPS) Therapy for Adults With Personality Disorder: A Pragmatic Randomized-Controlled Trial. Journal of Personality Disorders, 2017, 31, 810-826.	0.8	14
110	A programme theory for liaison mental health services in England. BMC Health Services Research, 2018, 18, 742.	0.9	14
111	Psycho-education with problem solving (PEPS) therapy for adults with personality disorder: A pragmatic multi-site community-based randomised clinical trial. Trials, 2011, 12, 198.	0.7	13
112	The prevalence of personality disorder among ethnic minorities: findings from a national household survey. Personality and Mental Health, 2012, 6, 175-182.	0.6	13
113	Quality of care for people with dementia in general hospitals: national cross-sectional audit of patient assessment. Clinical Medicine, 2014, 14, 490-494.	0.8	13
114	Dimensions of dependence and their influence on the outcome of cognitive behaviour therapy for health anxiety: randomized controlled trial. Personality and Mental Health, 2016, 10, 96-105.	0.6	13
115	The nature and activity of liaison mental services in acute hospital settings: a multi-site cross sectional study. BMC Health Services Research, 2020, 20, 308.	0.9	13
116	Dedicated personality disorder services: A qualitative analysis of service structure and treatment process. Journal of Mental Health, 2009, 18, 467-475.	1.0	12
117	Clinical and economic outcomes from the UK pilot psychiatric services for personality-disordered offenders. International Review of Psychiatry, 2011, 23, 61-69.	1.4	12
118	Lasting personality pathology following exposure to catastrophic trauma in adults: Systematic review. Personality and Mental Health, 2014, 8, 320-336.	0.6	12
119	Short-term PsychoEducation for Carers To Reduce Over Medication of people with intellectual disabilities (SPECTROM): study protocol. BMJ Open, 2020, 10, e037912.	0.8	12
120	Hazardous drinkers in the accident and emergency department - who attends an appointment with the alcohol health worker?. Emergency Medicine Journal, 2005, 22, 722-723.	0.4	11
121	Role of qualitative research to inform design of epidemiological studies: A cohort study of mental health of migrants from the former Yugoslavia. Journal of Mental Health, 2007, 16, 743-755.	1.0	11
122	A classification based on evidence is the first step to clinical utility. Personality and Mental Health, 2011, 5, 304-307.	0.6	11
123	Study approach and field work procedures of the MentDis_ICF65+ project on the prevalence of mental disorders in the older adult European population. BMC Psychiatry, 2017, 17, 366.	1.1	11
124	Structured Psychological Support for people with personality disorder: feasibility randomised controlled trial of a low-intensity intervention. BJPsych Open, 2020, 6, e25.	0.3	11
125	Psychoeducation with problem-solving (PEPS) therapy for adults with personality disorder: a pragmatic randomised controlled trial to determine the clinical effectiveness and cost-effectiveness of a manualised intervention to improve social functioning. Health Technology Assessment, 2016, 20, 1-250.	1.3	11
126	Drug service user groups: Only a partial solution to the problem of developing user involvement. Drugs: Education, Prevention and Policy, 2010, 17, 84-97.	0.8	10

#	Article	IF	CITATIONS
127	Recognition and treatment of depression in older adults admitted to acute hospitals in England. Clinical Medicine, 2019, 19, 114-118.	0.8	10
128	Sustained benefit of cognitive behaviour therapy for health anxiety in medical patients (CHAMP) over 8 years: a randomised-controlled trial. Psychological Medicine, 2021, 51, 1714-1722.	2.7	10
129	Depression: International intervention for a global problem. British Journal of Psychiatry, 2004, 184, 379-380.	1.7	9
130	Lamotrigine versus inert placebo in the treatment of borderline personality disorder: study protocol for a randomized controlled trial and economic evaluation. Trials, 2015, 16, 308.	0.7	9
131	Involvement of users and carers in the training of psychiatrists: making it happen. Psychiatric Bulletin, 1998, 22, 42-43.	0.3	9
132	Use of Qualitative Research Methods in General Medicine and Psychiatry: Publication Trends in Medical Journals 1990-2000. International Journal of Social Psychiatry, 2003, 49, 308-311.	1.6	8
133	Cognitive behaviour therapy for non-cardiac pain in the chest (COPIC): a multicentre randomized controlled trial with economic evaluation. BMC Psychology, 2015, 3, 41.	0.9	8
134	Riding the wake: Detailing the art therapy delivered in the MATISSE study. International Journal of Art Therapy: Inscape, 2015, 20, 28-38.	0.6	8
135	Affective disorders in the elderly in different European countries: Results from the MentDis_ICF65+ study. PLoS ONE, 2019, 14, e0224871.	1.1	8
136	Lasting personality pathology following exposure to severe trauma in adulthood: retrospective cohort study. BMC Psychiatry, 2019, 19, 3.	1.1	8
137	Burdens and awareness of adverse selfâ€reported lifestyle factors in men with subâ€fertility: A crossâ€sectional study in 1149 men. Clinical Endocrinology, 2020, 93, 312-321.	1.2	8
138	Assessing the severity of borderline personality disorder. British Journal of Psychiatry, 2013, 203, 163-164.	1.7	7
139	Feasibility trial of a psychoeducational intervention for parents with personality difficulties: The Helping Families Programme. Contemporary Clinical Trials Communications, 2017, 8, 67-74.	0.5	7
140	Psychological Support for Personality (PSP) versus treatment as usual: study protocol for a feasibility randomized controlled trial of a low intensity intervention for people with personality disorder. Trials, 2018, 19, 547.	0.7	7
141	A systematic review of interventions aimed at improving the cardiovascular health of people diagnosed with personality disorders. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 897-904.	1.6	7
142	Incidence and risk factors of mental disorders in the elderly: The European MentDis_ICF65+ study. Australian and New Zealand Journal of Psychiatry, 2021, , 000486742110257.	1.3	7
143	Switching antipsychotic medication to reduce sexual dysfunction in people with psychosis: the REMEDY RCT. Health Technology Assessment, 2020, 24, 1-54.	1.3	7
144	Urgent psychiatric assessment in an inner-city A&E department. Psychiatric Bulletin, 1997, 21, 625-626.	0.3	6

#	Article	IF	Citations
145	Are mood stabilisers helpful in treatment of borderline personality disorder?. BMJ, The, 2014, 349, g5378-g5378.	3.0	6
146	Aggression Following Traumatic brain injury: Effectiveness of Risperidone (AFTER): study protocol for a feasibility randomised controlled trial. Trials, 2018, 19, 325.	0.7	6
147	Liaison psychiatry—measurement and evaluation of service types, referral patterns and outcomes (LP-MAESTRO): a protocol. BMJ Open, 2019, 9, e032179.	0.8	6
148	Patient experiences of therapy for borderline personality disorder: Commonalities and differences between dialectical behaviour therapy and mentalizationâ€based therapy and relation to outcomes. Psychology and Psychotherapy: Theory, Research and Practice, 2022, 95, 212-233.	1.3	6
149	An intervention for parents with severe personality difficulties whose children have mental health problems: a feasibility RCT. Health Technology Assessment, 2020, 24, 1-188.	1.3	6
150	Openness with patients: a categorical imperative to correct an imbalance. Science and Engineering Ethics, 1997, 3, 297-304.	1.7	5
151	Homicide is impossible to predict. Psychiatric Bulletin, 2000, 24, 152-152.	0.3	5
152	Likelihood and predictors of detention in patients with personality disorder compared with other mental disorders: A retrospective, quantitative study of Mental Health Act assessments. Personality and Mental Health, 2016, 10, 191-204.	0.6	5
153	Risperidone versus placebo for aggression following traumatic brain injury: a feasibility randomised controlled trial. BMJ Open, 2020, 10, e036300.	0.8	5
154	Randomised feasibility trial of the helping families programme-modified: an intensive parenting intervention for parents affected by severe personality difficulties. BMJ Open, 2020, 10, e033637.	0.8	5
155	Influence of apparently negative personality characteristics on the longâ€ŧerm outcome of health anxiety: Secondary analysis of a randomized controlled trial. Personality and Mental Health, 2021, 15, 72-86.	0.6	5
156	Is social function a good proxy measure of personality disorder? Personality and Mental Health, 2021, 15, 261-272.	0.6	5
157	Matching ICDâ€11 personality status to clinical management in a community teamâ€"The Boston (UK) Personality Project: Study protocol. Personality and Mental Health, 2022, 16, 130-137.	0.6	5
158	The efficacy of therapeutic communities in the treatment of personality disorders. Psychiatry (Abingdon, England), 2005, 4, 19-22.	0.2	4
159	Services for people with personality disorder. Psychiatry (Abingdon, England), 2008, 7, 124-128.	0.2	4
160	Brief intervention for alcohol misuse in people attending sexual health clinics: study protocol for a randomized controlled trial. Trials, 2012, 13, 149.	0.7	4
161	Assessing the feasibility of screening and providing brief advice for alcohol misuse in general dental practice: a clustered randomised control trial protocol for the DART study. BMJ Open, 2015, 5, e008586.	0.8	4
162	A prospective, quantitative study of mental health act assessments in England following the 2007 amendments to the 1983 act: did the changes fulfill their promise?. BMC Psychiatry, 2017, 17, 246.	1.1	4

#	Article	IF	Citations
163	Impact of a peer-review network on the quality of inpatient low secure mental health services: cluster randomised control trial. BMC Health Services Research, 2018, 18, 994.	0.9	4
164	Older adult experience of care and staffing on hospital and community wards: a cross-sectional study. BMC Health Services Research, 2020, 20, 583.	0.9	4
165	Patient experience of lasting negative effects of psychological interventions for anxiety and depression in secondary mental health care services: a national cross-sectional study. BMC Psychiatry, 2021, 21, 578.	1.1	4
166	Clinician views on best practice community care for people with complex emotional needs and how it can be achieved: a qualitative study. BMC Psychiatry, 2022, 22, 72.	1.1	4
167	Authors' reply. British Journal of Psychiatry, 2016, 209, 262-262.	1.7	3
168	Improved mental health among LABILE study participants: A qualitative exploration. Personality and Mental Health, 2019, 13, 75-83.	0.6	3
169	The factor structure of the Zanarini Rating Scale for Borderline Personality Disorder: Exploratory Structural Equation Modelling and measurement invariance over time. International Journal of Methods in Psychiatric Research, 2021, 30, e1874.	1.1	3
170	Delivering safer services: can suicide and homicide among people in contact with mental health services be predicted? Expert Review of Neurotherapeutics, 2003, 3, 575-580.	1.4	2
171	Activity groups for people with schizophrenia: a randomized controlled trial. Journal of Mental Health, 2014, 23, 171-175.	1.0	2
172	Quality of low secure services in the UK: development and use of the Quality of Environment In Low Secure Services (QELS) checklist. Journal of Forensic Psychiatry and Psychology, 2016, 27, 504-516.	0.6	2
173	No Effect of Lamotrigine in Subgroups of Patients With Borderline Personality Disorder: Response to Smith. American Journal of Psychiatry, 2018, 175, 1265-1266.	4.0	2
174	Impact of secondary care financial incentives on the quality of physical healthcare for people with psychosis: a longitudinal controlled study. British Journal of Psychiatry, 2019, 215, 720-725.	1.7	2
175	Alcohol Screening and Brief Advice in NHS General Dental Practices: A Cluster Randomized Controlled Feasibility Trial. Alcohol and Alcoholism, 2019, 54, 235-242.	0.9	2
176	Examining the effects of national initiatives to improve the physical health of people with psychosis in England: secondary analysis of data from the National Clinical Audit of Psychosis. BJPsych Bulletin, 2021, , 1-8.	0.7	2
177	Factors associated with shorter length of admission among people with dementia in England and Wales: retrospective cohort study. BMJ Open, 2021, 11, e047255.	0.8	2
178	The clinical effectiveness and cost effectiveness of clozapine for inpatients with severe borderline personality disorder (CALMED study): a randomised placebo-controlled trial. Therapeutic Advances in Psychopharmacology, 2022, 12, 204512532210908.	1.2	2
179	Psychological treatments of alcohol use disorders. , 0, , 263-288.		1
180	Conclusions and questions from a non-randomised comparison of routine clinical services implementing different treatment models for borderline personality disorder. Psychological Medicine, 2019, 49, 2812-2814.	2.7	1

#	Article	lF	CITATIONS
181	Variation in clinical care associated with weekend admission and discharge in psychiatric in-patient units: retrospective case-note review. BJPsych Open, 2020, 6, e103.	0.3	1
182	Identifying features associated with higher-quality hospital care and shorter length of admission for people with dementia: a mixed-methods study. Health Services and Delivery Research, 2020, 8, 1-92.	1.4	1
183	Community interventions for people with complex emotional needs that meet the criteria for personality disorder diagnoses: systematic review of economic evaluations and expert commentary. BJPsych Open, 2021, 7, .	0.3	1
184	Key developments in psychiatry. Practitioner, 1999, 243, 600-2, 605-7.	0.3	1
185	Antipsychotics in individuals with intellectual disability – Authors' reply. Lancet, The, 2008, 371, 1502.	6.3	0
186	Review: Screening and intervention for alcohol misuse in emergency rooms reduces alcohol-related injuries. Evidence-Based Mental Health, 2008, $11,88-88$ .	2.2	0
187	Critique of the assessment phase of the DSPD programme. Journal of Forensic Psychiatry and Psychology, 2009, 20, 151-154.	0.6	0
188	Author's reply to Agius and Verdolini. BMJ, The, 2014, 349, g6799-g6799.	3.0	0
189	Specific Mental Health Disorders: Personality Disorders. , 2017, , 55-59.		0
190	116 Impact of COVID 19 Pandemic on Hospital Care For People with Dementia—Feedback From Hospital Leads and Carers. Age and Ageing, 2021, 50, i12-i42.	0.7	0
191	Use of AUDIT-C alcohol screening tool in NHS general dental practices in North London. British Dental Journal, 2021, , .	0.3	0
192	Experiences of people seen in an acute hospital setting by liaison mental health services: responses from an online survey. BJPsych Open, 2021, 7, S346-S346.	0.3	0
193	Evaluating the effectiveness and cost effectiveness of the †strengthening families, strengthening communities†group-based parenting programme: study protocol and initial insights. BMC Public Health, 2021, 21, 1887.	1.2	0